

Daftar Pustaka

- [1] Hannah Bechara, Rohit Gupta, Liling Tan, Constantin Orasan, Ruslan Mitkov, and Josef van Genabith. Wolvesaar at semeval-2016 task 1: Replicating the success of monolingual word alignment and neural embeddings for semantic textual similarity. In *Proceedings of the 10th International Workshop on Semantic Evaluation (SemEval-2016)*, pages 634–639, San Diego, California, June 2016. Association for Computational Linguistics. URL: <http://www.aclweb.org/anthology/S16-1096>.
- [2] Hao Wu, Heyan Huang, and Wenpeng Lu. Bit at semeval-2016 task 1: Sentence similarity based on alignments and vector with the weight of information content. In *Proceedings of the 10th International Workshop on Semantic Evaluation (SemEval-2016)*, pages 686–690, San Diego, California, June 2016. Association for Computational Linguistics. URL: <http://www.aclweb.org/anthology/S16-1105>.
- [3] Md Arafat Sultan, Steven Bethard, and Tamara Sumner. Dls @ cu: Sentence similarity from word alignment and semantic vector composition. In *SemEval@ NAACL-HLT*, pages 148–153, 2015.
- [4] Md Arafat Sultan, Steven Bethard, and Tamara Sumner. Dls @ cu: Sentence similarity from word alignment. In *SemEval@ COLING*, pages 241–246, 2014.
- [5] Xuchen Yao, Benjamin Van Durme, Chris Callison-Burch, and Peter Clark. A lightweight and high performance monolingual word aligner. In *ACL (2)*, pages 702–707, 2013.
- [6] Md Arafat Sultan, Steven Bethard, and Tamara Sumner. Back to basics for monolingual alignment: Exploiting word similarity and contextual evidence. *Transactions of the Association for Computational Linguistics*, 2:219–230, 2014.
- [7] Erik F Tjong Kim Sang and Fien De Meulder. Introduction to the conll-2003 shared task: Language-independent named entity recognition. In *Proceedings of the seventh conference on Natural language learning at HLT-NAACL 2003-Volume 4*, pages 142–147. Association for Computational Linguistics, 2003.
- [8] Juri Ganitkevitch, Benjamin Van Durme, and Chris Callison-Burch. Ppdb: The paraphrase database. In *HLT-NAACL*, pages 758–764, 2013.
- [9] Christian Hännig, Robert Remus, and Xose De La Puente. Exb themis: Extensive feature extraction from word alignments for semantic textual similarity. In *SemEval@ NAACL-HLT*, pages 264–268, 2015.

- [10] Eneko Agirre, Carmen Banea, Daniel M Cer, Mona T Diab, Aitor Gonzalez-Agirre, Rada Mihalcea, German Rigau, and Janyce Wiebe. Semeval-2016 task 1: Semantic textual similarity, monolingual and cross-lingual evaluation. In *SemEval@ NAACL-HLT*, pages 497–511, 2016.
- [11] Budi Susanto. Text mining. 2015.
- [12] Igg Adiwijaya. Text mining dan knowledge discovery. *Komunitas Data mining Indonesia & Soft-omputing Indonesia*, 2006.
- [13] Xuchen Yao. *Feature-driven Question Answering with Natural Language Alignment*. PhD thesis, 2014.
- [14] Ido Dagan and Oren Glickman. Probabilistic textual entailment: Generic applied modeling of language variability. 2004.
- [15] Marco Marelli, Luisa Bentivogli, Marco Baroni, Raffaella Bernardi, Stefano Menini, and Roberto Zamparelli. Semeval-2014 task 1: Evaluation of compositional distributional semantic models on full sentences through semantic relatedness and textual entailment. In *SemEval@ COLING*, pages 1–8, 2014.
- [16] Isa dan Islam. Alkitab-kitab suci agama kristen, 2015. URL: <http://www.isadanislam.com/alkitab/alkitab-kitab-suci-umat-kristen>.
- [17] Ammi Nur Baits. Berapa jumlah ayat al-qur'an, 2013. URL: <https://konsultasisyariah.com/20876-berapa-jumlah-ayat-al-quran.html>.
- [18] Anaksaleh.com. Cerita dalam al-qur'an, 2016. URL: <http://www.anaksaleh.com/kisah-islami/cerita-al-quran.html>.
- [19] Hans Lohninger. Pearson's correlation coefficient, 2016. URL: http://www.vias.org/tmdatanaleng/cc_corr_coeff.html.