

## Daftar Pustaka

- [1] S. Kim, "Graph-based KNN Algorithm for Spam SMS Detection," vol. 19, no. 16, pp. 2404–2419, 2013.
- [2] Moens, Marie-Francine. 2018. How can a machine acquire common sense and world knowledge? [Online] Available at: <https://content.iospress.com/articles/argument-and-computation/aac025> [Accessed 8 October 2018].
- [3] L. Teori, S. M. S. Short, and M. Service, "2. Landasan Teori 2.1," pp. 4–16, 2012.
- [4] Wibowo Antoni. 2017. 10 Fold Cross Validation. [Online] Available at : <https://mti.binus.ac.id/2017/11/24/10-fold-cross-validation/> [Accessed 13 Agustus 2018]
- [5] Ben Allison. 2012. Is there a rule-of-thumb for how to divide a dataset into training and validation sets?. [Online] Available at : <https://stackoverflow.com/questions/13610074/is-there-a-rule-of-thumb-for-how-to-divide-a-dataset-into-training-and-validation>
- [6] D. Remaja, "Bab 2 landasan teori," no. 2003, pp. 8–23, 2004.
- [7] "BAB 2 LANDASAN TEORI 2.1 Text Mining," 2011.
- [8] Dyah Ayu Cyntia Dewi. 2017. T. Akhir, "Analisis dan Implementasi Cross Lingual Short Message Service (SMS) Spam Filtering dengan *Graph-Based K-Nearest Neighbour*".
- [9] C. Stab, "Annotating Argument Components and Relations in Persuasive Essays", pp. 1501-1510, 2014.