ABSTRACT

This self-driving car or a car without a driver is a proof of the rapid spread of

technology into one of the automotive sector sharing. Cars that have the ability to

run autonomously following a track without crashing can increase security and be

more effective when driving. To be able to follow the path and not crash it needs

optimal control, for this final project this time applies speed control and steering

direction control to the car robot. Robot car is a prototype of a car vehicle whose

construction adapts to the vehicle car in general.

The system that is controlled in the Final Project this time is divided into

two, namely the speed control system and steering or steering system control. Speed

control functions to regulate the speed and movement of the car robot by adjusting

the PWM value on the DC motor. While for steering control using the ackerman

steering system with a servo motor which is the actuator. Both are set using the

fuzzy logic controller method so that the car robot can move along the existing path

and adjust the speed based on the path and surrounding environment.

The design of the controls on the simulation and the programming algorithm

has been minimal from errors with an average error value on the simulation results

for the servo angle of 0.771008 and for the speed of 0.392072. Whereas in the

programming algorithm the average error value for the servo angle is **0.149712** and

for PWM DC motors 0.198168. Robot cars in accordance with the logic of the fuzzy

rules made. Car robots can execute turns and follow trajectories with a success rate

of 93.33%. The distance between the robot car and the track is 1.83 cm on the

inside of the track and **0.03 cm** on the outside of the track. The car robot can adjust

its speed and can stop when there are obstacles / traffic lights with an average

distance of 29.89 cm.

Keywords: Self-driving car robot, steering control, speed control

iv