2.7. Soft Frequency Reuse 24
2.8. Ada Fractional Frequency Reuse-3 27
2.9. Fractional Frequency Reuse-6 29

CHAPTER III. FORMULATION AND MODELLING
3.1. Path Loss Model 34
3.2. SINR (Signal to Interference plus Noise Ratio) 36
3.3. Throughput Calculation 38
3.4. User Satisfaction 39
3.5. Proposed Allocation Spectrum 40
3.6. The Steps followed to implement the proposed scheme 47

CHAPTER IV. RESULT AND ANALYSIS
4.1. Stepping of Simulation 49
4.2. Parameter Value 51
4.3. User Interface 52
4.4. Improvement of Macrocell Performance 54
4.5. Trade-off Femtocell Performance 58
4.6. Performance Comparation with previous FFR 61
4.7. User Satisfaction 65

CHAPTER V. CONCLUSIONS AND RECOMMENDATION
5.1 Conclusions 69
5.2 Recommendations / Future Work 69

REFERENCE 71
ATTACHMENT

LIST OF FIGURE

CHAPTER 1 INTRODUCTION

1.1 flow chart of research methodology 6

CHAPTER II INTERFERENCE ON MULTI-TIER CELLULAR NETWORK

2.1. Downlink resource block and subframe structure 10
2.2. Types of cell 12
2.3. Architecture Femtocell 14
2.4. The interference scenarios 16
2.5. Cross-layer downlink interference in an OFDMA 16
2.6. Frequency-reuse factor 1 (FRF-1) 17
2.7. Frequency Reuse Factor-3 (FRF-3) 18
2.8. Frequency Allocation FRF-3 for Macrocell and Femtocell 19
2.9. Frequency Reuse Factor ï 7 (FRF-7) 19
2.10. Frequency Allocation FRF-7 for Macrocell and Femtocell 20
2.11. Strict Fractional Frequency Reuse 23
2.12. Soft Frequency Reuse 25
2.13. Sub-band allocation of Soft Frequency Reuse 26
2.14. Spectrum Frequency Allocation of FFR-3 for Macrocell 27
2.15. Spectrum Frequency Allocation of FFR-3 for Femtocell 28
2.16. Cell Modelling of FFR-3 28
2.17. Spectrum Frequency Allocation of FFR-6 for Macrocell 30
2.18. Spectrum Frequency Allocation of FFR-6 (OFFR) for Femtocell 31
2.19. Cell Modelling of FFR-6 32

CHAPTER III FORMULATION AND MODELLING DISTRIBUTED FRACTIONAL FREQUENCY REUSE

3.1. Frequency band 41

3.2. Spectrum Frequency Allocation of DFFR for Macrocell 42

3.3. Spectrum Frequency Allocation of DFFR for femtocell

(a) inner region, (b) outer region 44

3.4. Cell Modelling of FFR-6/DFFR 46

3.5. Distributed fractional frequency reuse 47

CHAPTER IV RESULT AND ANALYSIS

4.1. Mathematical simulation flow chart 50

4.2. User Interface captured 53

4.3. Capture of example: scenario #72 users 53

4.4. Throughput macrocell in inner region 54

4.5. Throughput macrocell in outer region 55

4.6. Total Throughput macrocell 56

4.7. SINR based on distance and number of users 57

4.8. Macro user capacity/throughput as a function of distance 57

4.9. Throughput femtocell in the inner region 58

4.10. Throughput femtocell in the outer region 59

4.11. Total throughput femtocell 60

4.12. Femto user capacity/throughput as a function of distance 61

4.13. region comparison for macrocell 62

4.14. Inner region comparison for femtocell 63

4.15. Outer region comparison of macrocell 64

4.16. Outer region comparison of femtocell 64

4.17. User satisfaction index for Macro user 65
4.18. Throughput per macro outer user 66
4.19. User satisfaction index for Femto user 67
4.20. Throughput per Femto outer user 68