

DAFTAR TABEL

Tabel 2.1 Perbedaan BTS Konvensional deng BTS <i>Hotel System</i> ^[15]	10
Tabel 2.2 Spesifikasi GSM ^[14]	12
Tabel 2.3 Spesifikasi LTE ^{[13][20]}	13
Tabel 2.4 Parameter Arah <i>Downlink</i> ^{[13][14]}	15
Tabel 2.5 Parameter Arah <i>Uplink</i> ^{[8][9]}	15
Tabel 2.6 <i>Service Model</i> LTE ^[7]	17
Tabel 2.7 <i>Resource Block</i> ^[7]	19
Tabel 2.9 Kriteria RSRP ^[8]	20
Tabel 2.10 Kriteria CINR ^[8]	21
Tabel 2.11 Kriteria Sinya level ^[8]	21
Tabel 3.1 Requirement Operator X	23
Tabel 3.2 Tabel Site <i>cluster</i> 3G Regol ^[8]	25
Tabel 3.3 Daftar Site 3G dengan <i>Channal Element Utilization</i> ^[8]	25
Tabel 3.4 Daftar Site GSM <i>cluster</i> Regol ^[8]	26
Tabel 3.5 <i>Throughput uplink</i> dan <i>downlink</i> per layanan	30
Tabel 3.6 <i>Single user throughput</i> sisi <i>uplink</i> dan <i>downlink</i>	31
Tabel 3.7 <i>Network Throughput</i>	32
Tabel 3.8 Perhitungan <i>Cell Throughput</i>	32
Tabel 3.9 Perhitungan jumlah <i>site</i>	33
Tabel 3.10 MAPL <i>Uplink</i> LTE	34
Tabel 3.11 MAPL <i>Downlink</i> LTE	35
Tabel 3.12 MAPL <i>Uplink</i> GSM	38
Tabel 3.13 MAPL <i>Downlink</i> GSM	38
Tabel 4.1 List <i>pole</i> BTS <i>Hotel</i> yang direncanakan	42
Tabel 4.2 Kriteria RSRP	43
Tabel 4.3 Kriteria CINR	45
Tabel 4.4 Rekapitulasi perencanaan BTS <i>Hotel</i> LTE	52
Tabel 4.5 Rekapitulasi perencanaan BTS <i>Hotel</i> GSM	52