Daftar Pustaka

[1] Abad, P., Prieto, P., Menezo, L., Colaso, A., Puente, V., & Gregorio, J.-A. (2012). *TOPAZ: An Open-Source Interconnection Network Simulator for Chip Multiprocessors and Supercomputers* . University of Cantabria.

[2] Bienia, C. (2011). *Benchmarking Modern Multiprocessors.* Princeton University.

[3] Binkert, N., Beckmann, B., Black, G., Reinhardt, S. K., Saidi, A., Basu, A., et al. *The gem5 Simulator.* http://gem5.org.

[4] Fernandez-Pascual, R., & Jose M. Garcıa, M. E. *Validating a Token Coherence Protocol for Scientific Workloads.* Murcia: Departamento de Ingenierıa y Tecnologıa de Computadores, Universidad de Murcia.

[5] Kadlec, J. (2013). *Simulation of Cache Hierarchy and the MESIF Protocol.* Prague: Czech Technical University in Prague.

[6] Lameter, C. (2013). NUMA (Non-Uniform Memory Access) : An Overview. *ACM Queue Vol .11, No.7* .

[7] Martin, M. M., Hill, M. D., & Wood, D. A. (2003). *Token Coherence: Decoupling Performance and Correctness.* Madison: Computer Sciences Department, University of Wisconsin.

[8] Marty, M. R. (2008). *Cache Coherence Techniques for Multicore Processor.* Madison: University of Winconsin.

[9] Nylund, J. (2011). *SIMULATING NON-U NIFORM MEMORY ACCESS ARCHITECTURE FOR CLOUD SERVER APPLICATIONS.* Åbo Akademi University.

[10] *Ruby*. (2014, Maret 6). Dipetik Juni 1, 2014, dari Gem5: http://www.m5sim.org/Ruby

[11] S´aez, B. A. (2009). *Efficient Techniques to Provide Scalability for Token-based Cache Coherence Protocols.* Valencia: Department of Systems Data Processing and Computers, Technical Universisty of Valencia.

[12] Stallings, W. (2010). *Computer Organization and Architecture Designing for Performance Eighth Edition.* New Jersey: Prentice Hall.

[13] Super Micro Inc. (2008). *H8QM8-2 H8QME-2 , User's Manual.*

[14] Weiner, U., Goossens, K., & Hansson, A. (2012). *Modeling and Analysis of a Cache Coherent Interconnect.* Cambridge: Eindhoven University of Technology