

DAFTAR REFERENSI

- [1] C. Xuesongl, C. Haiman, and W. Fenglee, “A Dual Digital Audio Watermarking Algorithm Based on LWT,” no. Mic, pp. 721–725, 2012.
- [2] P. K. Dhar and T. Simamura, “A Blind LWT-Based Audio Watermarking Using Fast Walsh Hadamard Transform and Singular Value Decomposition,” *Circuits Syst. (ISCAS), 2014 IEEE Int. Symp.*, no. 1, pp. 125–128, 2014.
- [3] G. Zeng and Z. Qiu, “Audio watermarking in DCT: Embedding strategy and algorithm,” *Int. Conf. Signal Process. Proceedings, ICSP*, pp. 2193–2196, 2008.
- [4] Q. Zhang, Z. Liu, and Y. Huang, “Adaptive Audio Watermarking Algorithm Based on Sub-band Feature,” *J. Inf. Comput. Sci.*, vol. 2, no. February, pp. 305–314, 2012.
- [5] S. Ibrahim and M. Salleh, “INFORMATION HIDING USING STEGANOGRAPHY MUHALIM MOHAMED AMIN Department of Computer System & Communication Faculty of Computer Science and Information system,” 2003.
- [6] I. Natgunanathan, Y. Xiang, Y. Rong, W. Zhou, and S. Guo, “Robust patchwork-based embedding and decoding scheme for digital audio watermarking,” *IEEE Trans. Audio, Speech Lang. Process.*, vol. 20, no. 8, pp. 2232–2239, 2012.
- [7] R. Liu, T. Tan, and S. Member, “An SVD-Based Watermarking Scheme for Protecting,” vol. 4, no. 1, pp. 121–128, 2002.
- [8] F. Aryani, D. Yulianti, and J. Matematika, “Aplikasi Metode Singular Value Decomposition (SVD) Pada Sistem Persamaan Linier Kompleks,” *J. Sains dan Teknol. Ind. UIN Sultan Syarif Kasim Riau*, vol. 10, no. 1, pp. 67–76, 2012.
- [9] N. Moritz, S. Gerlach, K. Adiloglu, J. Anemüller, B. Kollmeier, and S. Goetze, “A CHIME-3 CHALLENGE SYSTEM: LONG-TERM ACOUSTIC FEATURES FOR NOISE ROBUST AUTOMATIC SPEECH RECOGNITION,” vol. 978-1-4799, no. ASRU 2015, pp. 468–474, 2015.

- [10] C. V. Narasimhulu and K. S. Prasad, “A hybrid watermarking scheme using contourlet transform and singular value decomposition,” vol. 10, no. 9, pp. 12–17, 2010.
- [11] M. Hwang, J. Lee, M. Lee, and H.-G. Kang, “SVD Based Adaptive QIM Watermarking on Stereo Audio Signals,” *IEEE Trans. Multimed.*, vol. 9210, no. DECEMBER 2016, pp. 1–1, 2017.
- [12] J. Li and T. Wu, “Robust audio watermarking scheme via QIM of correlation coefficients using LWT and QR decomposition,” *ICCSS 2015 - Proc. 2015 Int. Conf. Inf. Cybern. Comput. Soc. Syst.*, no. 4, pp. 1–6, 2015.
- [13] R. Li, S. Xu, and H. Yang, “Spread Spectrum Audio Watermarking Based on Perceptual Characteristic Aware Extraction,” *IET Signal Process.*, vol. 10, no. ISSN 1751-9675, pp. 266–273, 2014.
- [14] H. Haider, J. A. Shah, and U. Ali, “Comparative analysis of sparse signal recovery algorithms based on minimization norms,” *2014 World Congr. Sustain. Technol. WCST 2014*, vol. 978-1–9083, pp. 72–76, 2014.
- [15] E. Cand and J. Romberg, “: Recovery of Sparse Signals via Convex Programming Seven problems,” no. october, pp. 1–19, 2005.