

Bibliography

- [1] Adhinugraha, Kiki Maulana. "Highest order voronoi diagram for region-based spatial query processing." PhD diss., Monash University. Faculty of Information Technology. Clayton School of Information Technology, 2015.
- [2] Al-Badarneh, Amer F., Qussai Yaseen, and Ismail Hmeidi. "A new enhancement to the R-tree node splitting." Journal of Information Science 36.1 (2010): 3-18.
- [3] Beckmann, Norbert, et al. "The R*-tree: an efficient and robust access method for points and rectangles." Acm Sigmod Record. Vol. 19. No. 2. ACM, 1990.
- [4] Sharifzadeh, Mehdi, and Cyrus Shahabi. "Vor-tree: R-trees with voronoi diagrams for efficient processing of spatial nearest neighbor queries." Proceedings of the VLDB Endowment 3.1-2 (2010): 1231-1242.
- [5] Bonham-Carter, Graeme F. Geographic information systems for geoscientists: modelling with GIS. Vol. 13. Elsevier, 2014.
- [6] Ooi, B., Ron Sacks-Davis, and Jiawei Han. "Indexing in spatial databases." Unpublished/Technical Papers (1993).
- [7] Guttman, Antonin. R-trees: A dynamic index structure for spatial searching. Vol. 14. No. 2. ACM, 1984.
- [8] Comer, Douglas. "Ubiquitous B-tree." ACM Computing Surveys (CSUR) 11.2 (1979): 121-137.