

DAFTAR PUSTAKA

- [1] Kodinariya, T. M., and Makwana, P. R. (2013). Review on determining number of Cluster in K-Means Clustering. International Jurnal of Advance Research in Computer Science and Mangement Studies, I(6), 90-95.
- [2] Arai, Kohei and Ali Ridho Barakbah. 2007."Hierarchical K-Means: an algorithm for centroids initialization for K-means"
- [3] Feldman, Ronen., James Sanger. (2006). The Text Mining Handbook , New York: Cambridge University Press.
- [4] Han, Jiawei., Micheline Kamber, Jian Pei. (2012). Data Mining Concepts and Techniques, USA : Morgan Kaufmann.
- [5] Keke, Dyan., Rian Chikita, Agus Dwi Kuncor. 2012 , "Algoritma Nazief dan Adriani". Universitas Gajah Mada. <http://agusdwi89.web.ugm.ac.id/ir/stemming.pdf> , 30 April 2013.
- [6] Li, Yanjun., Congnan Luo, Soon M. Chung. May 2008 . "Text Clustering with Feature Selection by Using Statistical Data". IEEE. Volume : 20, No.5.
- [7] Manning, Christopher D., Prabhakar Raghavan, Hinrich Schutze. (2009). An Introduction to Information Retrieval , Cambridge: Cambridge University Presss.
- [8] Ridlo, Muhammad Rosyid. Juli 2017. "Implementasi Algoritme K-Means Untuk Pengelompokan Padi di Kabupaten Karawang", Fakultas Teknik UGM, CITEE 2017.
- [9] Srivastava, Ashok., Mehran Sahami. (2009). Text Minning Classification, Clustering, and Applications, USA : Taylor and Francis Group, LLC.
- [10] Wu, Junjie. (2012). Advanced in K-means Clustering, London : Springer.