Bibliografi

- [1] M.-T. Luong, H. Pham, and C. D. Manning, "Effective Approaches to Attention-based Neural Machine Translation," arXiv, 2015.
- [2] Z. Cao, W. Li, S. Li, and F. Wei, "Improving Multi-Document Summarization via Text Classification," 2016.
- [3] K. Jezek and J. Steinberger, "Automatic summarizing: (The state of the art 2007 and new challenges)," Proc. Znalosti, no. February, pp. 1–12, 2008.
- [4] I. Sutskever, O. Vinyals, and Q. V. Le, "Sequence to Sequence Learning with Neural Networks," pp. 1–9, 2014.
- [5] R. E. Neapolitan and R. E. Neapolitan, "Neural Networks and Deep Learning," Artif. Intell., pp. 389–411, 2018.
- [6] C. Khatri, G. Singh, and N. Parikh, "Abstractive and Extractive Text Summarization using Document Context Vector and Recurrent Neural Networks," 2018.
- [7] J. Tan, X. Wan, and J. Xiao, "Abstractive Document Summarization with a Graph-Based Attentional Neural Model," in Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), 2017.
- [8] T. Shi, Y. Keneshloo, N. Ramakrishnan, and C. K. Reddy, "Neural Abstractive Text Summarization with Sequence-to-Sequence Models," pp. 1–28, 2018.
- [9] R. Nallapati, B. Zhou, C. N. dos santos, C. Gulcehre, and B. Xiang, "Abstractive Text Summarization Using Sequence-to-Sequence RNNs and Beyond," Feb. 2016.
- [10] C.-F. Wang, "The Vanishing Gradient Problem Towards Data Science," Towards Data Science, 2018. [Online]. Available: https://towardsdatascience.com/the-vanishing-gradient-problem-69bf08b15484. [Accessed: 17-Jul-2019].
- [11] F. A. Gers and J. Schmidhuber, "Reccurent Nets that Time and Count," IEEE, vol. 3, 2000.
- [12] S. Hochreiter and J. Schmidhuber, "Long Short-Term Memory," Neural Comput., vol. 9, no. 8, pp. 1735–1780, 1997.
- [13] V. Mnih, N. Heess, A. Graves, and K. Kavukcuoglu, "Recurrent Models of Visual Attention," pp. 1–9, 2014.
- [14] J. Chorowski, D. Bahdanau, K. Cho, and Y. Bengio, "End-to-end Continuous Speech Recognition using Attention-based Recurrent NN: First Results," pp. 1–10, 2014.
- [15] K. Xu et al., "Show, Attend and Tell: Neural Image Caption Generation with Visual Attention," 2015.
- [16] D. Bahdanau, K. Cho, and Y. Bengio, "Neural Machine Translation by Jointly Learning to Align and Translate," pp. 1–15, 2014.
- [17] C. Wang, "RRA: Recurrent Residual Attention for Sequence Learning," 2017.
- [18] G. Tang, R. Sennrich, and J. Nivre, "An Analysis of Attention Mechanisms: The Case of Word Sense Disambiguation in Neural Machine Translation," vol. 1, pp. 26–35, 2019.
- [19] B. Prijono, "Belajar Pembelajaran Mesin Indonesia," IndoML.com, 2018. [Online]. Available: https://indoml.com/2018/04/13/pengenalan-long-short-term-memory-lstm-dan-gated-recurrent-unit-gru-rnn-bagian-2/.

- [20] J. Browniee, "Encoder-Decoder Long Short-Term Memory Networks," Machine Learning Mastery, 2017. [Online]. Available: https://machinelearningmastery.com/encoder-decoder-long-short-term-memory-networks/.
- [21] A. Parbhakar, "Why Data Scientists love Gaussian? Towards Data Science," Towards Data Science, 2018. [Online]. Available: https://towardsdatascience.com/why-data-scientists-love-gaussian-6e7a7b726859. [Accessed: 18-Jul-2019].