

Daftar Pustaka

- [1] W. Nurul Rohmawati, Defiyanti. Sofi and Jajuli. Muhammad, "Implementasi algoritma k-means dalam pengklasteran mahasiswa pelamar beasiswa," no. January, 2015.
- [2] A. Essa and V. Asari, "Multi-texture local ternary pattern for face recognition," *Proc. SPIE - Int. Soc. Opt. Eng.*, vol. 10203, pp. 1–6, 2017.
- [3] X. C. Li, C. H. Zhao, and Y. Cang, "Face recognition using the improved bag of words model," *Proc. - 3rd Int. Conf. Instrum. Meas. Comput. Commun. Control. IMCCC 2013*, pp. 772–775, 2013.
- [4] H. H. -, H. L. -, and G. L. -, "Face Recognition Using Pyramid Histogram of Oriented Gradients and SVM," *Int. J. Adv. Inf. Sci. Serv. Sci.*, vol. 4, no. 18, pp. 1–8, 2012.
- [5] A. Essa and V. K. Asari, "Face recognition based on modular histogram of oriented directional features," *Proc. IEEE Natl. Aerosp. Electron. Conf. NAECON*, pp. 49–53, 2017.
- [6] C. Permata and I. K. Eddy, "Deteksi Mobil Menggunakan Histogram of Oriented Gradient," pp. 1–6, 2012.
- [7] Z. Li, J. I. Imai, and M. Kaneko, "Robust face recognition using block-based bag of words," *Proc. - Int. Conf. Pattern Recognit.*, pp. 1285–1288, 2010.
- [8] M. F. Karaaba, O. Surinta, L. R. B. Schomaker, and M. A. Wiering, "Robust Face Identification with Small Sample Sizes using Bag of Words and Histogram of Oriented Gradients," *Proc. 11th Jt. Conf. Comput. Vision, Imaging Comput. Graph. Theory Appl.*, no. February, pp. 582–589, 2016.
- [9] N. Dalal and B. Triggs, "Histograms of Oriented Gradients for Human Detection."