

## DAFTAR PUSTAKA

- [1] F. M. Qatan and R. E. Ahmed, ‘Performance comparison of tcp algorithms for d2d communication in lte-a,’ in *2017 International Conference on Electrical and Computing Technologies and Applications (ICECTA)*. IEEE, 2017, pp. 1–4.
- [2] T. Thepsongkroh, P. Phunchongharn, and K. Akkarajitsakul, ‘A game theoretical resource allocation for relay-assisted device-to-device communication networks,’ in *2017 International Conference on Information, Communication and Engineering (ICICE)*. IEEE, 2017, pp. 484–487.
- [3] F. Wang, C. Xu, L. Song, Q. Zhao, X. Wang, and Z. Han, ‘Energy-aware resource allocation for device-to-device underlay communication,’ in *2013 IEEE international conference on communications (ICC)*. IEEE, 2013, pp. 6076–6080.
- [4] L. Wang, T. Peng, Y. Yang, and W. Wang, ‘Interference constrained d2d communication with relay underlaying cellular networks,’ in *2013 IEEE 78th vehicular technology conference (VTC Fall)*. IEEE, 2013, pp. 1–5.
- [5] S. Wen, X. Zhu, Y. Lin, Z. Lin, X. Zhang, and D. Yang, ‘Achievable transmission capacity of relay-assisted device-to-device (d2d) communication underlay cellular networks,’ in *2013 IEEE 78th Vehicular Technology Conference (VTC Fall)*. IEEE, 2013, pp. 1–5.
- [6] C. Zhengwen, Z. Su, and S. Shixiang, ‘Research on relay selection in device-to-device communications based on maximum capacity,’ in *2014 International Conference on Information Science, Electronics and Electrical Engineering*, vol. 3. IEEE, 2014, pp. 1429–1434.

- [7] T. Liu and G. Wang, “Resource allocation for device-to-device communications as an underlay using nash bargaining game theory,” in *2015 International Conference on Information and Communication Technology Convergence (ICTC)*. IEEE, 2015, pp. 366–371.
- [8] E. Wijanto, “Analisis kesiapan teknologi dalam penerapan teknologi telekomunikasi generasi kelima (5g),” *Teknik dan Ilmu Komputer*, vol. 6, no. 23, 2017.
- [9] D. Feng, L. Lu, Y. Yuan-Wu, G. Y. Li, S. Li, and G. Feng, “Device-to-device communications in cellular networks,” *IEEE Communications Magazine*, vol. 52, no. 4, pp. 49–55, 2014.
- [10] A. H. Ali and M. Nazir, “Radio resource management: The vital subject for evolution to 5g,” in *2017 International Symposium on Wireless Systems and Networks (ISWSN)*. IEEE, 2017, pp. 1–7.
- [11] V. S. W. Prabowo, A. Fahmi, and D. Perdana, “Radio resources allocation based-on energy saving for lte-advanced system,” *eProceedings of Engineering*, vol. 4, no. 1, 2017.
- [12] V. Sigit, A. Muayyadi, and A. Fahmi, “Analisis penggunaan algoritma resouce scheduling berdasarkan user grouping untuk sistem lte-advanced dengan carrier aggregation,” *eProceedings of Engineering*, vol. 2, no. 2, 2015.
- [13] S. Najeh, H. Besbes, and A. Bouallegue, “Greedy algorithm for dynamic reource allocation in downlink of ofdma system,” in *2005 2nd International Symposium on Wireless Communication Systems*. IEEE, 2005, pp. 475–479.
- [14] S. Dominic and L. Jacob, “Utility-based resource allocation for underlay d2d networks,” in *2017 IEEE Region 10 Symposium (TENSYMP)*. IEEE, 2017, pp. 1–5.

- [15] F. Afroz, R. Subramanian, R. Heidary, K. Sandrasegaran, and S. Ahmed, “SINR, rsrp, rssi and rsrq measurements in long term evolution networks,” *International Journal of Wireless & Mobile Networks*, 2015.
- [16] F. F. Pratama, G. Hendrantoro, and D. Kuswidiastuti, “Evaluasi kinerja sistem komunikasi lte-advanced dengan relay berbasis orthogonal resource allocation algorithm,” *Jurnal Teknik ITS*, vol. 1, no. 1, pp. A134–A138, 2012.
- [17] S. Febryanti, G. Hendrantoro, and D. Kuswidiastuti, “Analisis kinerja metode power control untuk manajemen interferensi sistem komunikasi uplink lte-advanced dengan femtocell,” *Jurnal Teknik ITS*, vol. 2, no. 2, pp. A355–A360, 2013.
- [18] M. Hasan, E. Hossain, R. Vannithamby, and S. Talwar, “Distributed resource allocation in 5g cellular networks,” *Toward 5G: Applications, Requirements and Candidate Technologies*, pp. 129–161, 2014.
- [19] M. T. Islam, A.-E. M. Taha, S. Akl, and S. Choudhury, “A two-phase auction-based fair resource allocation for underlaying d2d communications,” in *2016 IEEE International Conference on Communications (ICC)*. IEEE, 2016, pp. 1–6.
- [20] F. Man and W. Lenan, “Extension to shannons channel capacitythe theoretical proof,” in *2007 6th International Conference on Information, Communications & Signal Processing*. IEEE, 2007, pp. 1–4.
- [21] W.-T. Chen, “Spectral efficiency analysis for lte networks,” in *2014 IEEE Fourth International Conference on Consumer Electronics Berlin (ICCE-Berlin)*. IEEE, 2014, pp. 93–95.
- [22] Z. Shen, J. G. Andrews, and B. L. Evans, “Adaptive resource allocation in multiuser ofdm systems with proportional rate constraints,” *IEEE transactions on wireless communications*, vol. 4, no. 6, pp. 2726–2737, 2005.

- [23] J. Zhang, G. Wu, W. Xiong, Z. Chen, and S. Li, “Utility-maximization resource allocation for device-to-device communication underlaying cellular networks,” in *2013 IEEE Globecom Workshops (GC Wkshps)*. IEEE, 2013, pp. 623–628.