

Daftar Pustaka

- [1] Septiarini, A., Harjoko, A., Pulungan, R., & Ekantini, R. (2018). Biomedical Signal Processing and Control Automatic detection of peripapillary atrophy in retinal fundus images using statistical features. *Biomedical Signal Processing and Control*, 45, 151–159.
- [2] Cheng, J., Liu, J., Xu, Y., Yin, F., Wing, D., Wong, K., ... Tao, D. (2013). Superpixel Classification Based Optic Disc and Optic Cup Segmentation for Glaucoma Screening, 32(6), 1019–1032.
- [3] D. Pascolini dan S. Mariotti, “Global estimates of visual impairment: 2010,” *Br J Ophthalmol*, vol. 96(5), pp. 614-618, 2012.
- [4] Mittapalli, P. S., & Kande, G. B. (2016). Biomedical Signal Processing and Control Segmentation of optic disk and optic cup from digital fundus images for the assessment of glaucoma. *Biomedical Signal Processing and Control*, 24, 34–46.
- [5] Elaiza, N., Khalid, A., Mohamed, N., & Ariff, N. (2014). Fuzzy c-Means (FCM) for Optic Cup and Disc Segmentation with Morphological Operation. *Procedia - Procedia Computer Science*, 42, 255–262.
- [6] Cheng, J., Tao, D., Member, S., Liu, J., Wing, D., Wong, K., Saw, S. M. (2012). Peripapillary Atrophy Detection by Sparse, 31(12), 2355–2365.
- [7] Muramatsu, C., Muramatsu, C., Nakagawa, T., Sawada, A., Hatanaka, Y., Yamamoto, T., & Fujita, H. (2011). Automated determination of cup-to-disc ratio for classification of glaucomatous and normal eyes on stereo retinal fundus.
- [8] Kavitha, S., Karthikeyan, S., & Duraiswamy, K. (2010). Early Detection of Glaucoma in Retinal Images Using Cup to Disc Ratio, (1), 2–6.
- [9] Septiarini, A., Harjoko, A., Pulungan, R., & Ekantini, R. (2017). Optic disc and cup segmentation by automatic thresholding with morphological operation for glaucoma evaluation. *Signal, Image and Video Processing*, 11(5), 945–952.
- [10] Joshi, G. D., Sivaswamy, J., & Krishnadas, S. R. (2011). Optic Disk and Cup Segmentation From Monocular Color Retinal Images for Glaucoma Assessment, 30(6), 1192–1205.
- [11] Fondón, I., Núñez, F., Tirado, M., & Jiménez, S. (2012). Automatic Cup-to-Disc Ratio Estimation Using Active Contours and Color Clustering in Fundus Images for Glaucoma Diagnosis, 390–399.
- [12] Caraka, B., Sumbodo, B. A. A., & Candradewi, I. (2017). Klasifikasi Sel Darah Putih Menggunakan Metode Support Vector Machine (SVM) Berbasis Pengolahan Citra Digital. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*, 7(1), 25.
- [13] H. A. Quigley dan A. T. Broman, “The number of people with glaucoma worldwide in 2010 and 2020,” *Br J Ophthalmol*, vol. 90(3), pp. 262-267, 2006.
- [14] Sundari, B, Sivaguru, S., (2017). Early Detection of Glaucoma from Fundus Images by Using MATLAB GUI for Diabetic. *International Journal of Innovative Research in Computer and Communication Engineering*, 174–181.
- [15] Nurcahya, E. D. (2018). Klasifikasi Penyakit Gigi dan Mulut Menggunakan Metode Support Vector Machine. *VOLT : Jurnal Ilmiah Pendidikan Teknik Elektro*, 2(1), 45.