

DAFTAR PUSTAKA

- [1] T. Suryati, F. Salim, and Titiresmi, “Pemanasan Global dan Keanekaragaman Hayati,” *Teknologi Lingkungan*, vol. 8, no. 1, pp. 61–68, 2007.
- [2] T. Samiaji, “Gas Co 2 Di Wilayah Indonesia,” *Ber. Dirgant.*, vol. 12, no. 2, pp. 68–75, 2011.
- [3] S. Li, C. Zhou, and S. Wang, “Does modernization affect carbon dioxide emissions? A panel data analysis,” *Sci. Total Environ.*, vol. 663, pp. 426–435, 2019, doi: 10.1016/j.scitotenv.2019.01.373.
- [4] T. Anindyawati, “Potensi Selulase Dalam Mendegradasi Lignoselulosa Limbah Pertanian Untuk Pupuk Organik,” *Ber. Selulosa*, vol. 45, no. 2, pp. 70–77, 2010.
- [5] T. Anindyawati, “Prospek Enzim dan Limbah Lignoselulosa untuk Produksi Bioetanol,” *Bs*, vol. 44, no. 1. pp. 49–56, 2009.
- [6] M. Z. Elamin *et al.*, “Analysis of Waste Management in The Village of Disanah, District of Sreseh Sampang, Madura,” *J. Kesehat. Lingkungan*, vol. 10, no. 4, p. 368, 2018, doi: 10.20473/jkl.v10i4.2018.368-375.
- [7] S. Afrianti *et al.*, “Pengaruh suhu pembakaran dan konsentrasi grafena terhadap karakteristik batu bata,” vol. 6, pp. 1–11, 2019.
- [8] N. Saba, M. Jawaid, and M. Asim, *Nanocomposites with nanofibers and fillers from renewable resources*. Elsevier Ltd, 2019.
- [9] Ş. Yıldızhan, A. Çalık, M. Özcanlı, and H. Serin, “Bio-composite materials: a short review of recent trends, mechanical and chemical properties, and applications,” *Eur. Mech. Sci.*, vol. 2, no. 3, pp. 83–91, 2018, doi: 10.26701/ems.369005.
- [10] B. BPLH, “Pengelolaan Sampah.” Bandung, 2016, [Online]. Available: bplhbandung.com.

- [11] Badan Pusat Statistik, “Statistik Lingkungan Hidup Indonesia (SLHI) 2018,” *Badan Pus. Stat. Indones.*, pp. 1–43, 2018, doi: 3305001.
- [12] M. Ridha and D. Darminto, “Analisis Densitas, Porositas, dan Struktur Mikro Batu Apung Lombok dengan Variasi Lokasi dan Kedalaman,” *J. Fis. dan Apl.*, vol. 12, no. 3, pp. 124–130, 2016, doi: 10.12962/j24604682.v12i3.1403.
- [13] E. Kawa, M. Bukit, and A. Z. Johannes, “Penentuan Sifat Mekanis Dan Fisis Batu Bata Dengan Penambahan Arang Tempurung Kelapa Asal Alor,” *J. Fis. Fis. Sains dan Apl.*, vol. 3, no. 1, pp. 80–85, 2018, doi: 10.35508/fisa.v3i3.605.
- [14] A. Surya and D. A. Noor, “Teknologi Tradisional Pembuatan Batu Bata Sungai Tabuk Kalimantan Selatan,” *J. Kacapuri J. Keilmuan Tek. Sipil*, vol. 2, no. 1, p. 53, 2019, doi: 10.31602/jk.v2i1.2064.
- [15] A. M. Idris and A. A. El-Zahhar, “Indicative properties measurements by SEM, SEM-EDX and XRD for initial homogeneity tests of new certified reference materials,” *Microchem. J.*, vol. 146, no. 2018, pp. 429–433, 2019, doi: 10.1016/j.microc.2019.01.032.
- [16] M. Holmboe, S. Wold, and M. Jonsson, “Porosity investigation of compacted bentonite using XRD profile modeling,” *J. Contam. Hydrol.*, vol. 128, no. 1–4, pp. 19–32, 2012, doi: 10.1016/j.jconhyd.2011.10.005.
- [17] N. Phonphuak, C. Saengthong, and A. Srisuwan, “Physical and mechanical properties of fired clay bricks with rice husk waste addition as construction materials,” *Mater. Today Proc.*, vol. 17, pp. 1668–1674, 2019, doi: 10.1016/j.matpr.2019.06.197.
- [18] A. G. T. Kansha Isfaraini Huurun’ien, Agus Efendi, “Jurnal Ilmiah Pendidikan Teknik Kejuruan (JIPTEK),” *J. Ilm. Pendidik. Tek. Kejuru.*, vol. X, no. 2, p. <https://jurnal.uns.ac.id/jptk>, 2017.
- [19] “1340-1345.pdf.” .

- [20] I. Mardiyati, "Optimasi Kualitas Batubata Merah," no. April, pp. 317–322, 2010.
- [21] L. Mao, Y. Wu, W. Zhang, L. Hu, and Q. Huang, "Effects of electroplating sludge introduction on the morphology, mineral phase and porosity evolution of fired clay bricks," *Constr. Build. Mater.*, vol. 211, pp. 130–138, 2019, doi: 10.1016/j.conbuildmat.2019.03.251.
- [22] R. S. Leksono, D. Iranata, and H. Kristijnato, "Studi Pengaruh Kekuatan dan Kekakuan Dinding Bata pada Bangunan Bertingkat," *J. Tek. ITS*, vol. 1, no. 1, pp. 30–33, 2012.