

## DAFTAR PUSTAKA

- [1] Y. W. Kao, H.-Z. Gu and S.-M. Yuan, "Personal based authentication by face recognition," in *Fourth International Conference on Networked Computing and Advanced Information Management*, Gyeongju, 2008.
- [2] B. B. Amor, et al, "3D Face recognition by ICP-based shape matching," in *Lyon Research Center for Images and Intelligent Information Systems*, Lyon, 2005.
- [3] S.Sumathi and R. Malini, "Face Recognition System to enhance E health," in *2010 International Conference on E-Health Networking, Digital Ecosystems and Technologies* , Shenzhen, 2010.
- [4] Z. Guo and Y.-Y. Fan, "Sparse Representation for 3D Face Recognition," in *2013 Fourth World Congress on Software Engineering*, Hong Kong, 2013.
- [5] J. B. C. Neto and A. N. Marana, "Face Recognition Using 3DLBP Method Applied to Depth Maps Obtained from Kinect Sensors," *X Workshop de Visão Computacional*, pp. 168-172, 2014.
- [6] C. Samir, A. Srivastava and M. Daoudi, "3D Face Recognition Using Shape Of Facial Curves," in *2006 IEEE International Conference on Acoustics Speech and Signal Processing Proceedings*, Toulouse, 2006.
- [7] L. Zhang, "3DMKDSRC: A Novel Approach For 3D Face Recognition," in *2014 IEEE International Conference on Multimedia and Expo (ICME)*, Chengdu, 2014.
- [8] D. Han and Y. Ming, "Facial Expression Recognition With LBP and SLPP Combined Method," in *2014 12th International Conference on Signal Processing (ICSP)*, Hangzhou, 2014.

- [9] M. Romero, "Face recognition using Eigensurface on Kinect depth-maps," *IPCV'16*, pp. 241-247, 2016.
- [10] A. F. Abate, "2D and 3D face recognition: A survey," *Pattern Recognition Letters*, vol. XXVIII, no. 14, pp. 1885-1906, 2007.
- [11] A. D. Tumuli, X. N. Najoan and A. M. Sambul, "Implementasi Teknologi Biometrical Identification untuk Login Hotspot," *E-Journal Teknik Informatika*, vol. 12, no. 1, pp. 1-5, 2017.
- [12] D. Suprianto, R. N. Hasanah and P. B. Santosa, "Sistem Pengenalan Wajah Secara Real-Time dengan Adaboost, Eigenface PCA & MySQL," *Jurnal EECCIS*, vol. VII, no. 2, pp. 179-184, 2013.
- [13] R. Munir, *Pengolahan Citra Digital*. Bandung: Informatika Bandung, Bandung: Informatika, 2004.
- [14] D. Putra, *Pengolahan Citra Digital*, Yogyakarta: Andi, 2010.
- [15] Y. M. Rihi, A. J. Santoso and I. Wisnubadra, "Perancangan Sistem Keamanan Pada Mesin ATM Menggunakan Verifikasi Sidik Jari Life Fingerprint Security," in *Seminar Nasional Informatika 2013 (semnasIF 2013)*, Yogyakarta, 2013.
- [16] H. Tang, "Self-Adaptive 3D Face Recognition Based on Feature Division," in *2009 Fifth International Conference on Image and Graphics*, Xi'an, 2009.
- [17] Z. Zhang, "Microsoft Kinect Sensor and Its Effect," *IEEE MultiMedia*, vol. XIX, no. 2, pp. 4-10, 2012.
- [18] H. Lu, et al, "Depth Map Reconstruction for Underwater Kinect Camera Using Inpainting and Local Image Mode Filtering," *IEEE Access*, vol. V, pp. 7115 - 7122, 2017.

- [19] T. W. Hui and K. N. Ngan, "Motion-Depth: RGB-D Depth Map Enhancement with Motion and Depth in Complement," in *2014 IEEE Conference on Computer Vision and Pattern Recognition*, Columbus, 2014.
- [20] I. H. Purwanto, M. Suyanto and Sukoco, "Optimalisasi Photogrammetry Teknik Quality Of Camera Pada Visualisasi Model 3D," *Jurnal Informasi Interaktif*, vol. II, no. 2, pp. 93-99, 2017.
- [21] C. Perez-Benito, S. Morillas, C. Jordan and J. A. Conejero, "Smoothing vs. Sharpening Of Color Images - Together Or Separated," *Applied Mathematics and Nonlinear Science*, pp. 299-316, 2017.
- [22] LMI, "KScan3D: Main Page," LMI Technologies, 15 Juni 2015. [Online]. Available: <http://manual.kscan3d.com/>. [Accessed 12 Januari 2018].
- [23] J. Cook, et al, "Face recognition from 3D data using Iterative Closest Point algorithm and Gaussian mixture models," in *Proceedings. 2nd International Symposium on 3D Data Processing, Visualization and Transmission*, Thessaloniki, 2004.
- [24] F. B. t. Haar and R. C. Veltkamp, "A 3D Face Matching Framework," in *IEEE International Conference on Shape Modeling and Applications*, Stony Brook, 2008.
- [25] H. Yang, et al, "An Improved Iterative Closest Points Algorithm," *World Journal of Engineering and Technology*, vol. III, pp. 302-308, 2015.
- [26] A. Rohman, "Model Algoritma K-Nearest Neighbor (K-NN) Untuk Prediksi Kelulusan Mahasiswa," *Neo Teknika*, vol. I, no. I, 2015.
- [27] D. Nugraheny, "Metode Nilai Jarak Guna Kesamaan Atau Kemiripan Ciri Suatu Citra (Kasus Deteksi Awan Cumulonimbus Menggunakan Principal Component Analysis)," *Angkasa*, vol. VII, no. 2, 2015

- [28] A. Novitasari, E. P. Purwandari and F. F. Coastera, "Identifikasi Citra Daun Tanaman Jeruk Dengan Local Binary Pattern dan Moment Invariant," *Jurnal Informatika dan Komputer (JIKO)*, vol. III, no. 2, pp. 76-83, 2018
- [29] J.-F. Yu, C.-I. Chen, C.-L. Fan and C.-K. Chen, "Smoothing for the Optimal Surface of a 3D Image Model of the Human Ossicles," *Journal of Mechanics*, vol. XXVII, no. 3, pp. 431-436, 2011
- [30] R. Siv, I. Ardiyanto and R. Hartanto, "3D Human Face Reconstruction Using Depth Sensor of Kinect 2," in *2018 International Conference on Information and Communications Technology (ICOIACT)*, Yogyakarta, 2018