

DAFTAR PUSTAKA

- [1] "Hope Through Research: Parkinson's Disease," in National Institute of Neurological Disorders and Stroke, vol, p. 56. December 2014.
- [2] Professor J Jankovic, Department of Neurology, "Parkinson's Disease Center and Movement Disorders Clinic", Baylor College of Medicine, 6550 Fannin, Suite 1801, Houston, Texas 77030-3498, USA;2008
- [3] Arrazaq, Gusty Aditya. "Diagnosis Of Parkinson's Disease Through Gait Analysis Based On VGRF Using Wavelet And Support Vector Machine". Telkom University 2017.
- [4] Padraig. Cunningham, and Sarah Jane Delany, "K-Nearest Neighbor Classifier". Technical Report UCD-CSI, vol. 4, pp. 1-2, 2007.
- [5] K. Ravikumar and S. Tamilselvan, "On the Use of Wavelets Packet Decomposition for Time Series Prediction", Applied Mathematical Sciences, Vol. 8, no. 58, 2847 – 2858, 2014.
- [6] M. Y. Gokhale, Daljeet Kaur Khanduja, "Time Domain Signal Analysis Using Wavelet Packet Decomposition Approach", Int. J. Communications, Network and System Sciences, 3, 321–329, 2010.
- [7] Emmanuel J. Candes dan Michael B. Wakin, "An Introduction to Compressive Sampling", IEEE Signal Processing Magazine. 2008
- [8] Z. Ge, S. R. Sharma, and M. J. T. Smith, "PCA/LDA Approach for Text-Independent Speaker Recognition," Purdue, 2016.
- [9] L. I. Smith, "A Tutorial on Principal Components Analysis Introduction," 2002.
- [10] Lestari, Meidina Ajeng."Detection Of Sleep APNEA Using Electrocardiogram Signal With Discrete Wavlet Transform, Principal Component Analysis, And Linear discriminant Analysis" Telkom University 2015.

- [11] Shweta Taneja, C. G. (t.thn.). An Enhanced K-Nearest Neighbor Algorithm Using Information Gain and Clustering. 1-5.
- [12] A. Kadir, *Pengolahan Citra, Teori dan Aplikasi*. Yogyakarta, 2013.
- [13] C. S. Burrus, J. A. Barreto, and I. W. Selesnick, “Iterative reweighted leastsquares design of fir filters,” *IEEE Transactions on Signal Processing*, 1994.
- [14] Simangungsong, L. Artur. P. “Image Watermarking Analysis Of Image Insertion Using Compressive Sensing (CS) Based On DWT And IRLS Reconstruction Using Discrete Cosine Transform And Singular Value Decomposition”. Telkom University 2019.
- [15] Prianto, Danu. “DWT- Based Compressive Sensing And L1-Magic Reconstruction For Watermark Compression on Image Watermarking Using LWT-SVM”.Telkom University 2019.
- [16] Emmanuel J. Candes dan Michael B. Wakin, “An Introduction to Compressive Sampling”, *IEEE Signal Processing Magazine*. 2008.
- [17] Rifki, Maulana “Perancangan Sistem Deteksi Kondisi paru-paru Normal, Penyakit Tuberkulosis (TBC) Dan Efusi Pleura Pada Manusia Menggunakan Gray Level Co-occurrence Matrix (GLCM) Dan Metode K-Nearest Neighbor (KNN)”. Telkom University 2018.
- [18] S.-J. Kim, K. Koh, M. Lustig, S. Boyd, and D. Gorinevsky, “An interior-point method for large-scale ℓ_1 -regularized least squares,” *IEEE JOURNAL OF SELECTED TOPICS IN SIGNAL PROCESSING*, 2007.
- [19] L. Medeiros, H. Almeida, L. Dias, M. Perkusich, and R. Fischer, —A Gait Analysis Approach to Track Parkinson’s Disease Evolution Using Principal Component Analysis, *IEEE 29th Int. Symp. Comput. Med. Syst.*, p. 6, 2016.
- [20] M. Demonceau et al., —Contribution of a trunk accelerometer system to the characterization of Gait in patients with mild-to-moderate Parkinson’s

disease,|| *IEEE J. Biomed. Heal. Informatics*, vol. 19, no. 6, pp. 1803–1808, 2015.

- [21] S. Lord, B. Galna, and L. Rochester, —Moving forward on gait measurement: Toward a more refined approach,|| *Mov. Disord.*, vol. 28, no. 11, pp. 1534–1543,2013.
- [22] D. Muslimović, B. Post, J. D. Speelman, B. Schmand, and R. . De Haan, —Determinants of disability and quality of life in mild to moderate Parkinson disease,|| *Neurology*, vol. 70, no. 23, pp. 2241–2247, 2008.
- [23] A. Hadi and A. Razak, —Foot Plantar Pressure Measurement System: A Review,|| *MDPI*, pp. 9884–9912, 2012.