

DAFTAR PUSTAKA

- [1] S. B. Atla *et al.*, “Hydrophobic calcium carbonate for cement surface,” *Crystals*, vol. 7, no. 12, pp. 1–9, 2017, doi: 10.3390/crust7120371.
- [2] R. di Mundo, A. Petrella, and M. Notarnicola, “Surface and bulk hydrophobic cement composites by tyre rubber addition,” *Construction and Building Materials*, vol. 172, pp. 176–184, 2018, doi: 10.1016/j.conbuildmat.2018.03.233.
- [3] E. Jumate, D. L. Manea, D. Moldovan, and R. Fechete, “The Effects of Hydrophobic Redispersible Powder Polymer in Portland Cement Based Mortars,” *Procedia Engineering*, vol. 181, pp. 316–323, 2017, doi: 10.1016/j.proeng.2017.02.395.
- [4] A. Sismantoro, “Karakterisasi Bahan Akustik Poliuretan Berpenguat Partikel Cangkang Kelapa Sawit,” 2017, 1–120.
- [5] JG.K. S, Gwon, “Perkembangan Morfologi Sel Dalam Pembuatan Busa Urea Poliuretan Fleksibel Sebagai Bahan Penyerap Suara,” *Jurnal Bahan Berpori*, 2016, 1-9.
- [6] Irawati & Zainuri Pengaruh Temperatur perlakuan Panas Pada Lapisan Hydropobic Komposit PDMS/SiO₂ dengan Fasa Siliki Kristobalit. *Jurnal Sains Dan Seni ITS*, 2016, 5(1), 1–5.
- [7] F. Wang, Lei, S., Ou, J., & Li, W, “Effect of PDMS on the waterproofing performance and corrosion resistance of cement mortar,” *Applied Surface Science*, 507(May 2019), 2020, <https://doi.org/10.1016/j.apsusc.2019.145016>.
- [8] S. Wedhanto, “Pengaruh air laut terhadap kekuatan tekan beton yang terbuat dari berbagai merk semen yang ada di kota malang,” *Jurnal Bangunan*, 2017, 22(2), 21–30.
- [9] A Sriwahyuni, N. R, “Analisis Pengaruh Waktu Perendaman Larutan Kapur Jenuh Terhadap Sifat Fisis Mortar Ekosemen,” *Journal physics*, 2012.
- [10] D. Barnat-Hunek, S. Duda, M. Garbacz, & G. Łagód, “*Hydrophobisation of mortars containing waste polyurethane foam.* MATEC Web of Conferences, , 2018, 163, 9–11. <https://doi.org/10.1051/matecconf/201816304006>.
- [11] S. W. Muzenski, I. Flores-Vivian, and K. Sobolev, “The development of hydrophobic and superhydrophobic cementitious composites,” *Proceedings of the 4th International Conference on the Durability of Concrete Structures, ICDCS 2014*, no. July, 2014, doi: 10.5703/1288284315484.
- [12] Z. Song, Z. Lu, and Z. Lai, “Influence of Hydrophobic Coating on Freeze-Thaw Cycle Resistance of Cement Mortar,” *Advances in Materials Science and Engineering*, vol. 2019, no. 1, 2019, doi: 10.1155/2019/8979864.

- [14] G. Wang, J. Yang, and Q. Shi, "Preparation of transparent ultrahydrophobic silica film by sol-gel process," *Journal of Coatings Technology and Research*, vol. 8, no. 1, pp. 53–60, 2011, doi: 10.1007/s11998-010-9270-5.
- [15] N. F. Himma and S. Anisah, "Membran Superhidrofobik," 2015. [Online]. Available: <https://www.researchgate.net/publication/287490143>.
- [16] Mikrajuddin Abdullah. *Fisika Dasar*. 2016. Bandung: ITB.
- [17] A. Torres, L. Bartlett, and C. Pilgrim, "Effect of foundry waste on the mechanical properties of Portland Cement Concrete," *Construction and Building Materials*, vol. 135, pp. 674–681, Mar. 2017, doi: 10.1016/j.conbuildmat.2017.01.028.
- [18] Kardiyo. *Semen portland*. 1996. Yogyakarta: UNS.
- [19] Tjokrodimuljo. *Teknologi beton*. 1992. Yogyakarta.
- [20] Mulyono, T, "Teknologi Beton," Jurusan Teknik Sipil Universitas Gadjah Mada, Andi, Yogyakarta, 2003.
- [21] Departemen, U. P, "Tata Cara Rencana Pembuatan Campuran BetonNormal," Bandung: Yayasan LPMB, 1991.
- [22] Standar Nasional Indonesia Badan Standardisasi Nasional Metode pengujian kekuatan tekan mortar semen portland untuk pekerjaan sipil.
- [23] "Standard Specification for Mortar for Unit Masonry 1", doi: 10.1520/C0270-10.
- [24] P. C. Foreman, I.E.Barnes, "A Review Calcium Hydroxide," Department of Operative Dentistry, Dental School, University of Newcastle upon Tyne, UK,1990.
- [25] Supply, D. o. *HROP Untuk MASi Produksi*, 1984, 2.
- [26] Rehman K, dkk, "Calcium ion diffusion from calcium hydroxide-containing material in endodontically treated teeth," *An in vitro Study*, 1996, 29 : 271- 279.
- [27] Rohaeti. Eli, "Kajian tentang sintesis Poliuretan dan Karakterisasinya," Prosiding Semnas Penelitian, Pendidikan dan Penerapan MIPA, FMIPA-UNY, Yogyakarta 8 Februari 2005.
- [28] Hatakeyama, H., S. Hirose, T. Hatakeyama, K. Nakamura, K. Kobashigawa, N. Morohoshi, "Biodegradable polyurethanes from plant component," *J. Pure Applied Chemistry*, 1995, A32(4), 743 – 750.
- [29] Sihotang, S. H, "Sintesis Poliuteran Melalui Polimerisasi Lignin Isolat dari Serbuk Kayu jati," *Tectona Grandis L.f*, 2018, 18(1), 32–37.

- [30] Nicholson, J. W, “Polyurethanes, dalam The Chemistry of Polymers, 2nd ed,” *The Royal Society of Chemistry*, Cambridge, 1997, 19, 71.
- [31] Brydson, J.A, “Polyurethanes and polyisocyanurate, dalam Plastic Materials,” *Butterworth Heinemann Ltd*, Oxford, 1995, 756 – 785.
- [32] Hatakeyama, H., S. Hirose, T. Hatakeyama, K. Nakamura, K. Kobashigawa, N. Morohoshi ,“Biodegradable polyurethanes from plant component,” *J. Pure Applied Chemistry*, 1995, A32(4), 743 – 750.
- [33] Skurlys, O., C. Acevedo, F. Pedreschi, J. Enrione, F. Osorio, dan J.M. Aguilera, “Food Hydrocolloid Edible Films and Coatings. Department of Food Science and Technology,” Universitas de Santiago de Chile, 2016.
- [34] Zhong, Y., G. Cavender, dan Y. Zhao, “Investigation of Different Coating Application Methods on the Performance of Edible Coatings On Mozzarella Cheese,” *Food Science and Technology*, 2014, 56:1-8.
- [35] N. Ari, N. *Kuat Tekan Semen Portland*, 2006, jakarta: Erlangga.