

BIBLIOGRAPHY

- [1] Masud, M. Samsuzzaman, and M. Rahman, “Bit error rate performance analysis on modulation techniques of wideband code division multiple access,” 03 2010.
- [2] D. Bala, M. Alam, M. Islam, M. Abdullah, and M. Hossain, “Analysis the performance of ofdm using bpsk, qpsk, 64-qam, 128-qam 256-qam modulation techniques,” vol. 7, pp. 31–38, 01 2021.
- [3] n. National Instrument, “mmwave ota validation test reference architecture,” 10 2019, pp. 1–10.
- [4] J. Fridén, A. Razavi, and E. Pucci, “Over-the-air testing for total radiated power of unwanted emissions,” in *2018 IEEE Conference on Antenna Measurements Applications (CAMA)*, 2018, pp. 1–4.
- [5] F. I. . Vera Desi Ramadianty1), Dasril2), “Analisis pengukuran performansi jaringan 4g lte telkomsel dalam event game mobile legends: Bang-bang di pontianak,” *Jurusan Teknik Elektro, Fakultas Teknik, Universitas Tanjung-pura,*, vol. 8, pp. 2691–2699, 04 2012.
- [6] G. T. . version 11.0.0 Release 11), “Evolved universal terrestrial radio access (e-utra); relay radio transmission and reception,” 11 2011.
- [7] C. Orlenius, C. L. Patané, A. Skårbratt, J. Åsberg, and M. Franzén, “Analysis of mimo ota measurements for lte terminals performed in reverberation chamber,” in *2012 6th European Conference on Antennas and Propagation (EUCAP)*, 2012, pp. 1934–1938.
- [8] 3GPP, “LTE; Evolved Universal Terrestrial Radio Access (E-UTRA); User Equipment (UE) radio transmission and reception (3GPP TS 36.101 version 8.4.0 Release 8),” 3rd Generation Partnership Project (3GPP), Technical Specification (TS) 36.331, 04 2009, version 14.2.2. [Online]. Available: https://www.etsi.org/deliver/etsi_ts/136100_136199/136101/08.04.00_60/ts_136101v080400p.pdf
- [9] A. Scannavini, L. J. Foged, N. Gross, and P. Noren, “Ota measurement of wireless devices with single and multiple antennas in anechoic chamber,” in

The 8th European Conference on Antennas and Propagation (EuCAP 2014), 2014, pp. 3495–3499.

- [10] C. Cox, *Performance of LTE and LTE-Advanced*, 2014, pp. 413–428.
- [11] I. J. MILOŠ. and C. prof. Ing. STANISLAV HANUS, “Models of control channels in the lte system,” 2014.
- [12] N. Hou, K. Niu, Z. He, and S. Sun, “Test and performance analysis of pusch channel of lte system,” in *2013 5th IEEE International Symposium on Microwave, Antenna, Propagation and EMC Technologies for Wireless Communications*, 2013, pp. 110–114.
- [13] G. Çelik, H. Çelebi, and G. Tuna, “A novel rsrp-based e-cid positioning for lte networks,” in *2017 13th International Wireless Communications and Mobile Computing Conference (IWCMC)*, 2017, pp. 1689–1692.
- [14] F. Afroz, R. Subramanian, R. Heidary, K. Sandrasegaran, and S. Ahmed, “Sinr, rsrp, rssi and rsrq measurements in long term evolution networks,” *International Journal of Wireless Mobile Networks*, vol. 7, pp. 113–123, 08 2015.
- [15] J. Kurjeniemi, T. Henttonen, and J. Kaikkonen, “Suitability of rsrq measurement for quality based inter-frequency handover in lte,” in *2008 IEEE International Symposium on Wireless Communication Systems*, 2008, pp. 703–707.
- [16] V. Raida, M. Lerch, P. Svoboda, and M. Rupp, “Deriving cell load from rsrq measurements,” in *2018 Network Traffic Measurement and Analysis Conference (TMA)*, 2018, pp. 1–6.
- [17] X. Chen, J. Tang, T. Li, S. Zhu, Y. Ren, Z. Zhang, and A. Zhang, “Reverberation chambers for over-the-air tests: An overview of two decades of research,” *IEEE Access*, vol. PP, 08 2018.
- [18] 3GPP, “Lte; evolved universal terrestrial radio access (e-utra); physical layer procedures (3gpp ts 36.213 version 12.3.0 release 12),” vol. 12.3.0, pp. 31–38, 10 2014.
- [19] P.-S. Kildal, C. Orlenius, and J. Carlsson, “Ota testing in multipath of antennas and wireless devices with mimo and ofdm,” *Proceedings of The IEEE - PIEEE*, vol. 100, pp. 2145–2157, 07 2012.
- [20] J. Friden, A. Razavi, and E. Pucci, “Over-the-air testing for total radiated power of unwanted emissions,” 09 2018, pp. 1–4.

- [21] X. Chen, “Throughput modeling and measurement in an isotropic-scattering reverberation chamber,” *IEEE Transactions on Antennas and Propagation*, vol. 62, no. 4, pp. 2130–2139, 2014.
- [22] J. Li, Y. Qi, W. Yu, F. Li, J. Fan, Z. Yang, S. Wu, and J. L. Drewniak, “Total isotropic sensitivity measurement in switched beam antenna systems,” *IEEE Transactions on Instrumentation and Measurement*, vol. 69, no. 8, pp. 5458–5467, 2020.
- [23] D. Bala, M. N. Islam, Md., I. Abdullah, M. F. Alamgir, and Hossain, “Analysis the performance of ofdm using bpsk, qpsk, 64-qam, 128-qam 256-qam modulation techniques,” 2020.
- [24] M. A. N. Chowdhury, M. R. Ullah Mahfuz, S. H. Chowdhury, and M. M. Kabir, “Design of an improved qpsk modulation technique in wireless communication systems,” in *2017 3rd International Conference on Electrical Information and Communication Technology (EICT)*, 2017, pp. 1–6.
- [25] M. Taufiqurrahman, I. G. Astawa, and A. Sudarsono, “Performance analysis of circular 8-qam constellation with mmse equalizer for ofdm system using usrp,” *EMITTER International Journal of Engineering Technology*, vol. 4, 12 2016.