

DAFTAR PUSTAKA

- [1] Direktorat Jenderal Holtikultura, “Pedoman Teknis Peningkatan Produksi, Produktivitas Dan Mutu Produk Hortikultura Berkelanjutan Tahun 2014,” p. 88, 2013.
- [2] S. L. H. Siregar and M. Rivai, “Monitoring dan Kontrol Sistem Penyemprotan Air Untuk Budidaya Aeroponik Menggunakan NodeMCU ESP8266,” *J. Tek. ITS*, vol. 7, no. 2, 2019, doi: 10.12962/j23373539.v7i2.31181.
- [3] G. H. Indrajaya, M. Ramdhani, and M. A. Murti, “Rancang Bangun Total Dissolve Solids (tds) Meter Pada Tanaman Aeroponik Berbasis Internet Of Things (iot),” *eProceedings Eng.*, vol. 6, no. 3, pp. 10105–10111, 2019.
- [4] A. Faisal, M. T. . , Asep Mulyana, S.T, and M. T. . , Aris Hartaman, S.T, “KONTROL DAN MONITORING BUDIDAYA SAYURAN DENGAN METODE AEROPONIK BERBASIS MIKROKONTROLER Control and Monitoring Aeroponic on A Vegetable Plant Cultivation Based on Microcontroller,” vol. 5, no. 1, pp. 223–234, 2019.
- [5] P. J. Mukti, I. A. Nuranto, and I. Wahida, “(DESIGN AND TESTING AN IoT BASED AEROPONIC SYSTEM CONTROL AND MONITORING USING NodeMCU),” pp. 0–3.
- [6] S. A. Adimihardja, G. Hamid, and E. Rosa, “Pengaruh Pemberian Kombinasi Kompos Sapi dan Ferimix Terhadap Pertumbuhan dan Produksi Dua Kultivar Tanaman Selada (*Lactuca sativa L.*) Dalam Sistem Hidroponik Rakit Apung,” *J. Pertan.*, vol. 4, no. 1, pp. 6–20, 2013.
- [7] J. Jumiyatun, A. Amir, R. Ndobe, and S. Supriyadi, “Rancang Bangun Sistem Kendali Penanaman Tumbuhan Hortikultura Di Dalam Ruangan Tertutup,” *J. Ecotype (Electronic, Control. Telecommun. Information, Power Eng.*, vol. 6, no. 2, pp. 82–89, 2019, doi: 10.33019/ecotype.v6i2.1187.
- [8] B. Herdiana and M. H. Barkatulah, “System Smart Urban Gardenin Based on Internet of Things,” *Telekontran J. Ilm. Telekomun. Kendali dan*

- Elektron. Terap.*, vol. 6, no. 2, pp. 12–22, 2018, doi: 10.34010/telekontran.v6i2.3796.
- [9] F. D. W. I. Hartarto, “Rancang Bangun Monitoring Dan Kontrol Pertumbuhan Tanaman Pada Sistem Hidroponik Dft Menggunakan Metode Fuzzy Logic,” *Politek. Perkapalan Negeri Surabaya*, p. 20, 2019.
 - [10] D. ElMenshawy, W. Helmy, and N. El-Tazi, “A Clustering based approach for contextual anomaly detection in internet of things,” *J. Comput. Sci.*, vol. 15, no. 8, pp. 1195–1202, 2019, doi: 10.3844/jcssp.2019.1195.1202.
 - [11] D. Fletcher, “Internet of things,” *Adv. Inf. Secur.*, vol. 63, pp. 19–32, 2015, doi: 10.1007/978-3-319-23585-1_2.
 - [12] J. Gubbi, R. Buyya, S. Marusic, and M. Palaniswami, “Internet of Things (IoT): A vision, architectural elements, and future directions,” *Futur. Gener. Comput. Syst.*, vol. 29, no. 7, pp. 1645–1660, 2013, doi: 10.1016/j.future.2013.01.010.
 - [13] T. Thamaraimanalan, S. P. Vivekk, G. Satheeshkumar, and P. Saravanan, “Smart Garden Monitoring System Using IOT,” *Asian J. Appl. Sci. Technol. (Open Access Q. Int. J.)*, vol. 2, no. 2, pp. 186–192, 2018.
 - [14] A. Jestratjew and A. Kwiecien, “Performance of HTTP protocol in networked control systems,” *IEEE Trans. Ind. Informatics*, vol. 9, no. 1, pp. 271–276, 2013, doi: 10.1109/TII.2012.2183138.
 - [15] M. F. Sururuzzaman, R. Munadi, A. I. Irawan, F. T. Elektro, and U. Telkom, “Analisis Performansi Protokol Mqtt Pada Sistem Kontrol Performance Analysis of Mqtt Protocol in Pakcoy Hydroponic,” vol. 7, no. 3, pp. 8919–8926, 2020.
 - [16] P. R. Utami, “Analisis Perbandingan Quality of Service Jaringan Internet Berbasis Wireless Pada Layanan Internet Service Provider (Isp) Indihome Dan First Media,” *J. Ilm. Teknol. dan Rekayasa*, vol. 25, no. 2, pp. 125–137, 2020, doi: 10.35760/tr.2020.v25i2.2723.
 - [17] E. D. Kristianto, “Menghitung Delay Paket Pada Jaringan Menggunakan Wireless Network,” 2013.
 - [18] ITU-T, “G.1010: End-user multimedia QoS categories,” *Int. Telecommun. Union*, vol. 1010, 2001, [Online]. Available:

- http://scholar.google.com.au/scholar?hl=en&q=ITU-T+Recommendation+G.1010&btnG=&as_sdt=1,5&as_sdtp=#7.
- [19] I. Fitchard, Kevin; Rizzato, Francesco; Fogg, “the 5G Opportunity,” *Opensignal*, p. 15, 2019.
 - [20] M. Adiptya and H. Wibawanto, “Sistem Pengamatan Suhu Dan Kelembaban Pada Rumah Berbasis Mikrokontroller ATmega8,” *J. Tek. Elektro Unnes*, vol. 5, no. 1, pp. 15–17, 2013, doi: 10.15294/jte.v5i1.3548.
 - [21] R. . Firmansyah and S. . Bagaskara, “Penerapan Modul RF 433 dalam Pengukuran Intensitas Cahaya Menggunakan Sensor LDR Berbasis Arduino,” *Ina. Indones. J. Electr. Eletronics Eng.*, vol. 1, no. 1, p. 1, 2018, doi: 10.26740/inajeee.v1n1.p1-6.
 - [22] A. U. Rahmania and H. G. Ariswati, “Perancangan pH Meter Berbasis Arduino Uno,” *Elektromedik*, vol. 1, pp. 22–30, 2018.
 - [23] W. Sintia, D. Hamdani, and E. Risdianto, “Rancang Bangun Sistem Monitoring Kelembaban Tanah dan Suhu Udara Berbasis GSM SIM900A DAN ARDUINO UNO,” *J. Kumparan Fis.*, vol. 1, no. 2, pp. 60–65, 2018, doi: 10.33369/jkf.1.2.60-65.
 - [24] U. N. Yogyakarta and S. Ultrasonik, “Alarm penanda jarak baca dan kurang cahaya untuk aktivitas membaca reading distance and low light sign alarm for reading activity,” pp. 1–7.
 - [25] O. A. Siti, “Universitas Sumatera Utara Skripsi,” *Anal. Kesadahan Total dan Alkalinitas pada Air Bersih Sumur Bor dengan Metod. Titrim. di PT Sucofindo Drh. Provinsi Sumatera Utara*, pp. 44–48, 2018.
 - [26] <https://tekno.kompas.com/read/2019/02/25/17410087/ini-waktu-terlelet-untuk-akses-internet-4g-di-indonesia>