

DAFTAR PUSTAKA

- [1] M. Rojanamontien, P. Sihanatkathakul, N. Piemkaroonwong, and S. Kamales, "Leaf Identification Using Apical and Basal Features," *2016 8th Int. Conf. Knowl. Smart Technol. IEEE*, pp. 234–238, 2016, doi: 10.1109/KST.2016.7440521.
- [2] Emmanuel J. Candès and Michael B. Wakin, *An Introduction To Compressive Sampling*, vol. 25, no. 2. 2008.
- [3] L. Yan, J. S. Pan, and X. Zhu, "Feature extraction based on nearest feature line and compressive sensing," *2013 Ninth Int. Conf. Intell. Inf. Hiding Multimed. Signal Process. IEEE*, pp. 354–357, 2013, doi: 10.1109/IIH-MSP.2013.95.
- [4] O. R. Indriani, E. J. Kusuma, C. A. Sari, E. H. Rachmawanto, and D. R. I. M. Setiadi, "Tomatoes classification using K-NN based on GLCM and HSV color space," *Proc. - 2017 Int. Conf. Innov. Creat. Inf. Technol. Comput. Intell. IoT, ICITech IEEE*, pp. 1–6, 2018, doi: 10.1109/INNOCIT.2017.8319133.
- [5] G. M. A. K. Usman, dan R. Y. Nur'fuadah, "Classification of Tea Leaves Using Method Gray Level Co- Occurance Matrix (GLCM) and K-Nearest Neighbor (K-NN)," *Univ. Telkom, SI Tek. Telekomun.*, p. 5, 2019, [Online].
- [6] L. Safira, B. Irawan, and C. Setianingsih, "K-nearest neighbour classification and feature extraction GLCM for identification of terry's nail," *2019 IEEE Int. Conf. Ind. 4.0, Artif. Intell. Commun. Technol. K-Nearest*, pp. 98–104, 2019, doi: 10.1109/ICIAICT.2019.8784856.
- [7] S. R. Regina, K. Usman, N. Kumalasari, dan C. Pratiwi, "Identifikasi Jenis Bawang Merah Berdasarkan Tekstur dan Warna Dengan Ekstraksi Ciri GLCM dan Klasifikasi K-NN," pp. 1–7, 2019.

- [8] N. P. Singh, T. Nagahma, P. Yadav, and D. Yadav, "Feature based leaf identification," *2018 5th IEEE Uttar Pradesh Sect. Int. Conf. Electr. Electron. Comput. Eng. UPCON 2018*, 2018, doi: 10.1109/UPCON.2018.8596921.
- [9] A. C. Siravenha and S. R. Carvalho, "Plant Classification from Leaf Textures," *2016 Int. Conf. Digit. Image Comput. Tech. Appl. DICTA 2016*, 2016, doi: 10.1109/DICTA.2016.7797073.
- [10] A. Mareta, I. Soesanti, and O. Wahyunggoro, "Herbal Leaf Classification Using Images in Natural Background," pp. 612–616, 2018, doi: 10.1109/ICOIACT.2018.8350775.
- [11] I. G. R. A. Sugiarta, M. Sudarma, dan I. M. O. Widyantara, "Ekstraksi Fitur Warna, Tekstur dan Bentuk untuk Clustered-Based Retrieval of Images (CLUE)," *Maj. Ilm. Teknol. Elektro*, vol. 16, no. 1, p. 86, 2016, doi: 10.24843/mite.1601.12.
- [12] M. Alasdair, *An Introduction to Digital Image Processing with Matlab, Notes for SCM2511 Image Processing 1*, vol. 2, no. 2. 2014.
- [13] J. Ardiansyah, R. Purnamasari, F. T. Elektro, dan U. Telkom, "Sistem Klasifikasi Kualitas Biji Jagung Berdasarkan Tekstur Dengan Metode Discrete Wavelet Transform dan Klasifikasi Support Vector Machine Berbasis Pengolahan Citra Digital Classification," p. 2, 2020.
- [14] K. K. Neetha and A. M. Koya, "A Compressive Sensing approach to DCT watermarking system," *2015 Int. Conf. Control. Commun. Comput. India, ICCCI 2015*, no. November, pp. 495–500, 2016, doi: 10.1109/ICCC.2015.7432952.
- [15] M. M. Abo-Zahhad, A. I. Hussein, and A. M. Mohamed, "Compressive Sensing Algorithms for Signal Processing Applications: A Survey," *Int. J. Commun. Netw. Syst. Sci.*, vol. 08, no. 06, pp. 205–206, 2015, doi: 10.4236/ijcns.2015.86021.

- [16] R. PURNAMASARI dan A. B. SUKSMONO, “Compressive Sampling untuk Sinyal Beat Radar Cuaca via Discrete Cosine Transform (DCT),” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 7, no. 2, p. 238, 2019, doi: 10.26760/elkomika.v7i2.238.
- [17] K. Usman, “Introduction to Orthogonal Matching Pursuit,” pp. 1–13, 2017, [Online]. Available: <https://korediantousman.staff.telkomuniversity.ac.id/tutorial-matching-pursuit/>.
- [18] I. Naomi, C. Sinaga, I. I. T. S. T, N. Caecar, dan S. T. Kumalasari, “Klasifikasi Tingkat Kematangan Buah Kakao Menggunakan Metode Discrete Cosine Transform Dan K-Nearest Neighbor Classification of Cacao Pods Ripeness Level Using Discrete Cosine Transform and K-Nearest Neighbor,” vol. 7, no. 1, pp. 776–783, 2020.
- [19] Ş. Öztürk and B. Akdemir, “Application of Feature Extraction and Classification Methods for Histopathological Image using GLCM, LBP, LBGLCM, GLRLM and SFTA,” *Procedia Comput. Sci.*, vol. 132, no. Iccids, p. 42, 2018, doi: 10.1016/j.procs.2018.05.057.
- [20] P. Mohanaiah, P. Sathyanarayana, and L. Gurukumar, “Image Texture Feature Extraction Using GLCM Approach,” *Int. J. Sci. Res. Publ.*, vol. 3, no. 5, p. 1, 2013.
- [21] Y. Rullist, B. Irawan, dan A. B. Osmond, “Batik’S Pattern Identification Through Feature Extraction Method, Gray Level Co – Occurrence Matrix (GlcM), Based on Android,” *e-Proceeding Eng.*, vol. 2, no. 2, pp. 3684–3692, 2015.
- [22] P. D. Mryka Hall-Beyer, *GLCM TEXTURE: A TUTORIAL*, vol. 2, no. March. 2017.