

DAFTAR PUSTAKA

- [1] R. Elangovan, D. N. Santhanakrishnan, R. Rozario, and A. Banu, "Tomen:A Plant monitoring and smart gardening system using IoT," *Int. J. Pure Appl. Math.*, vol. Volume 119, no. March, pp. 703–710, 2018, [Online]. Available: https://www.researchgate.net/publication/323811801_TomenA_Plant_monitoring_and_smart_gardening_system_using_IoT.
- [2] A. et al., "IoT based smart garden monitoring system using NodeMCU microcontroller," *Int. J. Adv. Appl. Sci.*, vol. 7, no. 8, pp. 117–124, 2020, doi: 10.21833/ijaas.2020.08.012.
- [3] A. D. Mulyanto, "Pemanfaatan Bot Telegram Untuk Media Informasi Penelitian," *Matics*, vol. 12, no. 1, p. 49, 2020, doi: 10.18860/mat.v12i1.8847.
- [4] M. Irsyam, "Sistem Otomasi Penyiraman Tanaman Berbasis Telegram," *Sigma Tek.*, vol. 2, no. 1, p. 81, 2019, doi: 10.33373/sigma.v2i1.1834.
- [5] Handi, H. Fitriyah, and G. E. Setyawan, "Sistem Pemantauan Menggunakan Blynk dan Pengendalian Penyiraman Tanaman Jamur Dengan Metode Logika Fuzzy," *J. Pengemb. Teknol. Inf. dan Ilmu Komput.*, vol. 3, no. 4, pp. 3258–3265, 2019.
- [6] Y. Setiawan, H. Tanudjaja, and S. Octaviani, "Penggunaan Internet of Things (IoT) untuk Pemantauan dan Pengendalian Sistem Hidroponik," *TESLA J. Tek. Elektro*, vol. 20, no. 2, p. 175, 2019, doi: 10.24912/tesla.v20i2.2994.
- [7] K. K. Patel, S. M. Patel, and P. G. Scholar, "Internet of Things-IOT: Definition, Characteristics, Architecture, Enabling Technologies, Application & Future Challenges," *Int. J. Eng. Sci. Comput.*, vol. 6, no. 5, pp. 1–10, 2016, doi: 10.4010/2016.1482.
- [8] V. C. Alverina, J. Siwalankerto, S. Jln, S. Surabaya, and J. Siwalankerto, "Aplikasi Monitoring Kesuburan Tanaman Hias Mawar menggunakan Arduino."

- [9] “No Title.” [http://eprints.umm.ac.id/42651/3/BAB II.pdf](http://eprints.umm.ac.id/42651/3/BAB%20II.pdf).
- [10] G. sari merliana, “Rancang Bangun Alat Penyiram Tanaman Otomatis Menggunakan Sensor Kelembaban Tanah,” *J. Electr. Technol.*, vol. 3, no. 1, pp. 13–17, 2018.
- [11] G. S. M. S. A. Quad-band, “1 , 2 , 3 123,” vol. 3, pp. 141–151, 2020.
- [12] M. Zarkasi, S. B. Mulia, and M. Eriyadi, “Hal. 53-60 Performa Solenoid pada Valve Alat Pengisian Air Minum Otomatis,” *Elektra*, vol. 3, no. 2, pp. 53–60, 2018, [Online]. Available: <https://pei.e-journal.id/jea/article/view/55>.
- [13] N. Hidayati, L. Dewi, M. F. Rohmah, and S. Zahara, “Prototype Smart Home Dengan Modul NodeMCU ESP8266 Berbasis Internet of Things (IoT),” *Tek. Inform. Univ. Islam Majapahit*, pp. 1–9, 2018.
- [14] S. V. Kiri and L. A. S. Lapono, “Otomatisasi Sistem Irigasi Tetes Berbasis Arduino Nano,” *J. Fis. Sains dan Apl.*, vol. 2, no. 1, pp. 44–49, 2017, [Online]. Available: <http://ejurnal.undana.ac.id/FISA/article/view/542>.
- [15] Suwitno, “Mendesain Rangkaian Power Supply pada Rancang Bangun,” *J. Electr. Technol.*, vol. 1, no. 1, pp. 1–7, 2016.
- [16] H. Durani, M. Sheth, M. Vaghasia, and S. Kotech, “Smart Automated Home Application using IoT with Blynk App,” *Proc. Int. Conf. Inven. Commun. Comput. Technol. ICICCT 2018*, no. Icicct, pp. 393–397, 2018, doi: 10.1109/ICICCT.2018.8473224.
- [17] R. Wulandari, “ANALISIS QoS (QUALITY OF SERVICE) PADA JARINGAN INTERNET (STUDI KASUS : UPT LOKA UJI TEKNIK PENAMBANGAN JAMPANG KULON – LIPI),” *J. Tek. Inform. dan Sist. Inf.*, vol. 2, no. 2, pp. 162–172, 2016, doi: 10.28932/jutisi.v2i2.454.
- [18] ITU-T, “G.1010: End-user multimedia QoS categories,” *Int. Telecommun. Union*, vol. 1010, 2001, [Online]. Available: <http://scholar.google.com.au/scholar?hl=en&q=ITU->

T+Recommendation+G.1010&btnG=&as_sdt=1,5&as_sdtp=#7.

- [19] A. Aqeel, “No Title,” *Thursday October ,11,* 2018.
<https://www.theengineeringprojects.com/2018/10/introduction-to-nodemcu-v3.html>.
- [20] FEC, “Relay modules 1-channel features,” *Futur. Electron. Corp.*, no. 5 V, pp. 1–2, 2019, [Online]. Available: http://fecegypt.com/uploads/dataSheet/1522335719_relay module.pdf.
- [21] Aqua Tech Trading Corporation Limited, “Aqua Valves,” pp. 3–4.
- [22] M. Sensor, “Moisture Sensor 土壤湿度传感器 (SKU : SEN0114),” pp. 3–6, 2012.
- [23] G. Description, “400KHz 60V 4A Switching Current Boost / Buck-Boost / Inverting DC / DC Converter 400KHz 60V 4A Switching Current Boost / Buck-Boost / Inverting DC / DC Converter,” pp. 1–8.