

DAFTAR PUSTAKA

- [1] A. Davis, O. Dieste, A. Hickey, N. Juristo and A. M. Moreno, "Effectiveness of Requirements Elicitation Techniques: Empirical Results Derived from a Systematic Review," 14th IEEE International Requirements Engineering Conference (RE'06), Minneapolis/St. Paul, MN, 2006, pp. 179–188, doi: 10.1109/RE.2006.17.
- [2] S. Rueda, J. I. Panach, and D. Distante, "Requirements elicitation methods based on interviews in comparison: A family of experiments," *Inf. Softw. Technol.*, vol. 126, no. June, p. 106361, 2020, doi: 10.1016/j.infsof.2020.106361.
- [3] M. A. Ramdhani, D. S. adillah Maylawati, A. S. Amin, and H. Aulawi, "Requirements elicitation in Software Engineering," *Int. J. Eng. Technol.*, vol. 7, no. 2.29 Special Issue 29, pp. 772–775, 2018, doi: 10.14419/ijet.v7i2.29.14254.
- [4] M. Sudhamani and L. Rangarajan, "Code similarity detection through control statement and program features," *Expert Syst. Appl.*, vol. 132, pp. 63–75, 2019, doi: 10.1016/j.eswa.2019.04.045.
- [5] N. Cherdakulwong and T. Suwannasart, "Impact Analysis of Test Cases for Changing Inputs or Outputs of Functional Requirements," *Proc. - 20th IEEE/ACIS Int. Conf. Softw. Eng. Artif. Intell. Netw. Parallel/Distributed Comput. SNPD 2019*, pp. 179–183, 2019, doi: 10.1109/SNPD.2019.8935754.
- [6] J. Delin, "Diverse applications of thin film technology," *Hybrid circuit Technol.*, vol. 8, no. 3, pp. 21–23, 1991.
- [7] M. Younas, D. N. A. Jawawi, I. Ghani, and M. A. Shah, "Extraction of non-functional requirement using semantic similarity distance," *Neural Comput. Appl.*, vol. 32, no. 11, pp. 7383–7397, 2020, doi: 10.1007/s00521-019-04226-5.
- [8] R. Sonbol, G. Rebdawi, and N. Ghneim, "Towards a Semantic Representation for Functional Software Requirements," pp. 1–8, 2020, doi: 10.1109/aire51212.2020.00007.
- [9] E. Moatez, B. Nagoudi, D. Schwab, S. Similarity, E. Moatez, and B. Nagoudi, "Embeddings To cite this version : HAL Id : hal-01683485 Semantic Similarity of Arabic Sentences with Word Embeddings," 2018.
- [10] H. Dar, M. I. Lali, H. Ashraf, M. Ramzan, T. Amjad, and B. Shahzad, "A systematic study on software requirements elicitation techniques and its challenges in mobile application development," *IEEE Access*, vol. 6, pp. 63859–63867, 2018, doi: 10.1109/ACCESS.2018.2874981.
- [11] P. Jakkaew and T. Hongthong, "Requirements elicitation to develop mobile application for elderly," *2nd Jt. Int. Conf. Digit. Arts, Media Technol. 2017 Digit. Econ. Sustain. Growth, ICDAMT 2017*, pp. 464–467, 2017, doi: 10.1109/ICDAMT.2017.7905013.
- [12] U. Rafiq, S. S. Bajwa, X. Wang, and I. Lunesu, "Requirements elicitation techniques applied in software startups," *Proc. - 43rd Euromicro Conf. Softw. Eng. Adv. Appl. SEAA 2017*, pp. 141–144, 2017, doi: 10.1109/SEAA.2017.73.
- [13] N. Wongpakaran, T. Wongpakaran, D. Wedding, and K. L. Gwet, "A comparison of Cohen's Kappa and Gwet's AC1 when calculating inter-rater reliability coefficients: A study conducted with personality disorder samples," *BMC Med. Res. Methodol.*, vol. 13, no. 1, pp. 1–7, 2013.
- [14] S. L. Buitron, F. J. Pino, B. L. Flores-Rios, J. E. Ibarra-Esquer, and M. A. Astorga-Vargas, "A Model for Enhancing Tacit Knowledge Flow in Non-functional Requirements Elicitation," *Proc. - 2017 5th Int. Conf. Softw. Eng. Res. Innov. CONISOFT 2017*, vol. 2018-Janua, pp. 25–33, 2018, doi: 10.1109/CONISOFT.2017.00011.
- [15] A. Martinez, M. Jenkins, and C. Quesada-Lopez, "Identifying implied security requirements from functional requirements," no. June, pp. 1–7, 2019, doi: 10.23919/cisti.2019.8760631.
- [16] Y. Priyadi, A. Djunaidy, and D. Siahaan, "Requirements Dependency Graph Modeling on Software Requirements Specification Using Text Analysis," *2019 1st Int. Conf. Cybern. Intell. Syst. ICORIS 2019*, vol. 1, no. August, pp. 221–226, 2019, doi: 10.1109/ICORIS.2019.8874920.
- [17] G. Wei, "Some Cosine Similarity Measures for Picture Fuzzy Sets and Their Applications to Strategic Decision Making," *Inform.*, vol. 28, no. 3, pp. 547–564, 2017, doi: 10.15388/Informatica.2017.144.

- [18] M. A. Köhl, K. Baum, M. Langer, D. Oster, T. Speith, and D. Bohlender, “Explainability as a non-functional requirement,” Proc. IEEE Int. Conf. Requir. Eng., vol. 2019-Septe, pp. 363–368, 2019, doi: 10.1109/RE.2019.00046.
- [19] Y. Priyadi, K. Kusumahadi, and P. S. Lyanda, “Causal Loop Variable Identification Method (IdVar4CL) For Systems Thinking Based On Text Mining Approach,” vol. 19, no. 2, pp. 1–2, 2021.
- [20] S. A. Salloum, M. Al-Emran, A. A. Monem, and K. Shaalan, “Using text mining techniques for extracting information from research articles,” Stud. Comput. Intell., vol. 740, pp. 373–397, 2018, doi: 10.1007/978-3-319-67056-0_18.
- [21] C. P. Guevara-Vega, E. D. Guzmán-Chamorro, V. A. Guevara-Vega, A. V. B. Andrade, and J. A. Quiña-Mera, “Functional Requirement Management Automation and the Impact on Software Projects: Case Study in Ecuador,” Adv. Intell. Syst. Comput., vol. 918, pp. 317–324, 2019, doi: 10.1007/978-3-030-11890-7_31.
- [22] M. H. Osman and M. F. Zaharin, “Ambiguous software requirement specification detection: An automated approach,” Proc. - Int. Conf. Softw. Eng., pp. 33–40, 2018, doi: 10.1145/3195538.3195545.
- [23] H. Jung and B. G. Lee, “Research trends in text mining: Semantic network and main path analysis of selected journals,” Expert Syst. Appl., vol. 162, no. July, p. 113851, 2020, doi: 10.1016/j.eswa.2020.113851.
- [24] C. S. Wu, C. J. Kuo, C. H. Su, S. H. Wang, and H. J. Dai, “Using text mining to extract depressive symptoms and to validate the diagnosis of major depressive disorder from electronic health records,” J. Affect. Disord., vol. 260, no. 415, pp. 617–623, 2020, doi: 10.1016/j.jad.2019.09.044.
- [25] K. Cosh, “Current research themes in software engineering: An application of text mining,” 2016 8th Int. Conf. Knowl. Smart Technol. KST 2016, pp. 125–129, 2016, doi: 10.1109/KST.2016.7440476.
- [26] D. Soyusiawaty and Y. Zakaria, “Book data content similarity detector with cosine similarity (case study on digilib.uad.ac.id),” Proceeding 2018 12th Int. Conf. Telecommun. Syst. Serv. Appl. TSSA 2018, pp. 1–6, 2018, doi: 10.1109/TSSA.2018.8708758.
- [27] J. Horkoff, “Non-functional requirements for machine learning: Challenges and new directions,” Proc. IEEE Int. Conf. Requir. Eng., vol. 2019-Septe, pp. 386–391, 2019, doi: 10.1109/RE.2019.00050.
- [28] C. Dreisbach, T. A. Koleck, P. E. Bourne, and S. Bakken, “A systematic review of natural language processing and text mining of symptoms from electronic patient-authored text data,” Int. J. Med. Inform., vol. 125, no. February, pp. 37–46, 2019, doi: 10.1016/j.ijmedinf.2019.02.008.
- [29] H. Samosir and D. Siahaan, “Identifying Requirements Association Based on Class Diagram Using Semantic Similarity,” vol. 10, no. 1, pp. 19–28, 2019.
- [30] M. Broy, “Rethinking Functional Requirements: A Novel Approach Categorizing System and Software Requirements,” Softw. Technol. 10 Years Innov. IEEE Comput., pp. 155–187, 2018, doi: 10.1002/9781119174240.ch9.
- [31] M. D. Kartika and Y. Priyadi, “Pengembangan Sistem Penjualan Menggunakan UML dan Proses Bisnis E-Commerce Pada TB.Purnama Banjarnegara,” *JATISI (Jurnal Tek. Inform. dan Sist. Informasi)*, vol. 7, no. 3, pp. 480–497, 2020, doi: 10.35957/jatisi.v7i3.416.