

DAFTAR PUSTAKA

- [1] S. Shafiudin, F. J. Rohma, A. E. Prasetya, and R. Firmansyah, "Pemantauan Ruang Inkubator Penetasan Telur Ayam Dengan Berbasis Telemetry Menggunakan Arduino Uno R3," *J. Nas. Tek. Elektro*, vol. 5, no. 1, 2016, doi: 10.20449/jnte.v5i1.181.
- [2] S. Shafiudin, "Sistem Monitoring Dan Pengontrolan Temperatur Pada Inkubator Penetas Telur Berbasis Pid," *J. Tek. Elektro*, vol. 6, no. 3, 2017.
- [3] Y. Gunardi and A. Setyabudi, "Design of Monitoring of Egg Incubator Machine Based on Internet of Things with ESP8266 and Web Server," *Int. J. Electr. Eng. Emerg. Technol.*, vol. 02, no. 02, pp. 1–3, 2019.
- [4] J. C. de Oliveira and D. H. Santos, "2016 IEEE International Symposium on Consumer Electronics the 20th IEEE ISCE : September 28-30, 2016, São Paulo, Brazil," *IEEE Int. Symp. Consum. Electron.*, pp. 0–1, 2016.
- [5] S. Barai, D. Biswas, and B. Sau, "Estimate distance measurement using NodeMCU ESP8266 based on RSSI technique," *2017 IEEE Conf. Antenna Meas. Appl. CAMA 2017*, vol. 2018-Janua, pp. 170–173, 2018, doi: 10.1109/CAMA.2017.8273392.
- [6] H. I. Islam *et al.*, "Sistem Kendali Suhu Dan Pemantauan Kelembaban Udara Ruangan Berbasis Arduino Uno Dengan Menggunakan Sensor Dht22 Dan Passive Infrared (Pir)," *Pros. Semin. Nas. Fis.*, vol. V, no. Lcd, pp. SNF2016-CIP-119-SNF2016-CIP-124, 2016, doi: 10.21009/0305020123.
- [7] A. H. Saptadi, "Perbandingan Akurasi Pengukuran Suhu dan Kelembaban Antara Sensor DHT11 dan DHT22 Studi Komparatif pada Platform ATMEL AVR dan Arduino," *J. Inform. dan Elektron.*, vol. 6, no. 2, 2015, doi: 10.20895/infotel.v6i2.73.
- [8] L. Griyanika and I. Nurpriyanti, "As the Heat Source of Poultry Hatcheries," *PELITA*, vol. VIII, 2013.

- [9] M. Saleh and M. Haryanti, "Rancang Bangun Sistem Keamanan Rumah Menggunakan Relay," *J. Teknol. Elektro, Univ. Buana*, vol. 8, no. 2, pp. 87–94, 2017, [Online]. Available: <https://media.neliti.com/media/publications/141935-ID-perancangan-simulasi-sistem-pemantauan-p.pdf>.
- [10] K. Karsid, A. W. Ramadhan, and R. Aziz, "Perbandingan Kinerja Mesin Penetas Telur Otomatis Dengan Menggunakan Kontrol on-Off Dan Kontrol Pwm," *Matrix J. Manaj. Teknol. dan Inform.*, vol. 8, no. 1, pp. 1–5, 2018, doi: 10.31940/matrix.v8i1.733.
- [11] S. S. Susanto, "Teknik Penggunaan Mesin Tetes Secara Sederhana," *Balai Pengkajian Teknologi Pertanian (BPTP) Balitbangtan Kalimantan Selatan*, 2013. .
- [12] P. Wulandari, S. Soim, and M. Rose, "Monitoring Dan Analisis Qos (Quality of Service) Jaringan Internet Pada Gedung Kpa Politeknik Negeri Sriwijaya Dengan Metode Drive Test," *Politek. Negeri Sriwij.*, vol. 4, no. 1, pp. 153–160, 2017.
- [13] R. Duan, X. Chen, and T. Xing, "A QoS architecture for IOT," *Proc. - 2011 IEEE Int. Conf. Internet Things Cyber, Phys. Soc. Comput. iThings/CPSCom 2011*, pp. 717–720, 2011, doi: 10.1109/iThings/CPSCom.2011.125.
- [14] ETSI, "Telecommunications and Internet Protocol Harmonization Over Networks (TIPHON); General aspects of Quality of Service (QoS)," *Etsi Tr 101 329 V2.1.1*, vol. 1, pp. 1–37, 1999, [Online]. Available: http://www.etsi.org/deliver/etsi_tr/101300_101399/101329/02.01.01_60/tr_101329v020101p.pdf.
- [15] A. S. MUFID, "PERANCANGAN DAN IMPLEMENTASI TAMAN PINTAR BERBASIS INTERNET OF THINGS (IoT)," UNIVERSITAS TELKOM, 2020.
- [16] S. W. Pamungkas and E. Pramono, "Analisis Quality of Service (QoS)

- Pada Jaringan Hotspot SMA Negeri XYZ,” *e-Jurnal JUSITI (Jurnal Sist. Inf. dan Teknol. Informasi)*, vol. 7–2, no. 2, pp. 142–152, 2018, doi: 10.36774/jusiti.v7i2.249.
- [17] A. Bhargava and A. Kumar, “Arduino controlled robotic arm,” *Proc. Int. Conf. Electron. Commun. Aerosp. Technol. ICECA 2017*, vol. 2017-Janua, pp. 376–380, 2017, doi: 10.1109/ICECA.2017.8212837.
- [18] W. Gata and R. Tanjung, “Sisfotek Sistem Informasi dan Teknologi Informasi Kendali Ruang Server Menggunakan Sensor Suhu DHT 22, Gerak Pir dengan Notifikasi Email,” *Ikat. Ahli Inform. Indones.*, vol. 3584, pp. 134–142, 2017.
- [19] S. V. Parvati, K. Thenmozhi, P. Praveenkumar, S. Sathish, and R. Amirtharajan, “IoT Accelerated Wi-Fi Bot controlled via Node MCU,” *2018 Int. Conf. Comput. Commun. Informatics, ICCCI 2018*, pp. 2018–2020, 2018, doi: 10.1109/ICCCI.2018.8441215.