

DAFTAR PUSTAKA

- [1] <https://geodesy.gd.itb.ac.id/2017/03/18/pelatihan-penentuan-posisi-menggunakan-teknologi-gnss-tingkat-lanjut/>
- [2] H. Cao *et al.*, “WiFi RTT Indoor Positioning Method Based on Gaussian Process Regression for Harsh Environments,” *IEEE Access*, 2020, doi: 10.1109/ACCESS.2020.3041773.
- [3] [https://www.researchgate.net/profile/Zawiya Saharuna/publication/328576193_Indoor_Wifi_Positioning_System_Menggunakan_Metode_Fingerprint](https://www.researchgate.net/profile/Zawiya_Saharuna/publication/328576193_Indoor_Wifi_Positioning_System_Menggunakan_Metode_Fingerprint)
- [4] Christian Gentner, Markus Ulmschneider, Isabel Kuehner, Armin Dammann “Position, Location and Navigation Symposium (PLANS)” 2020 IEEE/ION.
- [5] H. Liu, H. Darabi, P. Banerjee, and J. Liu, “Survey of wireless indoor positioning techniques and systems,” *IEEE Trans. Syst., Man, Cybern. C, Appl. Rev.*, vol. 37, no. 6, pp. 1067–1080, Nov. 2007.
- [6] Berkvens, H. Peremans, and M. Weyn, “Conditional entropy and location error in indoor localization using probabilistic Wi-Fi fingerprinting,” *Sensors*, vol. 16, no. 10, p. 1636, 2016.
- [7] J. Xiao, K. Wu, Y. Yi, and L. M. Ni, “FIFS: Fine-grained indoor fingerprinting system,” in Proc. 21st Int. Conf. Comput. Commun. Netw. (ICCCN), Jul. 2012, pp.
- [8] Otsason, V., Varshavsky, A., LaMarca, A., & Lara, E, “Accurate GSM indoor localization,” 2005.
- [9] Muhammad, Fadel dan Saharuna, Zawiyah, “Seminar Nasional Teknik Elektro dan Informatika (SNTEI)”, 2018.
- [10] Wikipedia Editor (2013), Euclidean Distance, http://en.wikipedia.org/wiki/Euclidean_distance, diakses online tanggal 21 agustus 2013.

- [11] http://file.upi.edu/Direktori/FPMIPA/JUR._PEND._MATEMATIKA
- [12] Z. Zeng, L. Wang, and S. Liu, “An introduction for the indoor localization systems and the position estimation algorithms,” Proc. 3rd World Conf. Smart Trends Syst. Secur. Sustain. WorldS4 2019, pp. 64–69, 2019, doi: 10.1109/WorldS4.2019.8904011.
- [13] X. Fang and L. Chen, “An optimal multi-channel trilateration localization algorithm by radio-multipath multi-objective evolution in rss-ranging-based wireless sensor networks,” Sensors (Switzerland), vol. 20, no. 6, 2020, doi: 10.3390/s20061798.
- [14] A. El-Naggar, A. Wassal, and K. Sharaf, “Indoor positioning using WiFi RSSI trilateration and INS sensor fusion system simulation,” SSIP 2019 Proc. 2019 2nd Int. Conf. Sensors, Signal Image Process., no. c, pp. 21–26, 2019, doi: 10.1145/3365245.3365261.
- [15] B. Guan and X. Li, “An RSSI-based wireless sensor network localization algorithm with error checking and correction,” Int. J. Online Eng., vol. 13, no. 12, pp. 52–66, 2017, doi: 10.3991/ijoe.v13i12.7892.
- [16] J. Du, J. F. Diouris, and Y. Wang, “A RSSI-based parameter tracking strategy for constrained position localization,” EURASIP J. Adv. Signal Process., vol. 2017, no. 1, p. 77, 2017, doi: 10.1186/s13634-017-0512-x.
- [17] A. Carlsson, G. Filip, and A. Carlsson, “User Configurable Indoor Positioning System using WiFi Trilateration and Fingerprinting,” Självständigt Arb. i informationsteknologi, 2017
- [18] R. T. Haryanto, D. Sujana, S. Hidayat, H. Suryantoro, and V. I. Sugara, “Android Smartphone Location Detection on Indoor Using Trilateration

- Method and Kalman Filter,” Int. J. Comput. Tech., vol. 5, no. October, 2018.
- [19] A. A. Sohan, M. Ali, F. Fairooz, A. I. Rahman, A. Chakrabarty, and R. Kabir, “Indoor Positioning Techniques using RSSI from Wireless Devices,” 22nd Int. Conf. Comput. Inf. Technol., pp. 18–20, 2019.
- [20] A. Prinita, M. Reza Firsandaya, and Firdaus, “Estimasi posisi pada gedung bertingkat menggunakan metode fingerprint berdasarkan deep neural network,” Tugas Akhir, Univ. Sriwij., 2019.
- [21] A. E. M. El Ashry and B. I. Sheta, “Wi-Fi based indoor localization using trilateration and fingerprinting methods,” IOP Conf. Ser. Mater. Sci. Eng., vol. 610, no. 1, 2019, doi: 10.1088/1757-899X/610/1/012072.
- [22] T. Li, S. Ai, S. Tateno, and Y. Hachiya, “Comparison of Multilateration Methods Using RSSI for Indoor Positioning System,” 2019 58th Annu. Conf. Soc. Instrum. Control Eng. Japan, SICE 2019, pp. 371–375, 2019, doi: 10.23919/SICE.2019.8859906.
- [22] L. Gui, M. Yang, P. Fang, and S. Yang, “RSS-based indoor localisation using MDCF,” IET Wirel. Sens. Syst. Res., vol. 7, no. September 2016, pp. 98–104, 2017, doi: 10.1049/iet-wss.2016.0085.
- [23] X. Fang and L. Chen, “An optimal multi-channel trilateration localization algorithm by radio-multipath multi-objective evolution in rss-ranging-based wireless sensor networks,” Sensors (Switzerland), vol. 20, no. 6, 2020, doi: 10.3390/s20061798.
- [24] W. Sun, M. Xue, H. Yu, H. Tang, and A. Lin, “Augmentation of

- Fingerprints for Indoor WiFi Localization Based on Gaussian Process Regression,” IEEE Trans. Veh. Technol., vol. 67, no. 11, pp. 10896–10905, 2018.
- [25] Banin, L., Schatzberg, U., & Amizur, Y. (2016, October). WiFi FTM and map information fusion for accurate positioning. In 2016 International Conference on Indoor Positioning and Indoor Navigation (IPIN).
- [26] <https://www.google.com/url?sa=i&urlFmathspig.wordpress.com>
- [27] K. Han, S. M. Yu, S. L. Kim, and S. W. Ko, “Exploiting user mobility for WiFi RTT positioning: A geometric approach,” arXiv, pp. 1–15, 2020.
- [28] Y. B. Bai, A. Kealy, G. Retscher, and L. Hoden, “A Comparative Evaluation of Wi-Fi RTT and GPS Based Positioning,” IGNSS Symp., no. February, 2020.