

DAFTAR PUSTAKA

- [1] H. A. Rothan and S. N. Byrareddy, “The epidemiology and pathogenesis of coronavirus disease (COVID-19) outbreak,” *J. Autoimmun.*, vol. 109, no. February, p. 102433, 2020, doi: 10.1016/j.jaut.2020.102433.
- [2] M. Rahimzadeh, A. Attar, and M. Sakhaei, “A Fully Automated Deep Learning-based Network For Detecting COVID-19 from a New And Large Lung CT Scan Dataset,” 2020, doi: 10.1101/2020.06.08.20121541.
- [3] “COVID-19 CORONAVIRUS PANDEMIC,” *worldometers*, 2020. <https://www.worldometers.info/coronavirus/> (accessed Oct. 05, 2020).
- [4] A. Amyar, R. Modzelewski, and S. Ruan, “Multi-task Deep Learning Based CT Imaging Analysis For COVID-19: Classification and Segmentation,” 2020, doi: 10.1101/2020.04.16.20064709.
- [5] V. Shah, R. Keniya, A. Shridharani, M. Punjabi, J. Shah, and N. Mehendale, “Diagnosis of COVID-19 using CT scan images and deep learning techniques,” 2020, doi: 10.1101/2020.07.11.20151332.
- [6] S. P. Power, F. Moloney, M. Twomey, K. James, O. J. O’Connor, and M. M. Maher, “Computed tomography and patient risk: Facts, perceptions and uncertainties,” *World J. Radiol.*, vol. 8, no. 12, p. 902, 2016, doi: 10.4329/wjr.v8.i12.902.
- [7] H. S. Maghdid, A. T. Asaad, K. Z. Ghafoor, A. S. Sadiq, and M. K. Khan, “Diagnosing COVID-19 Pneumonia from X-Ray and CT Images using Deep Learning and Transfer Learning Algorithms,” pp. 1–8, 2020, [Online]. Available: <http://arxiv.org/abs/2004.00038>.
- [8] M. Z. Alom *et al.*, “A state-of-the-art survey on deep learning theory and architectures,” *Electronics (Switzerland)*, vol. 8, no. 3. MDPI AG, Mar. 01, 2019, doi: 10.3390/electronics8030292.
- [9] aitrends, “Relating Artificial Intelligence and Machine Learning,” *Cambridge Innovation Institute*, 2017. <https://www.aitrends.com/machine-learning/artificial-intelligence-vs-machine-learning/> (accessed Aug. 08, 2021).
- [10] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning Data Mining, Inference, and Prediction*, 2nd ed. Stanford:

Springer, 2001.

- [11] Ian Goodfellow, Yoshua Bengio, and Aaron Courville, “Machine Learning Basics,” in *Deep Learning*, MIT Press, 2016, pp. 99–148.
- [12] Ian Goodfellow, Yoshua Bengio, and Aaron Courville, “Regularization for Deep Learning,” in *Deep Learning*, MIT Press, 2016, pp. 240-undefined.
- [13] J. Choi, “Introduction to Artificial Intelligence - Introduction -,” 2020.
- [14] Ian Goodfellow, Yoshua Bengio, and Aaron Courville, “Convolutional Networks,” in *Deep Learning*, MIT Press, 2016, pp. 326–339.
- [15] K. O’Shea and R. Nash, “An Introduction to Convolutional Neural Networks,” Nov. 2015, [Online]. Available: <http://arxiv.org/abs/1511.08458>.
- [16] V. H. Phung and E. J. Rhee, “A High-accuracy model average ensemble of convolutional neural networks for classification of cloud image patches on small datasets,” *Appl. Sci.*, vol. 9, no. 21, 2019, doi: 10.3390/app9214500.
- [17] J. Choi, “Introduction to Artificial Intelligence - Convolutional Neural Network: Basic -,” 2020.
- [18] S. H. S. Basha, S. R. Dubey, V. Pulabaigari, and S. Mukherjee, “Impact of fully connected layers on performance of convolutional neural networks for image classification,” *Neurocomputing*, vol. 378, pp. 112–119, Feb. 2020, doi: 10.1016/j.neucom.2019.10.008.
- [19] C. Nwankpa, W. Ijomah, A. Gachagan, and S. Marshall, “Activation Functions: Comparison of trends in Practice and Research for Deep Learning,” Nov. 2018, [Online]. Available: <http://arxiv.org/abs/1811.03378>.
- [20] Christopher M. Bishop, *Pattern Recognition and Machine Learning*. Springer, 2006.
- [21] A. Krizhevsky, I. Sutskever, and G. E. Hinton, “ImageNet Classification with Deep Convolutional Neural Networks.” [Online]. Available: <http://code.google.com/p/cuda-convnet/>.
- [22] S. Ioffe and C. Szegedy, “Batch normalization: Accelerating deep network training by reducing internal covariate shift,” *32nd Int. Conf. Mach. Learn. ICML 2015*, vol. 1, pp. 448–456, 2015.

- [23] V. Agarwal, “Research on Data Preprocessing and Categorization Technique for Smartphone Review Analysis,” 2015.
- [24] P. J. M. Ali, “Data Normalization and Standardization,” *Bmbolstad.Com*, no. 1, pp. 1–3, 2012, doi: 10.13140/RG.2.2.28948.04489.
- [25] G. Deng and L. W. Cahill, “Adaptive Gaussian filter for noise reduction and edge detection,” in *IEEE Nuclear Science Symposium & Medical Imaging Conference*, 1994, no. pt 3, pp. 1615–1619, doi: 10.1109/nssmic.1993.373563.
- [26] A. W. Setiawan, T. R. Mengko, O. S. Santoso, and A. B. Suksmono, “Color retinal image enhancement using CLAHE,” in *Proceedings - International Conference on ICT for Smart Society 2013: “Think Ecosystem Act Convergence”*, ICISS 2013, 2013, pp. 215–217, doi: 10.1109/ICTSS.2013.6588092.
- [27] D. Choi, C. J. Shallue, Z. Nado, J. Lee, C. J. Maddison, and G. E. Dahl, “On Empirical Comparisons of Optimizers for Deep Learning,” no. 1, 2019, [Online]. Available: <http://arxiv.org/abs/1910.05446>.
- [28] S. Ruder, “An overview of gradient descent optimization algorithms,” pp. 1–14, 2016, [Online]. Available: <http://arxiv.org/abs/1609.04747>.
- [29] D. M. W. Powers, “Evaluation : From Precision , Recall and F-Factor to ROC , Informedness , Markedness & Correlation,” no. December, 2007, [Online]. Available: Commonly used evaluation measures including Recall, Precision, F-Factor and Rand Accuracy are biased and should not be used without clear understanding of the biases, and corresponding identification of chance or base case levels of the statistic. Using t.