

3 REFERENCES

- [1] who, “Obesity and Overweight,” 2018. [Online]. Available: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>. [Accessed: 05-Nov-2019].
- [2] Stanford Health Care, “Obesity and Overweight | Stanford Health Care.” [Online]. Available: <https://stanfordhealthcare.org/medical-conditions/healthy-living/obesity.html>. [Accessed: 07-Nov-2019].
- [3] A. D. Smethers and B. J. Rolls, “Dietary Management of Obesity: Cornerstones of Healthy Eating Patterns,” *Medical Clinics of North America*, vol. 102, no. 1. W.B. Saunders, pp. 107–124, 01-Jan-2018, doi: 10.1016/j.mcna.2017.08.009.
- [4] K. M. Fock and J. Khoo, “Diet and exercise in management of obesity and overweight,” *J. Gastroenterol. Hepatol.*, vol. 28, pp. 59–63, Dec. 2013, doi: 10.1111/jgh.12407.
- [5] P. McAllister, H. Zheng, R. Bond, and A. Moorhead, “A digital technology framework to optimise the self-management of obesity,” *UbiComp 2016 Adjunct - Proc. 2016 ACM Int. Jt. Conf. Pervasive Ubiquitous Comput.*, pp. 1126–1131, 2016, doi: 10.1145/2968219.2978096.
- [6] J. Keum *et al.*, “Exergame development using body composition data for obesity care,” *CHI Play 2015 - Proc. 2015 Annu. Symp. Comput. Interact. Play*, pp. 577–582, 2015, doi: 10.1145/2793107.2810285.
- [7] A. Koivisto, S. Merilampi, and K. Kiili, “Mobile exergames for preventing diseases related to childhood obesity,” *ACM Int. Conf. Proceeding Ser.*, 2011, doi: 10.1145/2093698.2093727.
- [8] N. G. del Río *et al.*, “Treatment of children obesity and diabetes through gamification,” pp. 452–458, 2019, doi: 10.1145/3362789.3362935.
- [9] M. Randriambelonoro, Y. Chen, A. Geissbuhler, and P. Pu, “Exploring physical activity monitoring devices for diabetic and obese patients,” *UbiComp ISWC 2015 - Proc. 2015 ACM Int. Jt. Conf. Pervasive Ubiquitous Comput. Proc. 2015 ACM Int. Symp. Wearable Comput.*, pp. 1003–1008, 2015, doi: 10.1145/2800835.2800951.
- [10] F. Lorenzi, G. P. Dorneles, R. G. Da Rosa, A. Peres, A. Peres, and F. Ricci, “Tailoring training for obese individuals with case-based reasoning,” *ACM-BCB 2017 - Proc. 8th ACM Int. Conf. Bioinformatics, Comput. Biol. Heal. Informatics*, pp. 142–147, 2017, doi: 10.1145/3107411.3107467.
- [11] H. Jung and K. Chung, “Knowledge-based dietary nutrition recommendation for obese management,” *Inf. Technol. Manag.*, vol. 17, no. 1, pp. 29–42, Mar. 2016, doi: 10.1007/s10799-015-0218-4.
- [12] K. K. Kim, H. C. Logan, E. Young, and C. M. Sabee, “Youth-centered design and usage results of the iN Touch mobile self-management program for overweight/obesity,” *Pers. Ubiquitous Comput.*, vol. 19, no. 1, pp. 59–68,

- 2015, doi: 10.1007/s00779-014-0808-x.
- [13] O. Tacyildiz, D. C. Ertugrul, Y. Bitirim, N. Akcan, and A. Elci, “Ontology-Based Obesity Tracking System for Children and Adolescents,” in *Proceedings - International Computer Software and Applications Conference*, 2018, vol. 2, pp. 329–334, doi: 10.1109/COMPSAC.2018.10252.
 - [14] A. R. Kim, H. A. Park, and T. M. Song, “Development and evaluation of an obesity ontology for social big data analysis,” *Healthc. Inform. Res.*, vol. 23, no. 3, pp. 159–168, 2017, doi: 10.4258/hir.2017.23.3.159.
 - [15] H. Y. Kim, H. A. Park, Y. H. Min, and E. Jeon, “Development of an obesity management ontology based on the nursing process for the mobile-device domain,” *J. Med. Internet Res.*, vol. 15, no. 6, p. e130, Jun. 2013, doi: 10.2196/jmir.2512.
 - [16] N. F. Noy and D. L. McGuinness, “Ontology Development 101: A Guide to Creating Your First Ontology,” *Stanford Knowl. Syst. Lab.*, no. March, p. 25, 2001, doi: 10.1016/j.artmed.2004.01.014.
 - [17] J. Almeida, “Personalized Food Recommendations Exploring Content-Based Methods,” no. November, p. 67, 2015.
 - [18] H. Koo, H. Jeong, U. Kang, B. Lee, and Y. Lee, “An Ontology-Based Content Provision System to Advance Child Obesity Management Platforms,” *Int. J. Multimed. Ubiquitous Eng.*, vol. 11, no. 5, pp. 159–170, May 2016, doi: 10.14257/ijmue.2016.11.5.15.
 - [19] N. Suksom and M. Buranarach, “A knowledge-based framework for development of personalized food recommender system,” *Proc. 5th Int. ...*, p. 2, 2010.
 - [20] C. Hankey, “Advanced nutrition and dietetics in obesity,” *Adv. Nutr. Diet. Obes.*, pp. 1–363, 2017, doi: 10.1002/9781118857991.
 - [21] J. Dwyer, K. Melanson, U. Sriprachya-aunt, P. Cross, and M. Wilson, “Chapter 18 - Dietary Treatment of Obesity,” pp. 1–7, 2015.
 - [22] J. T. Dwyer, K. J. Melanson, U. Sriprachya-aunt, P. Cross, and Wilson Madelyn, “Dietary Treatment of Obesity - Endotext,” *Endotext*, pp. 1–53, 2015.
 - [23] A. A. Alsaleh MM, “Saudi Journal of Obesity - Dietary approach to manage obese patient : Download PDF,” *2017 Saudi Journal of Obesity | Published by Wolters Kluwer - Medknow*, 2017. [Online]. Available: <http://www.saudijobesity.com/downloadpdf.asp?issn=2347-2618;year=2017;volume=5;issue=1;spage=28;epage=34;aulast=Alsaleh;type=2>. [Accessed: 09-Dec-2019].
 - [24] R. Botchlett and C. Wu, “Diet Composition for the Management of Obesity and Obesity-related Disorders,” *J. Diabetes Mellit. Metab. Syndr.*, vol. 3, no. 1, pp. 10–25, 2018, doi: 10.28967/jdmms.2018.01.18002.
 - [25] Institute of Medicine, *Dietary Reference Intakes for Energy, Carbohydrate,*

- Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids.* Washington, DC, 2005.
- [26] WHO, FAO, and UNU, “Human energy requirements,” Rome, 2001.
 - [27] A. C. Ross, B. Caballero, R. J. Cousins, K. L. Tucker, and Z. R. Ziegler, *Modern Nutrition IN HEALTH AND DISEASE*, Eleventh e. 2014.
 - [28] J. J. R. Mccomb, E. Carnero, and E. Expenditure, “Estimating Energy Requirements,” no. June 2017, 2014, doi: 10.1007/978-1-4614-8884-2.
 - [29] M. Petrusáková and L. Valík, “Food allergy and intolerance,” no. June, 2015, doi: 10.1515/acs-2015-0009.
 - [30] F. Allergy, “HHS Public Access,” vol. 20, no. 5, 2018, doi: 10.1007/s11894-018-0624-y.Food.
 - [31] Food Allergy Research & Education, “Common Allergens,” 2020. [Online]. Available: https://www.foodallergy.org/living-food-allergies/food-allergy-essentials/common-allergens#_ga=2.41404833.2026111478.1603500676-1304268093.1603500676. [Accessed: 20-Oct-2020].
 - [32] L. Hodge, A. Swain, R. P. Alfred, N. S. Wales, K. Faulkner-hogg, and P. A. Hospital, “Food allergy and intolerance,” vol. 38, no. 9, pp. 705–707, 2009.
 - [33] R. Online, K. T. Win, M. Zhang, and K. Than Win, “An ontology based approach for health information discovery An ontology based approach for health information discovery An Ontology Based Approach for Health Information Discovery,” pp. 295–300, 2005.
 - [34] K. Malm-nicolaisen, L. Marco-ruiz, and K. Malm-nicolaisen, *Ontology-based terminologies for healthcare* *Ontology-based terminologies for healthcare*. .
 - [35] D. Riaño *et al.*, “An ontology-based personalization of health-care knowledge to support clinical decisions for chronically ill patients,” vol. 45, pp. 429–446, 2012, doi: 10.1016/j.jbi.2011.12.008.
 - [36] B. Glimm, “Using SPARQL with RDFS and OWL Entailment Table of Contents,” 2011.
 - [37] S. L. Hanum, Y. Rusmawati, and M. Arzaki, “Construction of the ontology design for political parties’ ideological characteristics,” *2019 Int. Conf. Adv. Comput. Sci. Inf. Syst. ICACSIS 2019*, pp. 381–388, 2019, doi: 10.1109/ICACSIS47736.2019.8979928.
 - [38] S. L. Hanum, M. Arzaki, and Y. Rusmawati, “Knowledge Representation of Political Parties’ Ideological Characteristics Using Formal Concept Analysis,” *Proc. Int. Conf. Electr. Eng. Informatics*, vol. 2019-July, pp. 7–12, 2019, doi: 10.1109/ICEEI47359.2019.8988789.
 - [39] C. Grosan and A. Abraham, “Rule-Based Expert Systems,” Springer, Berlin, Heidelberg, 2011, pp. 149–185.