

DAFTAR ISI

LEMBAR PENGESAHAN	ii
LEMBAR PERNYATAAN ORISINALITAS	iii
ABSTRAK	iv
ABSTRACT	v
KATA PENGANTAR	vi
LEMBAR PERSEMBAHAN	vii
DAFTAR ISI	ix
DAFTAR GAMBAR	xii
DAFTAR TABEL	xiii
BAB I	1
1.1 Latar Belakang Masalah	1
1.2 Rumusan Masalah.....	2
1.3 Tujuan dan Manfaat	2
1.4 Batasan Masalah	3
1.5 Metode Penelitian	3
1.6 Sistematika Penulisan.....	4
BAB II	5
2.1 <i>Cognitive Radio</i> (CR)	5
2.1.1 Komponen CR.....	6
2.1.1.1 <i>Primary Network</i>	6
2.1.1.2 <i>Secondary Network</i>	6
2.1.2 Fitur-fitur CR	6
2.1.2.1 <i>Spectrum Sensing</i>	6
2.1.2.2 <i>Spectrum Management</i>	7

2.1.2.3 <i>Spectrum Mobility</i>	7
2.1.2.4 <i>Spectrum Sharing</i>	7
2.2 <i>Komunikasi D2D</i>	7
2.2.1 <i>Komponen D2D</i>	7
2.2.1.1 <i>D2D Discovery</i>	7
2.2.1.2 <i>D2D Communication</i>	8
2.2.2 <i>Skenario D2D</i>	8
2.2.2.1 <i>In coverage</i>	8
2.2.2.2 <i>Out of coverage</i>	8
2.2.2.3 <i>Partial coverage</i>	8
2.3 <i>Orthogonal Frequency Division Multiple Access (OFDMA)</i>	9
2.4 <i>Resource Block</i>	9
2.5 <i>Signal to Noise Ratio (SNR)</i>	10
2.6 <i>Signal to Interference Noise Ratio (SINR)</i>	10
2.7 <i>Carrier To Noise Ratio (CNR)</i>	11
2.8 <i>Channel State Information (CSI)</i>	12
2.9 <i>Algoritma Yang Digunakan</i>	12
2.9.1 <i>Algoritma Water Filling (WF)</i>	12
2.9.2 <i>Algoritma Geometric Water Filling (GWF)</i>	13
BAB III	14
3.1 <i>Desain Model Sistem</i>	14
3.2 <i>Diagram Alir Kerja</i>	16
3.3 <i>Diagram Alir Sub Channel</i>	18
3.4 <i>Diagram Alir Algoritma</i>	19
3.5 <i>Parameter Sistem dan Output</i>	20
3.5.1 <i>Parameter Sistem</i>	20
3.5.2 <i>Parameter Output</i>	20

3.5.2.1 <i>Throughput</i>	20
3.5.2.2 Efisiensi Daya.....	21
3.5.2.3 Efisiensi Spektrum.....	21
3.5.2.4 Level Interferensi.....	22
BAB IV	23
4.1 Data Pengujian Simulasi	23
4.2 Hasil dan Analisis Pengujian Simulasi	24
4.2.1 <i>Throughput</i>	26
4.2.2 Efisiensi Daya	29
4.2.3 Efisiensi Spektrum	31
4.2.4 Level Interferensi	33
BAB V	35
5.1 Kesimpulan	35
5.2 Saran	35
DAFTAR PUSTAKA	36
LAMPIRAN	38