

DAFTAR PUSTAKA

- [1] Z. E. Khaled and H. Mcheick, "Case studies of communications systems during harsh environments: A review of approaches, weaknesses, and limitations to improve quality of service," *International Journal of Distributed Sensor Networks*, vol. 15, no. 2, p. 1550147719829960, 2019. [Online]. Available: <https://doi.org/10.1177/1550147719829960>
- [2] S. Hartinah, H. Prakoso, and K. Anwar, "Routing of mobile cognitive radio base station for disaster recovery networks," in *2018 International Conference on Electrical Engineering and Informatics (ICELTICs)*, 2018, pp. 1–6.
- [3] D. A. Sujiansyah, K. Anwar, and A. A. Pramudita, "Biconical antenna for mobile base station for post disaster area wireless communications," in *2019 Symposium on Future Telecommunication Technologies (SOFTT)*, vol. 1, 2019, pp. 1–6.
- [4] L. Fauzi, K. Anwar, and Hafidudin, "Experiment of routing for Mobile Cognitive Radio Base Station (MCRBS)," in *2020 10th Electrical Power, Electronics, Communications, Controls and Informatics Seminar (EECCIS)*, 2020, pp. 307–312.
- [5] C. A. Nurbani, K. Anwar, and W. A. Cahyadi, "Hybrid multikernel-constructed polar codes for short blocklength transmissions," in *2021 International Wireless Communications and Mobile Computing (IWCMC)*, 2021, pp. 724–728.
- [6] A. Fitri, K. Anwar, and D. M. Saputri, "Simple rateless codes based on 5G New Radio QC-LDPC codes for dynamic networks," in *2019 IEEE International Conference on Signals and Systems (ICSigSys)*, 2019, pp. 150–155.
- [7] D. Hidayat and Iskandar, "Pilot-based estimation for SC-FDMA LTE in High Altitude Platforms (HAPS) channel," in *2015 9th International Conference on Telecommunication Systems Services and Applications (TSSA)*, Nov 2015, pp. 1–5.
- [8] J. Deaton, "High altitude platforms for disaster recovery: Capabilities, strategies, and techniques for emergency telecommunications," *EURASIP Journal on Wireless Communications and Networking*, vol. 2008, 12 2008.

- [9] A. Sharma, P. Vanjani, N. Paliwal, C. M. Basnayaka, D. N. K. Jayakody, H.-C. Wang, and P. Muthuchidambaranathan, "Communication and networking technologies for uavs: A survey," *Journal of Network and Computer Applications*, vol. 168, p. 102739, 2020. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S1084804520302137>
- [10] K. P. Valavanis and G. J. Vachtsevanos, *Handbook of unmanned aerial vehicles*. Springer, 2015, vol. 2077.
- [11] V. P. Kharchenko, N. S. Kuzmenko, and I. V. Ostroumov, "Identification of unmanned aerial vehicle flight situation," in *2017 IEEE 4th International Conference Actual Problems of Unmanned Aerial Vehicles Developments (APUAVD)*, 2017, pp. 116–120.
- [12] M. R. K. Aziz and Iskandar, "Channel estimation for lte downlink in High Altitude Platforms (HAPs) systems," in *2013 International Conference of Information and Communication Technology (ICoICT)*, March 2013, pp. 182–186.
- [13] R. Zhang, D. Minh, M. Wang, L. X. Cai *et al.*, "Responsive regulation of dynamic uav communication networks based on deep reinforcement learning," *arXiv preprint arXiv:2108.11012*, 2021.
- [14] X. Zhang, G. Zheng, and S. Lambbotharan, "Trajectory design for uav-assisted emergency communications: A transfer learning approach," in *GLOBECOM 2020 - 2020 IEEE Global Communications Conference*, 2020, pp. 1–6.
- [15] D. Xu, X. Yi, Z. Chen, C. Li, C. Zhang, and B. Xia, "Coverage ratio optimization for HAP communications," in *2017 IEEE 28th Annual International Symposium on Personal, Indoor, and Mobile Radio Communications (PIMRC)*, Oct 2017, pp. 1–5.
- [16] S. Karapantazis and F. Pavlidou, "Broadband communications via high-altitude platforms: A survey," *IEEE Communications Surveys Tutorials*, vol. 7, no. 1, pp. 2–31, First 2005.
- [17] K. Anwar and T. Matsumoto, "Accumulator-assisted distributed turbo codes for relay systems exploiting source-relay correlation," *IEEE Communications Letters*, vol. 16, no. 7, pp. 1114–1117, 2012.
- [18] A. A. Purwita, K. Anwar, and T. Adiono, "Experimental evaluation for relaying system allowing intralink error," in *SCC 2015; 10th International ITG Conference on Systems, Communications and Coding*, 2015, pp. 1–6.

- [19] M. Mozaffari, W. Saad, M. Bennis, Y.-H. Nam, and M. Debbah, “A tutorial on uavs for wireless networks: Applications, challenges, and open problems,” *IEEE communications surveys & tutorials*, vol. 21, no. 3, pp. 2334–2360, 2019.
- [20] K. Hoshino, S. Sudo, and Y. Ohta, “A study on antenna beamforming method considering movement of solar plane in HAPS system,” in *2019 IEEE 90th Vehicular Technology Conference (VTC2019-Fall)*, 2019, pp. 1–5.
- [21] A. Al-Hourani, S. Kandeepan, and A. Jamalipour, “Modeling air-to-ground path loss for low altitude platforms in urban environments,” in *2014 IEEE global communications conference*. IEEE, 2014, pp. 2898–2904.
- [22] P. M. K. dan Informatika, “Tabel alokasi spektrum frekuensi radio indonesia (tasfri),” Kementerian Komunikasi dan Informatika, Tech. Rep., 2018.
- [23] A. Aragon-Zavala, J. L. Cuevas-Ruiz, and J. A. Delgado-Penin, *Overview on HAPS*. John Wiley and Sons, Ltd, 2008, ch. 2, pp. 5–35. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/9780470997437.ch2>
- [24] T. K. Moon, *Error Correction Coding: Mathematical Methods and Algorithms*. USA: Wiley-Interscience, 2005.
- [25] B. Tahir, S. Schwarz, and M. Rupp, “BER comparison between Convolutional, Turbo, LDPC, and Polar codes,” in *2017 24th International Conference on Telecommunications (ICT)*, May 2017, pp. 1–7.
- [26] H. Schulze and C. Luders, *Channel Coding*. John Wiley and Sons, Ltd, 2006, ch. 3, pp. 93–143. [Online]. Available: <https://onlinelibrary.wiley.com/doi/abs/10.1002/0470017406.ch3>
- [27] C. Schlegel and L. Perez, *Trellis and Turbo Coding*. Hoboken, NJ, USA: John Wiley and Sons, Inc., 2003.
- [28] J. Kene and K. Kulat, “Soft output decoding algorithm for Turbo Codes implementation in mobile Wi-max environment,” *Procedia Technology*, vol. 6, p. 666–673, December 2012.
- [29] A. Irawan, K. Anwar, and T. Matsumoto, “Combining-after-decoding Turbo hybrid ARQ by utilizing Doped-Accumulator,” *IEEE Communications Letters*, vol. 17, no. 6, pp. 1212–1215, 2013.

- [30] D. Fertoni, A. Barbieri, and G. Colavolpe, "Reduced-complexity BCJR algorithm for Turbo equalization," *IEEE Transactions on Communications*, vol. 55, no. 12, pp. 2279–2287, 2007.
- [31] H. Harada and R. Prasad, *Simulation and Software Radio for Mobile Communications*. USA: Artech House, Inc., 2002.
- [32] R. Esmailzadeh, *Broadband Telecommunications Technologies and Management*, 1st ed. Wiley Publishing, 2016.
- [33] A. Bravo-Santos, "Polar Codes for the Rayleigh fading channel," *IEEE Communications Letters*, vol. 17, no. 12, pp. 2352–2355, December 2013.
- [34] R. Vannithamby and S. Talwar, *Distributed Resource Allocation in 5G Cellular Networks*. Wiley, 2017, pp. 129–161. [Online]. Available: <https://ieeexplore.ieee.org/document/8045143>
- [35] K. Anwar and T. Matsumoto, "Very simple bicm-id using Repetition Code and extended mapping with Doped Accumulator," *Wireless Personal Communications*, vol. 67, pp. 1–12, 12 2011.
- [36] Y. Wang, W. jun Lu, and H. bo Zhu, "An empirical path-loss model for wireless channels in indoor short-range office environment," *Hindawi Publishing Corporation, International Journal of Antennas and Propagation*, 2012.