

Daftar Pustaka

Daftar Pustaka

- [1] Microsoft Corporation, "Personality," <https://www.refseek.com/data/cache/en/1/Personality.html>, 2009.
- [2] ipqi, "Teori Kepribadian Model Lima Besar (Big Five Personality)," <https://ipqi.org/teori-kepribadian-model-lima-besar-big-five-personality>, 2016.
- [3] Rob Scott, "Twitter Releases Daily Active Users Total For the First Time," <https://www.etcentric.org/twitter-releases-daily-active-users-total-for-the-first-time/>, Feb. 07, 2019.
- [4] G. D. Salsabila and E. B. Setiawan, "Semantic Approach for Big Five Personality Prediction on Twitter," *Jurnal RESTI (Rekayasa Sistem dan Teknologi Informasi)*, vol. 5, no. 4, pp. 680–687, Aug. 2021, doi: 10.29207/resti.v5i4.3197.
- [5] R. Zenico, E. B. Setiawan, and F. N. Nugraha, "Prediksi Big Five Personality dengan Term Frequency Inverse Document Frequency (TF-IDF) Menggunakan Metode Logistic Regression pada Pengguna Twitter."
- [6] K. Prameswari and E. B. Setiawan, "Analisis Kepribadian Melalui Twitter Menggunakan Metode Logistic Regression dengan Pembobotan TF-IDF dan AHP."
- [7] F. Ilzam Nur Haq and E. Setiawan, "Implementasi Naive Bayes Classifier untuk Prediksi Kepribadian Big Five pada Twitter Menggunakan Term Frequency-Inverse Document Frequency (TF-IDF) dan Term Frequency-Relevance Frequency (TF-RF)."
- [8] Willy, E. B. Setiawan, and F. N. Nugraha, "Implementation of Decision Tree C4.5 for Big Five Personality Predictions with TF-RF and TF-CHI2 on Social Media Twitter," in *2019 International Conference on Computer, Control, Informatics and its Applications (IC3INA)*, Oct. 2019, pp. 114–119. doi: 10.1109/IC3INA48034.2019.8949601.
- [9] C. Yuan, J. Wu, H. Li, and L. Wang, "Personality Recognition Based on User Generated Content," in *2018 15th International Conference on Service Systems and Service Management (ICSSSM)*, Jul. 2018, pp. 1–6. doi: 10.1109/ICSSSM.2018.8465006.
- [10] Rubynor, "Big Five Personality Test," <https://bigfive-test.com/>, 2022.
- [11] S. Liu, H. Tao, and S. Feng, "Text Classification Research Based on Bert Model and Bayesian Network," in *2019 Chinese Automation Congress (CAC)*, Nov. 2019, pp. 5842–5846. doi: 10.1109/CAC48633.2019.8996183.
- [12] B. Wilie *et al.*, "IndoNLU: Benchmark and Resources for Evaluating Indonesian Natural Language Understanding," Sep. 2020.
- [13] J. Fonseca, G. Douzas, and F. Bacao, "Improving Imbalanced Land Cover Classification with K-Means SMOTE: Detecting and Oversampling Distinctive Minority Spectral Signatures," *Information*, vol. 12, no. 7, p. 266, Jun. 2021, doi: 10.3390/info12070266.
- [14] L. Demidova and I. Klyueva, "SVM classification: Optimization with the SMOTE algorithm for the class imbalance problem," in *2017 6th Mediterranean Conference on Embedded Computing (MECO)*, Jun. 2017, pp. 1–4. doi: 10.1109/MECO.2017.7977136.
- [15] G. Chandrashekar and F. Sahin, "A survey on feature selection methods," *Computers and Electrical Engineering*, vol. 40, no. 1, pp. 16–28, Jan. 2014, doi: 10.1016/j.compeleceng.2013.11.024.
- [16] J. Wu, X. Y. Chen, H. Zhang, L. D. Xiong, H. Lei, and S. H. Deng, "Hyperparameter optimization for machine learning models based on Bayesian optimization," *Journal of Electronic Science and Technology*, vol. 17, no. 1, pp. 26–40, Mar. 2019, doi: 10.11989/JEST.1674-862X.80904120.
- [17] M. Adnan, A. A. S. Alarood, M. I. Uddin, and I. ur Rehman, "Utilizing grid search cross-validation with adaptive boosting for augmenting performance of machine learning models," *PeerJ Comput Sci*, vol. 8, p. e803, Feb. 2022, doi: 10.7717/peerj-cs.803.

