

Daftar Pustaka

- [1] Q. Guo, S. Wang, and F. Wan, "Research on named entity recognition for information extraction," *Proc. - 2020 2nd Int. Conf. Artif. Intell. Adv. Manuf. AIAM 2020*, pp. 121–124, 2020, doi: 10.1109/AIAM50918.2020.00030.
- [2] R. Rifani, M. A. Bijaksana, and I. Asror, "Named Entity Recognition for an Indonesian Based Language Tweet using Multinomial Naive Bayes Classifier," *Indones. J. Comput.*, vol. 4, no. 2, pp. 119–126, 2019, doi: 10.21108/indojc.2019.4.2.330.
- [3] X. Liu, H. Chen, and W. Xia, "Overview of Named Entity Recognition," *J. Contemp. Educ. Res.*, vol. 6, no. 5, pp. 65–68, 2022, doi: 10.26689/jcer.v6i5.3958.
- [4] D. Tarkus, S. R. U. A. Sompie, and A. Jacobus, "Implementasi Metode Recurrent Neural Network pada Pengklasifikasian Kualitas Telur Puyuh," *J. Tek. Inform.*, vol. 15, no. 2, pp. 137–144, 2020.
- [5] J. P. C. Chiu and E. Nichols, "Named Entity Recognition with Bidirectional LSTM-CNNs," *Trans. Assoc. Comput. Linguist.*, vol. 4, no. 2003, pp. 357–370, 2016, doi: 10.1162/tacl_a_00104.
- [6] W. Gunawan, D. Suhartono, F. Purnomo, and A. Ongko, "Named-Entity Recognition for Indonesian Language using Bidirectional LSTM-CNNs," *Procedia Comput. Sci.*, vol. 135, pp. 425–432, 2018, doi: 10.1016/j.procs.2018.08.193.
- [7] G. Lample, M. Ballesteros, S. Subramanian, K. Kawakami, and C. Dyer, "Neural architectures for named entity recognition," *2016 Conf. North Am. Chapter Assoc. Comput. Linguist. Hum. Lang. Technol. NAACL HLT 2016 - Proc. Conf.*, pp. 260–270, 2016, doi: 10.18653/v1/n16-1030.
- [8] D. Song, L. Li, L. Jin, and D. Huang, "Biomedical named entity recognition based on recurrent neural networks with different extended methods," *Int. J. Data Min. Bioinform.*, vol. 16, no. 1, pp. 17–31, 2016, doi: 10.1504/IJDMB.2016.079799.
- [9] A. Žukov-Gregorič, Y. Bachrach, and S. Coope, "Named entity recognition with parallel recurrent neural networks," *ACL 2018 - 56th Annu. Meet. Assoc. Comput. Linguist. Proc. Conf. (Long Pap.)*, vol. 2, pp. 69–74, 2018, doi: 10.18653/v1/p18-2012.
- [10] H. Ceovic, A. S. Kurdija, G. Delac, and M. Silic, "Named Entity Recognition for Addresses: An Empirical Study," *IEEE Access*, vol. 10, pp. 42094–42106, 2022, doi: 10.1109/ACCESS.2022.3167418.
- [11] A. Vlachos, "Evaluating and combining biomedical named entity recognition systems," *ACL 2007 - Proc. Work. BioNLP 2007 Biol. Transl. Clin. Lang. Process.*, pp. 199–206, 2007, doi: 10.3115/1572392.1572430.
- [12] K. Sintoris and K. Vergidis, "Extracting business process models using natural language processing (NLP) techniques," *Proc. - 2017 IEEE 19th Conf. Bus. Informatics, CBI 2017*, vol. 1, pp. 135–139, 2017, doi: 10.1109/CBI.2017.41.
- [13] H. S. Al-Ash and W. C. Wibowo, "Fake news identification characteristics using named entity recognition and phrase detection," *Proc. 2018 10th Int. Conf. Inf. Technol. Electr. Eng. Smart Technol. Better Soc. ICITEE 2018*, pp. 12–17, 2018, doi: 10.1109/ICITEED.2018.8534898.
- [14] N. M. Rezk, M. Purnaprajna, T. Nordstrom, and Z. Ul-Abdin, "Recurrent Neural Networks: An Embedded Computing Perspective," *IEEE Access*, vol. 8, pp. 57967–57996, 2020, doi: 10.1109/ACCESS.2020.2982416.
- [15] V. Yadav and S. Bethard, "A survey on recent advances in named entity recognition from deep learning models," *COLING 2018 - 27th Int. Conf. Comput. Linguist. Proc.*, pp. 2145–2158, 2018.