

DAFTAR PUSTAKA

- [1] A. Marchena-Rodríguez, N. Moreno-Morales, E. Ramírez-Parga, M. T. Labajo-Manzanares, A. Luque-Suárez, and G. Gijon-Nogueron, “Relationship between foot posture and dental malocclusions in children aged 6 to 9 years A cross-sectional study,” *Med. (United States)*, vol. 97, no. 19, 2018.
- [2] A. M. Evans and L. Karimi, “The relationship between paediatric foot posture and body mass index: Do heavier children really have flatter feet?,” *J. Foot Ankle Res.*, vol. 8, no. 46, 2015.
- [3] C. H. Lin, Z. H. Qiu, and C. C. Yeh, “Image processing for rear foot image evaluating leg and foot angles,” *Meas. J. Int. Meas. Confed.*, vol. 126, no. February 2017, pp. 168–183, 2018.
- [4] H. Mukhtar et al., “Fast Algorithm to Measure the Types of Foot Postures with Anthropometric Tests Using Image Processing,” *Indones. J. Electron. Electromed. Eng. Med. informatics*, vol. 2, no. 1, pp. 48–59, 2020.
- [5] C. Smolen and C. E. Quenneville, “A Finite Element Model of the Foot/Ankle to Evaluate Injury Risk in Various Postures,” *Ann. Biomed. Eng.*, vol. 45, no. 8, pp. 1993–2008, 2017.
- [6] B. Langley, M. Cramp, and S. C. Morrison, “Clinical measures of static foot posture do not agree,” *J. Foot Ankle Res.*, vol. 9, no. 45, 2016.
- [7] J. S. Lee, K. B. Kim, J. O. Jeong, N. Y. Kwon, and S. M. Jeong, “Correlation of foot posture index with plantar pressure and radiographic measurements in pediatric flatfoot,” *Ann. Rehabil. Med.*, vol. 39, no. 1, pp. 10–17, 2015.
- [8] A. M. Keenan, A. C. Redmond, M. Horton, P. G. Conaghan, and A. Tennant, “The Foot Posture Index: Rasch Analysis of a Novel, Foot-Specific Outcome Measure,” *Arch. Phys. Med. Rehabil.*, vol. 88, no. 1, pp. 88–93, 2007.
- [9] S. Setiyadi, “A System Of Foot Posture Assessment With Foot Posture Index-6 (Fpi-6) Using 3d Photogrammetry And Extraction Features,” pp. 31-64, 2021.

- [10] E. W. Abel, A. Unger, R. Fletcher, and A. S. Jain, "Development of clinical measurement of the axes of rotation of the ankle and subtalar joints," *Annu. Int. Conf. IEEE Eng. Med. Bio. - Proc.*, vol. 3, pp. 2455-2456, 2002.
- [11] A. M. Keenan, A. C. Redmond, M. Horton, P. G. Conaghan, and A. Tennant, "The Foot Posture Index: Rasch Analysis of a Novel, Foot-Specific Outcome Measure," *Arch. Phys. Med. Rehabil.*, vol. 88, no. 1, pp. 88–93, 2007.
- [12] "Waspadai 15 Biang Keladi Penyebab Nyeri Dan Solusinya," Aug. 29, 2016. Accessed on: Nov. 8, 2021. [Online]. Available: <https://flexfreeclinic.com/artikel/detail/101?title=waspada-15-biang-keladi-penyebab-nyeri-dan-solusinya>.
- [13] P. Caravaggi, A. B. Matias, U. T. Taddei, M. Ortolani, A. Leardini, and I. C. N. Sacco, "Reliability of medial-longitudinal-arch measures for skin-markers based kinematic analysis," *J. Biomech.*, vol. 88, pp. 180-185, 2019.
- [14] A. C. Redmond, J. Crosbie, and R. A. Ouvrier, "Development and validation of a novel rating system for scoring standing foot posture: The Foot Posture Index," *Clin. Biomech.*, vol. 21, pp. 89-98, 2006.
- [15] B. Nigg, A. V. Behling, and J. Hamill, "Foot pronation," *Footwear Sci.*, vol. 11, no. 3, pp. 131–134, 2019.
- [16] S. C. Morrison and J. Ferrari, "Inter-rater reliability of the Foot Posture Index (FPI-6) in the assessment of the paediatric foot," *J. Foot Ankle Res.*, vol. 2, no. 1, pp. 1–5, 2009.
- [17] K. E. Smith, P. K. Commean, D. D. Robertson, T. Pilgram, and M. J. Mueller, "Precision and accuracy of computed tomography foot measurements," *Arch. Phys. Med. Rehabil.*, vol. 82, no. 7, pp. 925–929, 2001.
- [18] Xiang, B.-Y., Wu, X.-D., Zhou, N., Li, K., Xu, W., Liang, X., Hu, N., Huang, W., & Qiu, G.-X. "Three-dimensional color map: a novel tool to locate the surgical transepicondylar axis". *Annals of Translational Medicine*, 8(21), 1401–1401, 2020.

- [19] R. Bannatyne and G. Viot, "Introduction to microcontrollers," Wescon Conf. Rec., pp. 564–574, 1997.
- [20] "HC-05 - Bluetooth Module," Jul. 16, 2021. Accessed on: Nov. 25, 2021. [Online]. Available: <https://components101.com/wireless/hc-05-bluetooth-module>.
- [21] Ronja Struck, Sara Cordoni, Sofia Aliotta, Laura Pérez-Pachón, and Flora Gröning, "Application of Photogrammetry in Biomedical Science," Biomedical Visualisation (pp.121-130), 2019.
- [22] Kishore Kodal, R., & Samar Sarjerao, B. "A Low Cost Smart Irrigation System Using MQTT Protocol". IEEE TENSYP 2017: IEEE International Symposium on Technologies for Smart Cities: 14-16 July, 2017, Kochi, Kerala, India.
- [23] B. Aranjó, P. K. Soori, and P. Talukder, "Stepper motor drives for robotic applications," 2012 IEEE Int. Power Eng. Optim. Conf. PEOCO 2012 - Conf. Proc., no. June, pp. 361–366, 2012.
- [24] "Raspberry Pi Zero,". Accessed on: Nov. 25, 2021. [Online]. Available: <https://www.raspberrypi.com/products/raspberry-pi-zero/>.
- [25] Vacca, G. "OVERVIEW of OPEN-SOURCE SOFTWARE for CLOSE RANGE PHOTOGRAMMETRY". International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 42(4/W14), 239–245, 2019.
- [26] J. Herráez, J. C. Martínez, E. Coll, M. T. Martín, and J. Rodríguez, "3D modeling by means of videogrammetry and laser scanners for reverse engineering," Meas. J. Int. Meas. Confed., vol. 87, pp. 216–227, 2016.
- [27] E. A. B. da Silva and G. V. Mendonca, "Digital Image Processing," Electr. Eng. Handb., pp. 891–910, 2005.
- [28] Tarnini, M. Y. "Fast and cheap stepper motor drive". 2015 International Conference on Renewable Energy Research and Applications, ICRERA 2015, 5(2), 689–693, 2015.

- [29] E. Golubovic, Z. Zhakypov, T. Uzunovic, and A. Sabanovic, "Piezoelectric motor driver: Design and evaluation," IECON Proc. (Industrial Electron. Conf.), pp. 3964–3969, 2013.
- [30] Ian M. Smith., D. Cook, and B. P. Smith., "CCD Arrays, Camera, and Displays," no. 2, pp. 551-659. June. 2001.
- [31] Rachmawati, Risanuri Hidayat, Sunu Wibirama, "Rekonstruksi Objek 3D dari Multiple Images", JNTETI, Vol. 2, No. 4, Februari 2013.
- [32] Moh. Jurabizar Mil Rizqi, "Analisis Pembentukan Dense Point Cloud Menggunakan Software Agisoft Photoscan Dan Software Pix4d Mapper", 2021.
- [33] Erica Nocerino, Elisavet Konstantina Stathopoulou, Simone Rigon, and Fabio Remondino, "Surface Reconstruction Assessment in Photogrammetric Applications", 2020.
- [34] Arin Yuli Astuti¹, Sukoco, M. Suyanto, "Optimalisasi Editing Green Screen Menggunakan Teknik Lighting Pada Chroma Key", 2016.