

DAFTAR PUSTAKA

- [1] B. P. Crow, I. Widjaja, J. G. Kim and P. T. Sakai, "IEEE 802.11 Wireless Local Area Networks," IEEE Communications Magazine, vol. 35, no. 9, pp. 116-126, Sept. 1997.
- [2] R. Anhario, "Pengaruh Beamforming Terhadap Interferensi Antar Access Point Pada IEEE 802.11n," Skripsi, Universitas Brawijaya, Malang, Indonesia, 2018.
- [3] M. Naghibi and M. Ghaderi, "Characterizing the performance of beamforming WiFi access points," 39th Annual IEEE Conference on Local Computer Networks, 2014, pp. 434-437.
- [4] D.M. Pozar, Microwave Engineering, 4th ed., New York, USA: John Wiley & Sons, Inc., 2012.
- [5] R. W. F. Gultom, H. Wijanto dan Y. Wahyu, "Desain dan Realisasi Mikrostrip Hybrid Coupler 90° Frekuensi 2300 MHz Time Division Duplex (TDD) Untuk Aplikasi 4G LTE," Tugas Akhir, Universitas Telkom, Bandung, Indonesia, 2016.
- [6] R. Fernandez, "Rancang Bangun Hybrid Coupler untuk Low-Cost Butler Matrix", JNTE, vol. 6, no. 3, pp. 214–218, Nov. 2017.
- [7] S. A. Babale, O. Elijah, S. K. A. Rahim dan S. I. Orakwue, "Two-dimensional beam-steering phased-array utilizing 2×2 Butler matrix," 2017 IEEE 3rd International Conference on Electro-Technology for National Development (NIGERCON), 2017, pp. 245-248.
- [8] Zulfi dan A. Munir, "Implementation of Meander Line Structure for Size Reduction of 2 × 2 Butler Matrix", JNTETI, vol. 10, no. 2, pp. 170-177, May 2021