

DAFTAR PUSTAKA

- [1] A. Datta, R. Suresh, A. Gupta, D. Singh, and P. Kulshrestha, "Indoor air quality of non-residential urban buildings in Delhi, India," *Int. J. Sustain. Built Environ.*, vol. 6, no. 2, pp. 412–420, 2017, doi: 10.1016/j.ijsbe.2017.07.005.
- [2] T. L. Guidotti, "Children's health and the environment," *Arch. Environ. Occup. Heal.*, vol. 62, no. 2, pp. 51–52, 2007, doi: 10.3200/AEOH.62.2.51-52.
- [3] World Health Organization, "Air pollution." https://www.who.int/health-topics/air-pollution#tab=tab_3 (accessed Dec. 09, 2021).
- [4] J. Li, M. Li, J. Xin, B. Lai, and Q. Ma, "Wireless sensor network for indoor air quality monitoring," *Sensors and Transducers*, vol. 172, no. 6, pp. 86–90, 2014, doi: 10.21608/jsrs.2015.19949.
- [5] United States Environmental Protection Agency, "Overview of the Building Assessment Survey and Evaluation Study | US EPA." <https://www.epa.gov/indoor-air-quality-iaq/overview-building-assessment-survey-and-evaluation-study> (accessed Dec. 09, 2021).
- [6] United States Environmental Protection Agency, "Particulate Matter (PM) Basics | US EPA." <https://www.epa.gov/pm-pollution/particulate-matter-pm-basics#PM> (accessed Dec. 09, 2021).
- [7] O. Concentrations, P. M. Concentrations, A. T. Concentrations, A. T. Emissions, and B. E. Landcover, "Volatile Organic Compounds Emissions," 2011, [Online]. Available: https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=3&cad=rja&uact=8&ved=0ahUKEwiloJzHtL3OAhVLRI8KHVnuCQsQFgg1MAI&url=https://cfpub.epa.gov/roe/indicator_pdf.cfm?i=23&usg=AFQjCNFMo6_TFaF1FCkhFGDUme5Jqz7tqQ.
- [8] United States Environmental Protection Agency, "Basic Information about Carbon Monoxide (CO) Outdoor Air Pollution | US EPA." <https://www.epa.gov/co-pollution/basic-information-about-carbon-monoxide-co-outdoor-air-pollution#What is CO> (accessed Dec. 09, 2021).

- [9] M. Kesehatan and R. Indonesia, “Peraturan Menteri Kesehatan Indonesia No 1077/Menkes/PER/2011,” 2011.
- [10] U. Epa, “a Standardized Epa Protocol for Characterizing Indoor Air Quality in Large Office Buildings,” *Indoor Environ. Div. US EPA, Washington, DC*, no. September 2001, 2003, [Online]. Available: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:A+STANDARDIZED+EPA+PROTOCOL+FOR+CHARACTERIZING+INDOOR+AIR+QUALITY+IN+LARGE+OFFICE+BUILDINGS#7>.
- [11] R. Pitarma, G. Marques, and B. R. Ferreira, “Monitoring Indoor Air Quality for Enhanced Occupational Health,” *J. Med. Syst.*, vol. 41, no. 2, pp. 1–8, 2017, doi: 10.1007/s10916-016-0667-2.
- [12] S. A. Ahmed Abdul-Wahab, S. C. F. En, A. Elkamel, L. Ahmadi, and K. Yetilmezsoy, “A review of standards and guidelines set by international bodies for the parameters of indoor air quality,” *Atmos. Pollut. Res.*, vol. 6, no. 5, pp. 751–767, 2015, doi: 10.5094/APR.2015.084.
- [13] United States Environmental Protection Agency, “Introduction to Indoor Air Quality | US EPA.” <https://www.epa.gov/indoor-air-quality-iaq/introduction-indoor-air-quality> (accessed Dec. 09, 2021).
- [14] J. M. Seguel, R. Merrill, D. Seguel, and A. C. Campagna, “Indoor Air Quality,” *Am. J. Lifestyle Med.*, vol. 11, no. 4, pp. 284–295, 2017, doi: 10.1177/1559827616653343.
- [15] J. Esquiagola, M. Manini, A. Aikawa, L. Yoshioka, and M. Zuffo, “SPIRI: Low power IoT solution for monitoring indoor air quality,” *IoTBDs 2018 - Proc. 3rd Int. Conf. Internet Things, Big Data Secur.*, vol. 2018-March, no. October, pp. 285–290, 2018, doi: 10.5220/0006783002850290.
- [16] I. Sarbu and C. Sebarchievici, “Aspects of indoor environmental quality assessment in buildings,” *Energy Build.*, vol. 60, pp. 410–419, 2013, doi: 10.1016/j.enbuild.2013.02.005.
- [17] U. EPA, “Title : Testing for Indoor Air Quality,” no. December, 2007.
- [18] C.-S. Oh, M.-S. Seo, J.-H. Lee, S.-H. Kim, Y.-D. Kim, and H.-J. Park, “Indoor Air Quality Monitoring Systems in the IoT Environment,” *J. Korean Inst. Commun. Inf. Sci.*, vol. 40, no. 5, pp. 886–891, 2015, doi:

10.7840/kics.2015.40.5.886.

- [19] P. Ielpo *et al.*, “Outdoor spatial distribution and indoor levels of NO₂ and SO₂ in a high environmental risk site of the South Italy,” *Sci. Total Environ.*, vol. 648, pp. 787–797, Jan. 2019, doi: 10.1016/j.scitotenv.2018.08.159.
- [20] J. Li *et al.*, “Spatiotemporal distribution of indoor particulate matter concentration with a low-cost sensor network,” *Build. Environ.*, vol. 127, no. September 2017, pp. 138–147, 2018, doi: 10.1016/j.buildenv.2017.11.001.
- [21] N. A. C. (1993) Cressie, “Suatu aplikasi metode,” *Cressie, N. A. C. Stat. Spat. Data. New York John Wiley Sons, Inc.*, pp. 1–15, 1993.
- [22] H. B. Awbi, “Ventilation for Good Indoor Air Quality and Energy Efficiency,” *Energy Procedia*, vol. 112, no. September, pp. 277–286, 2017, doi: 10.1016/j.egypro.2017.03.1098.
- [23] T. Godish, “Relationships between ventilation and indoor air quality: A review,” *Indoor Air*, vol. 6, no. 2, pp. 135–145, 1996, doi: 10.1111/j.1600-0668.1996.00010.x.
- [24] World Health Organization, “WHO Expert Consultation: Available evidence for the future update of the WHO Global Air Quality Guidelines (AQGs),” no. October, p. 50, 2015.
- [25] B. Talarosha, “Konsentrasi Co₂ pada Ruang Kelas dengan Sistem Ventilasi Alami sebuah Penelitian Awal,” *J. Lingkung. Binaan Indones.*, vol. 6, no. 1, pp. 22–27, 2017, doi: 10.32315/jlbi.6.1.22.
- [26] United States Environmental Protection Agency, “Overview of Greenhouse Gases | US EPA.” <https://www.epa.gov/ghgemissions/overview-greenhouse-gases> (accessed Dec. 09, 2021).
- [27] A. Nimra, Z. Ali, zaheer A. Nasir, S. Tyrrel, and S. Sidra, “Characterization of Indoor Air Quality in Relation to Ventilation Practices in Hospitals of Lahore, Pakistan,” *Sains Malaysiana*, vol. 50, no. 6, pp. 1609–1620, 2021, doi: 10.17576/jsm-2021-5006-09.