

DAFTAR PUSTAKA

- [1] A. F. Nafis, D. Adni Navastara and A. Yuniarti, "Facial Expression Recognition on Video Data with Various Face Poses Using Deep Learning," 2020 12th International Conference on Information Technology and Electrical Engineering (ICITEE), 2020, pp. 362-367, doi: 10.1109/ICITEE49829.2020.9271740.
- [2] F. A. Isman, A. L. Prasasti and R. A. Nugrahaeni, "Expression Classification For User Experience Testing Using Convolutional Neural Network," 2021 International Conference on Artificial Intelligence and Mechatronics Systems (AIMS), 2021, pp. 1-6, doi: 10.1109/AIMS52415.2021.9466088.
- [3] Y. Afriansyah, R. A. Nugrahaeni and A. L. Prasasti, "Facial Expression Classification for User Experience Testing Using K-Nearest Neighbor," 2021 IEEE International Conference on Industry 4.0, Artificial Intelligence, and Communications Technology (IAICT), 2021, pp. 63-68, doi: 10.1109/IAICT52856.2021.9532535.
- [4] Revina, I.Michael & Emmanuel, W.R. Sam. (2018). A Survey on Human Face Expression Recognition Techniques. Journal of King Saud University - Computer and Information Sciences. 33. 10.1016/j.jksuci.2018.09.002.
- [5] Goodfellow, I. J., Erhan, D., Carrier, P. L., Courville, A., Mirza, M., Hamner, B., Cukierski, W., Tang, Y., Thaler, D., Lee, D.-H., Zhou, Y., Ramaiah, C., Feng, F., Li, R., Wang, X., Athanasakis, D., Shawe-Taylor, J., Milakov, M., Park, J., ... Bengio, Y. (2013). Challenges in Representation Learning: A report on three machine learning contests. <http://arxiv.org/abs/1307.0414>
- [6] Naufal Ihsan Dhuha, F., Luhur Prasasti, A., & Adhi Saputra, ud. (2021). Sistem Inspeksi Visual Kecacatan Pada Sel Baterai Lithium Menggunakan CNN 2 Dimensi Visual Inspection System of Defects on Lithium Battery Cell Using 2 Dimension CNN. 8(5), 6694.
- [7] A. Zhang, Z. C. Lipton," *Dive into Deep Learning*," 2019 : d2l.ai
- [8] B. Ramdhani, E. C. Djamar, R. Ilyas.(2018)."Convolutional Neural Networks Models for Facial Expression Recognition" International Symposium on Advanced Intelligent Informatics (SAIN) August 29-30, 2018.

- [9] Yusuf, A., Cahya Wihandika, R., & Dewi, C. (2019). Klasifikasi Emosi Berdasarkan Ciri Wajah Menggunakan Convolutional Neural Network (Vol. 3, Issue 11). <http://j-ptiik.ub.ac.id>
- [10] Ioffe, S., & Szegedy, C. (2015). Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift. <http://arxiv.org/abs/1502.03167>.
- [11] Pramerdorfer, C., & Kampel, M. (2016). Facial Expression Recognition using Convolutional Neural Networks: State of the Art. <http://arxiv.org/abs/1612.02903>.
- [12] Sungheon Park, N. K. (2017). Analysis on the Dropout Effect in Convolutional Neural Networks. 10112. https://doi.org/10.1007/978-3-319-54184-6_12.
- [13] S. Li and W. Deng, "Deep Facial Expression Recognition: A Survey," in IEEE Transactions on Affective Computing, doi: 10.1109/TAFFC.2020.2981446.
- [14] Zadeh, L. A. (1965) Fuzzy Sets. Department of Electrical Engineering and Electronics Research Laboratory, University of California, Berkeley, California (1965): 8-338.
- [15] B. Saleha, S. M. Nasution and A. L. Prasasti, "Design of IOT-Based Smart Laundry Applications Using Fuzzy Algorithms," 2020 International Conference on Information Technology Systems and Innovation (ICITSI), 2020, pp. 393-397, doi: 10.1109/ICITSI50517.2020.9264936 .