

DAFTAR PUSTAKA

- [1] D. R. Kurnia and T. Slamet, "Menormalkan yang Dianggap 'Tidak Normal' (Studi Kasus Penertiban Bahasa Isyarat Tunarungu di Sekolah Luar Biasa [SLB] dan Perlawanannya di Kota Malang)," *Ijds*, vol. 3, no. 1, pp. 34–43, 2016.
- [2] Y. Bukesra Ulee Kareng and B. Aceh, "Jurnal Ilmiah Mahasiswa FISIP Penggunaan Sistem Isyarat Bahasa Indonesia (SIBI) sebagai media komunikasi (studi pada siswa tunarungu di SLB "PENGUNAAN SISTEM ISYARAT BAHASA INDONESIA (SIBI) SEBAGAI MEDIA KOMUNIKASI (studi pada siswa tunar," *J. Ilm. Mhs. FISIP Unsyiah*, vol. 4, no. 3, pp. 1–12, 2019, [Online]. Available: www.jim.unsyiah.ac.id/FISIP
- [3] A. Basuki, M. Zikky, J. Akhmad, N. Hasim, and N. I. Ramadhan, "Sensor Gerak dengan Leap Motion untuk Membantu Komunikasi Tunarungu/Wicara," *Pros. Sentia*, vol. 8, no. October, pp. 317–321, 2016.
- [4] L. Yusnita, R. Roestam, and R. B. Wahyu, "Implementation of Real-Time Static Hand," *CommIT (Communication Inf. Technol.*, vol. 11, no. 2, pp. 85–91, 2017, doi: Implementation of Real-Time Static Hand Yusnita LRoestam RWahyu R.
- [5] Q. Zhu and Y. Wang, "FMCW radar implemented with GNU Radio Companion," pp. 1–20, 2016.
- [6] H. R. Lee, J. Park, and Y. J. Suh, "Improving classification accuracy of hand gesture recognition based on 60 GHz FMCW radar with deep learning domain adaptation," *Electron.*, vol. 9, no. 12, pp. 1–24, 2020, doi: 10.3390/electronics9122140.
- [7] H. Kulhandjian, P. Sharma, M. Kulhandjian, and C. D'Amours, "Sign language gesture recognition using doppler radar and deep learning," *2019 IEEE Globecom Work. GC Wkshps 2019 - Proc.*, no. December, 2019, doi: 10.1109/GCWkshps45667.2019.9024607.

- [8] F. Gustomo, “Analisa Penggunaan Sinyal Radar Bentuk Pulsa dan Gelombang Kontinyu untuk Target Bergerak dengan Model Clutter Terdistribusi Rayleigh,” *J. Tek. POMITS Vol. 2, No. 2, ISSN 2337-3539 (2301-9271)*, vol. 2, no. 2, pp. 3–8, 2013.
- [9] M. A. Richards, *Fundamentals of Radar Signal Processing, Second Edition (2nd ed.)*, vol. 58, no. 12. 2014. [Online]. Available: https://www.cambridge.org/core/product/identifier/CBO9781107415324A009/type/book_part%0Ahttp://www.ncbi.nlm.nih.gov/pubmed/25246403%0Ahttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4249520
- [10] P. Martelletti, *Editor-in-Chief's 2006 report*, vol. 7, no. 1. 2006. doi: 10.1007/s10194-006-0268-4.
- [11] S. Pal, *FMCW – Radar Design*, vol. 65, no. 4. 2019. doi: 10.1080/03772063.2019.1615392.
- [12] O. N. Samijayani, S. Rahmatia, V. N. Septiyani, and I. Ibrahim, “Perancangan Software Defined Radar Untuk Radar Pulsa dan Radar FMCW,” *J. Al-AZHAR Indones. SERI SAINS DAN Teknol.*, vol. 3, no. 3, p. 144, 2017, doi: 10.36722/sst.v3i3.220.
- [13] S. M. Lawalata, E. Ali, S. Prodi, T. Telekomunikasi, F. T. Elektro, and U. Telkom, “ANALISIS PENGGUNAAN RADAR FMCW DALAM MENDETEKSI GESTURE TANGAN MENGGUNAKAN SDR ANALYSIS OF HAND GESTURE DETECTION IN FMCW RADAR USING SDR,” vol. 7, no. 2, pp. 3323–3330, 2020.
- [14] H. Pratiwi, M. R. Hidayat, A. A. Pramudita, and F. Y. Suratman, “Improved FMCW Radar System for Multi-Target Detection of Human Respiration Vital Sign,” *J. Elektron. dan Telekomun.*, vol. 19, no. 2, p. 38, 2019, doi: 10.14203/jet.v19.38-44.
- [15] F. Yasmin *et al.*, “SIMULASI SISTEM RADAR FMCW PENERIMA JAMAK UNTUK PENGHINDAR TABRAKAN PADA MOBIL TANPA PENGEMUDI SIMULATION OF MULTI RECEIVER FMCW RADAR

- FOR COLLISION AVOIDANCE ON AUTONOMOUS CAR,” vol. 7, no. 1, pp. 1050–1057, 2020.
- [16] Y. Sun, T. Fei, X. Li, A. Warnecke, E. Warsitz, and N. Pohl, “Real-Time Radar-Based Gesture Detection and Recognition Built in an Edge-Computing Platform,” *IEEE Sens. J.*, vol. 20, no. 18, pp. 10706–10716, 2020, doi: 10.1109/JSEN.2020.2994292.
- [17] D. T. Kusuma, “Fast Fourier Transform (FFT) Dalam Transformasi Sinyal Frekuensi Suara Sebagai Upaya Perolehan Average Energy (AE) Musik,” *Petir*, vol. 14, no. 1, pp. 28–35, 2020, doi: 10.33322/petir.v14i1.1022.
- [18] A. S. Irtawaty, “Implementasi Metode Fast Fourier Transform (Fft) Dalam Mengklasifikasikan Suara Pria Dan Wanita Di Laboratorium Jurusan Teknik Elektro Politeknik Negeri Balikpapan,” *JTT (Jurnal Teknol. Terpadu)*, vol. 7, no. 2, pp. 70–75, 2019, doi: 10.32487/jtt.v7i2.661.
- [19] M. Jahn, C. Wagner, and A. Stelzer, “DC-Offset Compensation Concept for Monostatic FMCW Radar Transceivers,” *undefined*, vol. 20, no. 9, pp. 525–527, Sep. 2010, doi: 10.1109/LMWC.2010.2056359.
- [20] S. W. Kang, M. H. Jang, and S. Lee, “Identification of human motion using radar sensor in an indoor environment,” *Sensors*, vol. 21, no. 7, 2021. doi: 10.3390/s21072305.
- [21] E. Pittella, B. Zanaj, S. Pisa, and M. Cavagnaro, “Measurement of Breath Frequency by Body-Worn UWB Radars: A Comparison among Different Signal Processing Techniques,” *IEEE Sens. J.*, vol. 17, no. 6, pp. 1772–1780, 2017, doi: 10.1109/JSEN.2017.2654538.
- [22] X. Li, Y. He, and X. Jing, “A survey of deep learning-based human activity recognition in radar,” *Remote Sens.*, vol. 11, no. 9, 2019, doi: 10.3390/rs11091068.
- [23] Y. N. Fu’adah, N. C. Pratiwi, M. A. Pramudito, and N. Ibrahim, “Convolutional Neural Network (CNN) for Automatic Skin Cancer

- Classification System,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 982, no. 1, 2020, doi: 10.1088/1757-899X/982/1/012005.
- [24] N. Ibrahim, Y. N. Fu’adah, N. C. Pratiwi, S. Rizal, and K. Usman, “Computer Aided System for Gambung Tea Identification using Convolutional Neural Network,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 982, no. 1, 2020, doi: 10.1088/1757-899X/982/1/012001.
- [25] H. J. Jie and P. Wanda, “Runpool: A dynamic pooling layer for convolution neural network,” *Int. J. Comput. Intell. Syst.*, vol. 13, no. 1, pp. 66–76, 2020, doi: 10.2991/ijcis.d.200120.002.
- [26] Y. N. Fu’Adah, I. Wijayanto, N. K. C. Pratiwi, F. F. Taliningsih, S. Rizal, and M. A. Pramudito, “Automated Classification of Alzheimer’s Disease Based on MRI Image Processing using Convolutional Neural Network (CNN) with AlexNet Architecture,” *J. Phys. Conf. Ser.*, vol. 1844, no. 1, 2021, doi: 10.1088/1742-6596/1844/1/012020.
- [27] H. S. Ibrahim, M. Si, U. N. Wisesty, F. Informatika, and U. Telkom, “Analisis Deep Learning Untuk Mengenali Qrs Kompleks Pada Sinyal Ecg Dengan Metode Cnn,” *e-Proceeding Eng.*, vol. 5, no. 2, pp. 3718–3725, 2018.
- [28] “Mengenal 6 Jenis Loss Function pada Machine Learning - Trivusi.” <https://www.trivusi.web.id/2022/08/loss-function.html> (accessed Aug. 30, 2022).
- [29] “Confusion Matrix untuk Evaluasi Model pada Supervised Learning | by Kuncahyo Setyo Nugroho | Medium.” <https://ksnugroho.medium.com/confusion-matrix-untuk-evaluasi-model-pada-unsupervised-machine-learning-bc4b1ae9ae3f> (accessed Aug. 30, 2022).
- [30] “Membicarakan Precision, Recall, dan F1-Score | by Stevanus Setiawan | Medium.” <https://stevkarta.medium.com/membicarakan-precision-recall-dan-f1-score-e96d81910354> (accessed Aug. 30, 2022).

- [31] A. Analysis and U. Manual, "User Manual User Manual," *Data Base*, vol. 3304, no. January, pp. 1–148, 2012.
- [32] S. Ahmed, J. Park, and S. H. Cho, "FMCW Radar Sensor Based Human Activity Recognition using Deep Learning," *2022 Int. Conf. Electron. Information, Commun. ICEIC 2022*, 2022, doi: 10.1109/ICEIC54506.2022.9748776.