

DAFTAR PUSTAKA

- [1] S. C. Huang, T. H. Le, and D. W. Jaw, “Dsnet: Joint semantic learning for object detection in inclement weather conditions,” in *IEEE Transactions on Pattern Analysis and Machine Intelligence*. IEEE, Maret 2020, pp. 2623–2633.
- [2] M. Teichmann, M. Weber, M. Zoellner, R. Cipolla, and R. Urtasun, “Multinet: Real-time joint semantic reasoning for autonomous driving,” 2018.
- [3] S. A. Wibowo, H. Lee, E. K. Kim, and S. Kim, “Convolutional shallow features for performance improvement of histogram of oriented gradients in visual object tracking,” *Mathematical Problems in Engineering*, Desember 2017.
- [4] M. F. Haque, H. Y. Lim, and D. S. Kang, “Adversarial scene reconstruction and object detection system for assisting autonomous vehicle,” in *2021 36th International Technical Conference on Circuits/Systems, Computers, and Communications (ITC-CSCC)*. IEEE, Oktober 2021, pp. 452–453.
- [5] H. Mazin and R. Hayder, “Object detection under rainy conditions for autonomous vehicles: A review of state-of-the-art and emerging techniques,” *IEEE Signal Processing Magazine*, vol. 38, no. 1, p. 53–67, Januari 2021. [Online]. Available: <http://dx.doi.org/10.1109/MSP.2020.2984801>
- [6] S. A. Wibowo, H. Lee, E. K. Kim, T. Kwon, and S. Kim, “Tracking failures detection and correction for face tracking by detection approach based on fuzzy coding histogram and point representation,” in *2015 International Conference on Fuzzy Theory and Its Applications (iFUZZY)*, 2015, pp. 34–39.
- [7] S. A. Wibowo, H. Lee, E. K. Kim, and S. Kim, “Multi-scale color features based on correlation filter for visual tracking,” in *2017 International Conference on Signals and Systems (ICSigSys)*, 2017, pp. 272–277.
- [8] H. Zhang, V. Sindagi, and V. M. Patel, “Multi-scale single image dehazing using perceptual pyramid deep network,” in *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*. IEEE, Desember 2018, pp. 1015–1016.

- [9] S. A. Wibowo, H. Lee, E. K. Kim, and S. Kim, “Collaborative learning based on convolutional features and correlation filter for visual tracking,” *International Journal of Control, Automation and Systems*, vol. 16, no. 1, pp. 335–349, Februari 2018. [Online]. Available: <https://doi.org/10.1007/s12555-017-0062-x>
- [10] B. Li, X. Peng, Z. Wang, J. Xu, and D. Feng, “Aod-net: All-in-one dehazing network,” in *2017 IEEE International Conference on Computer Vision (ICCV)*. IEEE, Oktober 2017, pp. 4770–4778.
- [11] Y. Yu, H. Liu, M. Fu, J. Chen, X. Wang, and K. Wang, “A two-branch neural network for non-homogeneous dehazing via ensemble learning,” in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR) Workshops*. IEEE, Juni 2021, pp. 193–202.
- [12] C. Sakaridis, D. Dai, and L. V. Gool, “Semantic foggy scene understanding with synthetic data,” *International Journal of Computer Vision*, vol. 126, no. 9, pp. 973–992, September 2018. [Online]. Available: <https://doi.org/10.1007/s11263-018-1072-8>
- [13] M. Tan, R. Pang, and Q. V. Le, “Efficientdet: Scalable and efficient object detection,” in *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR)*. IEEE, Juni 2020, pp. 10778–10787.
- [14] M. Cordts, M. Omran, S. Ramos, T. Rehfeld, M. Enzweiler, R. Benenson, U. Franke, S. Roth, and B. Schiele, “The cityscapes dataset for semantic urban scene understanding,” in *Proc. of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- [15] A. Hampapur, L. Brown, J. Connell, S. Pankanti, A. Senior, and Y. Tian, “Smart surveillance: Applications, technologies and implications,” vol. 2, 01 2004, pp. 1133 – 1138 vol.2.
- [16] G. Sreenu and M. A. Saleem Durai, “Intelligent video surveillance: a review through deep learning techniques for crowd analysis,” *Journal of Big Data*, vol. 6, no. 1, p. 48, Juni 2019. [Online]. Available: <https://doi.org/10.1186/s40537-019-0212-5>
- [17] M. V. Rajasekhar and A. K. Jaswal, “Autonomous vehicles: The future of automobiles,” in *2015 IEEE International Transportation Electrification Conference (ITEC)*, 2015, pp. 1–6.

- [18] M. Martínez-Díaz and F. Soriguera, “Autonomous vehicles: theoretical and practical challenges,” *Transportation Research Procedia*, vol. 33, pp. 275–282, 2018, xIII Conference on Transport Engineering, CIT2018. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S2352146518302606>
- [19] L. Ramasamy, S. Kadry, M. N. Meqdad, and Y. Nam, “Autonomous vehicles: A study of implementation and security,” *International Journal of Electrical and Computer Engineering*, vol. 11, pp. 3013–3021, Agustus 2021.
- [20] Z.-Q. Zhao, P. Zheng, S.-T. Xu, and X. Wu, “Object detection with deep learning: A review,” *IEEE Transactions on Neural Networks and Learning Systems*, vol. PP, pp. 1–21, Januari 2019.
- [21] M. Tan and Q. V. Le, “Efficientnet: Rethinking model scaling for convolutional neural networks,” *CoRR*, vol. abs/1905.11946, 2019. [Online]. Available: <http://arxiv.org/abs/1905.11946>
- [22] S. Craw, *Manhattan Distance*, C. Sammut and G. I. Webb, Eds. Boston, MA: Springer US, 2010. [Online]. Available: https://doi.org/10.1007/978-0-387-30164-8_506
- [23] A. Shepley, G. Falzon, and P. Kwan, “Confluence: A robust non-iou alternative to non-maxima suppression in object detection,” *CoRR*, vol. abs/2012.00257, 2020. [Online]. Available: <https://arxiv.org/abs/2012.00257>
- [24] A. Horé and D. Ziou, “Image quality metrics: Psnr vs. ssim,” in *2010 20th International Conference on Pattern Recognition*, 2010, pp. 2366–2369.
- [25] “Psnr vs ssim: imperceptibility quality assessment for image steganography,” *Multimedia Tools and Applications*, vol. 80, no. 6, pp. 8423–8444, 2021.
- [26] Z. Wang, A. Bovik, H. Sheikh, and E. Simoncelli, “Image quality assessment: from error visibility to structural similarity,” *IEEE Transactions on Image Processing*, vol. 13, no. 4, pp. 600–612, 2004.
- [27] R. Padilla, W. L. Passos, T. L. B. Dias, S. L. Netto, and E. A. B. da Silva, “A comparative analysis of object detection metrics with a companion open-source toolkit,” *Electronics*, vol. 10, no. 3, 2021. [Online]. Available: <https://www.mdpi.com/2079-9292/10/3/279>

- [28] M. Everingham, L. Gool, C. K. Williams, J. Winn, and A. Zisserman, “The pascal visual object classes (voc) challenge,” *Int. J. Comput. Vision*, vol. 88, no. 2, p. 303–338, Juni 2010. [Online]. Available: <https://doi.org/10.1007/s11263-009-0275-4>
- [29] Y. Liu, G. Zhai, D. Zhao, and X. Liu, “Frame rate and perceptual quality for hd video,” September 2015, pp. 497–505.
- [30] R. Mehta and C. Öztürk, “Object detection at 200 frames per second,” *CoRR*, vol. abs/1805.06361, 2018. [Online]. Available: <http://arxiv.org/abs/1805.06361>
- [31] C. O. Ancuti, C. Ancuti, and R. Timofte, “NH-HAZE: an image dehazing benchmark with non-homogeneous hazy and haze-free images,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops*, ser. IEEE CVPR 2020, 2020.
- [32] C. O. Ancuti, C. Ancuti, F.-A. Vasluiianu, R. Timofte *et al.*, “NTIRE 2020 challenge on nonhomogeneous dehazing,” in *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition Workshops*, ser. IEEE CVPR 2020, 2020.
- [33] H. Yu, C. Chen, X. Du, Y. Li, A. Rashwan, L. Hou, P. Jin, F. Yang, F. Liu, J. Kim, and J. Li, “TensorFlow Model Garden,” <https://github.com/tensorflow/models>, 2020.
- [34] T. Y. Lin, M. Maire, S. Belongie, L. Bourdev, R. Girshick, J. Hays, P. Perona, D. Ramanan, C. L. Zitnick, and P. Dollár, “Microsoft coco: Common objects in context,” 2014. [Online]. Available: <http://arxiv.org/abs/1405.0312>