

## DAFTAR PUSTAKA

- [1] U. N. Kar and D. K. Sanyal, “An overview of device-to-device communication in cellular networks,” pp. 203–208, 12 2018.
- [2] W. K. Lai, Y. C. Wang, H. C. Lin, and J. W. Li, “Efficient resource allocation and power control for lte-a d2d communication with pure d2d model,” *IEEE Transactions on Vehicular Technology*, vol. 69, pp. 3202–3216, 3 2020.
- [3] S. Hakola, T. Chen, J. Lehtomäki, and T. Koskela, “Device-to-device (d2d) communication in cellular network - performance analysis of optimum and practical communication mode selection,” in *2010 IEEE Wireless Communication and Networking Conference*, 2010, pp. 1–6.
- [4] R. Purnama, “Device-to-device (d2d) communication pada jaringan selular,” *Teknokom*, vol. 2, no. 1, pp. 47–56, 2019.
- [5] A. F. Isnawati, S. Larasati, and I. D. Mabar, “Metode power control sebagai manajemen interferensi pada komunikasi device to device,” *Jurnal Nasional Teknik Elektro dan Teknologi Informasi*, vol. 10, no. 4, pp. 369–374, 2021.
- [6] I. A. Lestari, A. Nurdin, and A. Asriyadi, “Analisis manajemen interferensi jaringan uplink 4g-lte dengan metode innerloop power control di pt telkomsel,” *Prosiding SNATIF*, pp. 383–388, 2017.
- [7] Z. Li, Z. Jiang, Y. Wang, and D. Yang, “A modified power control scheme in ofdma uplink,” in *2008 4th International Conference on Wireless Communications, Networking and Mobile Computing*. IEEE, 2008, pp. 1–5.
- [8] S. Selmi and R. Bouallegue, “Interference and power management algorithm for d2d communications underlay 5g cellular network,” in *2019 International*

- Conference on Wireless and Mobile Computing, Networking and Communications (WiMob).* IEEE, 2019, pp. 1–8.
- [9] D. Kiwan, A. El Sherif, and T. ElBatt, “Cooperative d2d communications in the uplink of cellular networks with time and power division,” in *2018 Wireless Days (WD)*. IEEE, 2018, pp. 80–85.
- [10] B. S. K. Sakti, A. Fahmi, and V. S. W. Prabowo, “Analisis performansi alokasi sumber daya radio berbasis algoritma greedy pada sistem komunikasi d2d underlaying,” in *Prosiding-Seminar Nasional Teknik Elektro UIN Sunan Gunung Djati Bandung*, 2020, pp. 260–268.
- [11] A. Asadi, Q. Wang, and V. Mancuso, “A survey on device-to-device communication in cellular networks,” *IEEE Communications Surveys & Tutorials*, vol. 16, no. 4, pp. 1801–1819, 2014.
- [12] R. I. Ansari, C. Chrysostomou, S. A. Hassan, M. Guizani, S. Mumtaz, J. Rodriguez, and J. J. Rodrigues, “5g d2d networks: Techniques, challenges, and future prospects,” *IEEE Systems Journal*, vol. 12, no. 4, pp. 3970–3984, 2017.
- [13] M. P. Pamungkas, “Analisis manajemen interferensi komunikasi device-to-device (d2d) menggunakan metode power control,” Ph.D. dissertation, UNIVERSITAS MUHAMMADIYAH YOGYAKARTA, 2017.
- [14] S. Mumtaz and J. Rodriguez, *Smart device to smart device communication*. Springer, 2014.
- [15] T. S. Rappaport *et al.*, *Wireless communications: principles and practice*. prentice hall PTR New Jersey, 1996, vol. 2.
- [16] M. Baker, “Lte-advanced physical layer,” *Alcatel-Lucent, Dec*, 2009.

- [17] A. Abdallah, M. M. Mansour, and A. Chehab, “Power control and channel allocation for d2d underlaid cellular networks,” *IEEE Transactions on Communications*, vol. 66, no. 7, pp. 3217–3234, 2018.
- [18] M. Hamdi, D. Yuan, and M. Zaied, “Ga-based scheme for fair joint channel allocation and power control for underlaying d2d multicast communications,” in *2017 13th International Wireless Communications and Mobile Computing Conference (IWCMC)*. IEEE, 2017, pp. 446–451.
- [19] S. A. R. Naqvi, S. A. Hassan, H. Pervaiz, Q. Ni, and L. Musavian, “Self-adaptive power control mechanism in d2d enabled hybrid cellular network with mmwave small cells: An optimization approach,” in *2016 IEEE Globecom Workshops (GC Wkshps)*. IEEE, 2016, pp. 1–6.
- [20] X. Song, X. Han, Y. Ni, L. Dong, and L. Qin, “Joint uplink and downlink resource allocation for d2d communications system,” *Future Internet*, vol. 11, no. 1, p. 12, 2019.
- [21] I. G. Fraimis and S. A. Kotsopoulos, “Qos-based proportional fair allocation algorithm for ofdma wireless cellular systems,” *IEEE Communications Letters*, vol. 15, no. 10, pp. 1091–1093, 2011.
- [22] J. Iqbal, M. A. Iqbal, A. Ahmad, M. Khan, A. Qamar, and K. Han, “Comparison of spectral efficiency techniques in device-to-device communication for 5g,” *IEEE Access*, vol. 7, pp. 57 440–57 449, 2019.
- [23] D.-T. Huynh, X. Wang, T. Q. Duong, N.-S. Vo, and M. Chen, “Social-aware energy efficiency optimization for device-to-device communications in 5g networks,” *Computer Communications*, vol. 120, pp. 102–111, 2018.
- [24] M. Y. Ramadhan, V. Sigit, and A. Fahmi, “Radio resource allocation for device to device network using auction algorithm,” *Jurnal Tiarsie*, vol. 16, no. 2, pp. 53–58, 2019.