

Daftar Pustaka

- Ameer, S., Shah, M. A., Khan, A., Song, H., Maple, C., Islam, S. U. and Asghar, M. N. (2019), ‘Comparative analysis of machine learning techniques for predicting air quality in smart cities’, *IEEE Access* **7**, 128325–128338.
- Ashayeri, M., Abbasabadi, N., Heidarinejad, M. and Stephens, B. (2021), ‘Predicting intraurban pm2.5 concentrations using enhanced machine learning approaches and incorporating human activity patterns’, *Environmental Research* **196**, 110423.
URL: <https://www.sciencedirect.com/science/article/pii/S0013935120313207>
- Bae, W. D., Kim, S., Park, C.-S., Alkobaisi, S., Lee, J., Seo, W., Park, J. S., Park, S., Lee, S. and Lee, J. W. (2021), ‘Performance improvement of machine learning techniques predicting the association of exacerbation of peak expiratory flow ratio with short term exposure level to indoor air quality using adult asthmatics clustered data’, *PLOS ONE* **16**, 1–16.
URL: <https://doi.org/10.1371/journal.pone.0244233>
- Bellinger, C., Mohamed Jabbar, M. S., Zaïane, O. and Osornio-Vargas, A. (2017), ‘A systematic review of data mining and machine learning for air pollution epidemiology’, *BMC public health* **17**(1), 1–19.
- Bhattacharya, S. and Shahnawaz, S. (2021), ‘Using machine learning to predict air quality index in new delhi’, *CoRR* **abs/2112.05753**.
URL: <https://arxiv.org/abs/2112.05753>
- Breiman, L. (2001), ‘Random forests’, *Machine learning* **45**(1), 5–32.
- Castelli, M., Clemente, F. M., Popovič, A., Silva, S. and Vanneschi, L. (2020), ‘A machine learning approach to predict air quality in california’, *Complexity* **2020**, 8049504.
URL: <https://doi.org/10.1155/2020/8049504>
- Chang, Y.-S., Abimannan, S., Chiao, H.-T., Lin, C.-Y. and Huang, Y.-P. (2020), ‘An ensemble learning based hybrid model and framework for air pollution forecasting’, *Environmental Science and Pollution Research* **27**(30), 38155–38168.

- Chen, T., He, T., Benesty, M., Khotilovich, V., Tang, Y., Cho, H., Chen, K. et al. (2015), ‘Xgboost: extreme gradient boosting’, *R package version 0.4-2* **1**(4), 1–4.
- Deleawe, S., Kuszniir, J., Lamb, B. and Cook, D. (2010), ‘Predicting air quality in smart environments’, *Journal of ambient intelligence and smart environments* **2**, 145–152.
- Dun, M., Xu, Z., Chen, Y. and Wu, L. (2020), ‘Short-term air quality prediction based on fractional grey linear regression and support vector machine’, *Mathematical Problems in Engineering* **2020**, 8914501.
URL: <https://doi.org/10.1155/2020/8914501>
- Freund, Y. and Schapire, R. E. (1997), ‘A decision-theoretic generalization of on-line learning and an application to boosting’, *Journal of computer and system sciences* **55**(1), 119–139.
- Friedman, J., Hastie, T. and Tibshirani, R. (2000), ‘Additive logistic regression: a statistical view of boosting (with discussion and a rejoinder by the authors)’, *The annals of statistics* **28**(2), 337–407.
- Ismiyati, I., Marlita, D. and Saidah, D. (2014), ‘Pencemaran udara akibat emisi gas buang kendaraan bermotor’, *Jurnal Manajemen Transportasi & Logistik* **1**(3), 241–248.
- Liang, Y.-C., Maimury, Y., Chen, A. H.-L. and Juarez, J. R. C. (2020), ‘Machine learning-based prediction of air quality’, *Applied Sciences* **10**(24), 9151.
- Liu, B.-C., Binaykia, A., Chang, P.-C., Tiwari, M. K. and Tsao, C.-C. (2017), ‘Urban air quality forecasting based on multi-dimensional collaborative support vector regression (svr): A case study of beijing-tianjin-shijiazhuang’, *PLOS ONE* **12**(7), 1–17.
- Mapping urban air quality using mobile sampling with low-cost sensors and machine learning in Seoul, South Korea* (2019), *Environment International* **131**, 105022.
- Pedregosa, F., Varoquaux, G., Gramfort, A., Michel, V., Thirion, B., Grisel, O., Blondel, M., Prettenhofer, P., Weiss, R., Dubourg, V. et al. (2011), ‘Scikit-learn: Machine learning in python’, *the Journal of machine Learning research* **12**, 2825–2830.
- Pimpin, L., Retat, L., Fecht, D., de Preux, L., Sassi, F., Gulliver, J., Belloni, A., Ferguson, B., Corbould, E., Jaccard, A. and Webber, L. (2018), ‘Estimating the costs of air pollution to the national health service and social care: An assessment and forecast up to 2035’, *PLOS Medicine* **15**(7), 1–16.

- Schapire, R. E. (2013), Explaining adaboost, *in* ‘Empirical inference’, Springer, pp. 37–52.
- Unnikrishnan, V. (2020), ‘Air-pollution-prediction-and-forecasting’.
URL: <https://github.com/grtvishnu/Air-Pollution-Prediction-and-Forecasting>
- Wei, W., Ramalho, O., Malingre, L., Sivanantham, S., Little, J. C. and Mandin, C. (2019), ‘Machine learning and statistical models for predicting indoor air quality’, *Indoor Air* **29**(5), 704–726.
- Zalakeviciute, R., Bastidas, M., Buenaño, A. and Rybarczyk, Y. (2020), ‘A traffic-based method to predict and map urban air quality’, *Applied Sciences* **10**(6).
- Zhang, J., Xia, K., He, Z., Yin, Z. and Wang, S. (2021), ‘Semi-supervised ensemble classifier with improved sparrow search algorithm and its application in pulmonary nodule detection’, *Mathematical Problems in Engineering* **2021**.
- Zhu, D., Cai, C., Yang, T. and Zhou, X. (2018), ‘A machine learning approach for air quality prediction: Model regularization and optimization’, *Big Data and Cognitive Computing* **2**(1).