

REFERENCES

- [1] R. Banga and P. Mehndiratta, "Tagging Efficiency Analysis on Part of Speech Taggers," *Proc. - 2017 Int. Conf. Inf. Technol. ICIT 2017*, pp. 264–267, 2018, doi: 10.1109/ICIT.2017.57.
- [2] A. Z. Amrullah, R. Hartanto, and I. W. Mustika, "A comparison of different part-of-speech tagging technique for text in Bahasa Indonesia," *Proc. - 2017 7th Int. Annu. Eng. Semin. Ina. 2017*, 2017, doi: 10.1109/INAES.2017.8068538.
- [3] A. Zilziana, A. A. Suryani, and I. Asror, "Part of Speech Tagging Menggunakan Bahasa Jawa Dengan Metode Condition Random Fields," *e-Proceeding Eng.*, vol. 7, no. 2, pp. 8103–8111, 2020.
- [4] A. Chiche and B. Yitagesu, "Part of speech tagging: a systematic review of deep learning and machine learning approaches," *J. Big Data*, vol. 9, no. 1, 2022, doi: 10.1186/s40537-022-00561-y.
- [5] D. Kun Indarta and A. Romadhony, "Aspect and Opinion Extraction of Indonesian Lipsticks Product Reviews using Conditional Random Field (CRF)," *KST 2021 - 2021 13th Int. Conf. Knowl. Smart Technol.*, pp. 113–117, 2021, doi: 10.1109/KST51265.2021.9415829.
- [6] A. S. Nasution *et al.*, "Sejarah Perkembangan Bahasa Indonesia," *J. Multidisiplin Dehasen*, vol. 1, no. 3, pp. 197–202, 2022.
- [7] "KBBI." <https://kbbi.web.id/berita>
- [8] F. Pisceldo, M. Adriani, and R. Manurung, "Probabilistic Part of Speech Tagging for Bahasa Indonesia," *Proc. 3rd Int. MALINDO Work. Coloca. event ACL-IJCNLP*, no. May, 2009.
- [9] S. Briandoko, A. R. Dewi, and M. A. Setiawan, "Perbandingan Algoritma Conditional Random Field dan Hidden Markov Model pada Pos Tagging Bahasa Indonesia," vol. 2, no. 2, 2018.
- [10] N. Sabloak, "Part-of-Speech (POS) Tagging Bahasa Indonesia Menggunakan Algoritma Viterbi," no. x, pp. 1–11, 2016.
- [11] M. Kamayani, "Perkembangan Part-of-Speech Tagger Bahasa Indonesia," *J. Linguist. Komputasional*, vol. 2, no. 2, p. 34, 2019, doi: 10.26418/jlk.v2i2.20.
- [12] K. Kurniawan and A. F. Aji, "Toward a Standardized and More Accurate Indonesian Part-of-Speech Tagging," *Proc. 2018 Int. Conf. Asian Lang. Process. IALP 2018*, pp. 303–307, 2019, doi: 10.1109/IALP.2018.8629236.
- [13] W. AlKhawter and N. Al-Twairesh, "Part-of-speech tagging for Arabic tweets using CRF and Bi-LSTM," *Comput. Speech Lang.*, vol. 65, 2021, doi: 10.1016/j.csl.2020.101138.
- [14] M. Franzese and A. Iuliano, "Hidden markov models," *Encycl. Bioinforma. Comput. Biol. ABC Bioinforma.*, vol. 1–3, pp. 753–762, 2018, doi: 10.1016/B978-0-12-809633-8.20488-3.
- [15] V. Krishnapriya, P. Sreesha, T. R. Harithalakshmi, T. C. Archana, and J. N. Vettath, "Design of a POS tagger using conditional random fields for Malayalam," *2014 1st Int. Conf. Comput. Syst. Commun. ICCSC 2014*, no. December, pp. 370–373, 2003, doi: 10.1109/COMPSC.2014.7032680.
- [16] A. Mulyanto, Y. A. Nurhuda, and N. Wiyanto, "Penyelesaian Kata Ambigu Pada Proses POS Tagging Menggunakan Algoritma Hidden markov Model (HMM)," *Pros. Semin. Nas. Metod. Kuantitatif*, no. 978, pp. 347–358, 2017.
- [17] Muljono, U. Afini, and C. Supriyanto, "Morphology analysis for Hidden Markov Model based Indonesian part-of-speech tagger," *Proc. - 2017 1st Int. Conf. Informatics Comput. Sci. ICICoS 2017*, vol. 2018-Janua, no. 0, pp. 237–240, 2017, doi: 10.1109/ICICOS.2017.8276368.
- [18] W. Khan *et al.*, "Part of Speech Tagging in Urdu: Comparison of Machine and Deep Learning Approaches," *IEEE Access*, vol. 7, pp. 38918–38936, 2019, doi: 10.1109/ACCESS.2019.2897327.
- [19] S. Fu, N. Lin, G. Zhu, and S. Jiang, "Towards Indonesian Part-of-Speech Tagging : Corpus and Models," *Proc. Lr. 2018 Work. Belt Road Lr.*, vol. 1, pp. 2–7, 2018, [Online]. Available: <http://universaldependencies.org/>
- [20] J. Xu, Y. Zhang, and D. Miao, "Three-way confusion matrix for classification: A measure driven view," *Inf. Sci. (Ny).*, vol. 507, pp. 772–794, 2020, doi: 10.1016/j.ins.2019.06.064.
- [21] Sarang Narkhede, "Confusion Matrix," *Towards Data Science*. <https://towardsdatascience.com/understanding-confusion-matrix-a9ad42dcfd62>