

Daftar Pustaka

- [1] S. B. Ahn, D. S. Han, J. H. Bae, T. J. Byun, J. P. Kim, and C. S. Eun. The miss rate for colorectal adenoma determined by quality-adjusted, back-to-back colonoscopies. *Gut and liver*, 6(1):64, 2012.
- [2] S. Ameling, S. Wirth, D. Paulus, G. Lacey, and F. Vilarino. Texture-based polyp detection in colonoscopy. In H.-P. Meinzer, T. M. Deserno, H. Handels, and T. Tolxdorff, editors, *Bildverarbeitung für die Medizin 2009*, pages 346–350, Berlin, Heidelberg, 2009. Springer Berlin Heidelberg.
- [3] V. Badrinarayanan, A. Kendall, and R. Cipolla. Segnet: A deep convolutional encoder-decoder architecture for image segmentation. *IEEE transactions on pattern analysis and machine intelligence*, 39(12):2481–2495, 2017.
- [4] V. Bindhu. Biomedical image analysis using semantic segmentation. *Journal of Innovative Image Processing (JIIP)*, 1(02):91–101, 2019.
- [5] J. Dai, K. He, and J. Sun. Instance-aware semantic segmentation via multi-task network cascades. In *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2016.
- [6] D.-P. Fan, G.-P. Ji, T. Zhou, G. Chen, H. Fu, J. Shen, and L. Shao. Pranut: Parallel reverse attention network for polyp segmentation. In *International conference on medical image computing and computer-assisted intervention*, pages 263–273. Springer, 2020.
- [7] S. K. Hasan and C. A. Linte. U-netplus: A modified encoder-decoder u-net architecture for semantic and instance segmentation of surgical instruments from laparoscopic images. In *2019 41st annual international conference of the IEEE engineering in medicine and biology society (EMBC)*, pages 7205–7211. IEEE, 2019.
- [8] S. N. Hong, I. K. Sung, J. H. Kim, W. H. Choe, B. K. Kim, S. Y. Ko, J. H. Lee, D. C. Seol, S. Y. Ahn, S.-Y. Lee, et al. The effect of the bowel preparation status on the risk of missing polyp and adenoma during screening colonoscopy: a tandem colonoscopic study. *Clinical endoscopy*, 45(4):404, 2012.
- [9] N. Ibtehaz and M. S. Rahman. Multiresunet: Rethinking the u-net architecture for multimodal biomedical image segmentation. *Neural networks*, 121:74–87, 2020.
- [10] D. Jha, M. A. Riegler, D. Johansen, P. Halvorsen, and H. D. Johansen. Doubleu-net: A deep convolutional neural network for medical image segmentation. In *2020 IEEE 33rd International symposium on computer-based medical systems (CBMS)*, pages 558–564. IEEE, 2020.

- [11] D. Jha, P. H. Smedsrud, M. A. Riegler, P. Halvorsen, T. d. Lange, D. Johansen, and H. D. Johansen. Kvasir-seg: A segmented polyp dataset. In *International Conference on Multimedia Modeling*, pages 451–462. Springer, 2020.
- [12] B. Ji, J. Ren, X. Zheng, C. Tan, R. Ji, Y. Zhao, and K. Liu. A multi-scale recurrent fully convolution neural network for laryngeal leukoplakia segmentation. *Biomedical Signal Processing and Control*, 59:101913, 2020.
- [13] A. Leufkens, M. Van Oijen, F. Vleggaar, and P. Siersema. Factors influencing the miss rate of polyps in a back-to-back colonoscopy study. *Endoscopy*, 44(05):470–475, 2012.
- [14] D. A. Lieberman, D. G. Weiss, J. H. Bond, D. J. Ahnen, H. Garewal, W. V. Harford, D. Provenzale, S. Sontag, T. Schnell, T. E. Durbin, et al. Use of colonoscopy to screen asymptomatic adults for colorectal cancer. *New England Journal of Medicine*, 343(3):162–168, 2000.
- [15] D. Lin, Y. Li, T. L. Nwe, S. Dong, and Z. M. Oo. Refineu-net: Improved u-net with progressive global feedbacks and residual attention guided local refinement for medical image segmentation. *Pattern Recognition Letters*, 138:267–275, 2020.
- [16] B. Murugesan, K. Sarveswaran, S. M. Shankaranarayana, K. Ram, J. Joseph, and M. Sivaprakasam. Psi-net: Shape and boundary aware joint multi-task deep network for medical image segmentation. In *2019 41st Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC)*, pages 7223–7226. IEEE, 2019.
- [17] P. F. Pinsky and R. E. Schoen. Contribution of surveillance colonoscopy to colorectal cancer prevention. *Clinical Gastroenterology and Hepatology*, 18(13):2937–2944, 2020.
- [18] J. S. Raj, J. V. Ananthi, et al. Recurrent neural networks and nonlinear prediction in support vector machines. *Journal of Soft Computing Paradigm (JSCP)*, 1(01):33–40, 2019.
- [19] O. Ronneberger, P. Fischer, and T. Brox. U-net: Convolutional networks for biomedical image segmentation. In *International Conference on Medical image computing and computer-assisted intervention*, pages 234–241. Springer, 2015.
- [20] R. L. Siegel, K. D. Miller, A. Goding Sauer, S. A. Fedewa, L. F. Butterly, J. C. Anderson, A. Cercek, R. A.

Smith, and A. Jemal. Colorectal cancer statistics, 2020. *CA: a cancer journal for clinicians*, 70(3):145–164, 2020.

[21] H. Toda, Y. Iwahori, H. Usami, B. Kijirikul, M. K. Bhuyan, N. Ogasawara, and K. Kasugai. Shape recovery of polyp using blood vessel detection and matching estimation by u-net. In *2019 8th International Congress on Advanced Applied Informatics (IIAI-AAI)*, pages 450–453. IEEE, 2019.

[22] A. P. Zijdenbos, B. M. Dawant, R. A. Margolin, and A. C. Palmer. Morphometric analysis of white matter lesions in mr images: method and validation. *IEEE transactions on medical imaging*, 13(4):716–724, 1994.