

BIBLIOGRAPHY

- [1] K. Sachdev and M. K. Gupta, "A comprehensive review of computational techniques for the prediction of drug side effects," *Drug Dev Res*, vol. 81, no. 6, pp. 650–670, Sep. 2020, doi: 10.1002/DDR.21669.
- [2] M. J. Jahid and J. Ruan, "An ensemble approach for drug side effect prediction," *Proceedings - 2013 IEEE International Conference on Bioinformatics and Biomedicine, IEEE BIBM 2013*, pp. 440–445, 2013, doi: 10.1109/BIBM.2013.6732532.
- [3] "Learning Objectives", Accessed: Jan. 21, 2023. [Online]. Available: www.nccmerp.org/about-medication-errors.
- [4] L. C. Huang, X. Wu, and J. Y. Chen, "Predicting adverse side effects of drugs," *BMC Genomics*, vol. 12, no. SUPPL. 5, pp. 1–10, Dec. 2011, doi: 10.1186/1471-2164-12-S5-S11/FIGURES/5.
- [5] J. J. Coleman and S. K. Pontefract, "Adverse drug reactions," *Clinical Medicine*, vol. 16, no. 5, p. 481, Oct. 2016, doi: 10.7861/CLINMEDICINE.16-5-481.
- [6] L. C. Huang, X. Wu, and J. Y. Chen, "Predicting adverse drug reaction profiles by integrating protein interaction networks with drug structures," *Proteomics*, vol. 13, no. 2, pp. 313–324, Jan. 2013, doi: 10.1002/PMIC.201200337.
- [7] B. Shaker, S. Ahmad, J. Lee, C. Jung, and D. Na, "In silico methods and tools for drug discovery," *Comput Biol Med*, vol. 137, p. 104851, Oct. 2021, doi: 10.1016/J.COMPBIOMED.2021.104851.
- [8] S. R. Kazmi, R. Jun, M. S. Yu, C. Jung, and D. Na, "In silico approaches and tools for the prediction of drug metabolism and fate: A review," *Comput Biol Med*, vol. 106, pp. 54–64, Mar. 2019, doi: 10.1016/J.COMPBIOMED.2019.01.008.
- [9] O. C. Uner, R. G. Cinbis, O. Tastan, and A. E. Cicek, "DeepSide: A Deep Learning Framework for Drug Side Effect Prediction," *bioRxiv*, p. 843029, Nov. 2019, doi: 10.1101/843029.
- [10] S. Muttakin, T. E. Moxon, and O. Gouseti, "In vivo, in vitro, and in silico studies of the GI tract," *Interdisciplinary Approaches to Food Digestion*, pp. 29–67, Jan. 2019, doi: 10.1007/978-3-030-03901-1_3/COVER.
- [11] A. Cortés-Cabrera, G. M. Morris, P. W. Finn, A. Morreale, and F. Gago, "Comparison of ultra-fast 2D and 3D ligand and target descriptors for side effect prediction and network analysis in polypharmacology," *Br J Pharmacol*, vol. 170, no. 3, pp. 557–567, Oct. 2013, doi: 10.1111/BPH.12294.
- [12] S. Vilar, N. P. Tatonetti, and G. Hripcsak, "3D Pharmacophoric Similarity improves Multi Adverse Drug Event Identification in Pharmacovigilance," *Scientific Reports 2015 5:1*, vol. 5, no. 1, pp. 1–9, Mar. 2015, doi: 10.1038/srep08809.
- [13] S. Vilar, T. Lorberbaum, G. Hripcsak, and N. P. Tatonetti, "Improving Detection of Arrhythmia Drug-Drug Interactions in Pharmacovigilance Data through the Implementation of Similarity-Based Modeling," *PLoS One*, vol. 10, no. 6, p. e0129974, Jun. 2015, doi: 10.1371/JOURNAL.PONE.0129974.
- [14] Danishuddin and A. U. Khan, "Descriptors and their selection methods in QSAR analysis: paradigm for drug design," *Drug Discov Today*, vol. 21, no. 8, pp. 1291–1302, Aug. 2016, doi: 10.1016/J.DRUDIS.2016.06.013.
- [15] V. Prachayasittikul *et al.*, "Large-scale classification of P-glycoprotein inhibitors using SMILES-based descriptors," <http://dx.doi.org/10.1080/1062936X.2016.1264468>, vol. 28, no. 1, pp. 1–16, Jan. 2017, doi: 10.1080/1062936X.2016.1264468.
- [16] A. P. Toropova, A. A. Toropov, and E. Benfenati, "A quasi-QSPR modelling for the photocatalytic decolourization rate constants and cellular viability (CV%) of nanoparticles by CORAL," <http://dx.doi.org/10.1080/1062936X.2014.984327>, vol. 26,

- no. 1, pp. 29–40, Jan. 2015, doi: 10.1080/1062936X.2014.984327.
- [17] G. B. Goh, N. O. Hodas, C. Siegel, and A. Vishnu, “SMILES2Vec: An Interpretable General-Purpose Deep Neural Network for Predicting Chemical Properties,” vol. 8, p. pages, Dec. 2017, doi: 10.48550/arxiv.1712.02034.
- [18] S. S. Hu, P. Chen, P. Gu, and B. Wang, “A Deep Learning-Based Chemical System for QSAR Prediction,” *IEEE J Biomed Health Inform*, vol. 24, no. 10, pp. 3020–3028, Oct. 2020, doi: 10.1109/JBHI.2020.2977009.
- [19] G. Gini, F. Zanolli, A. Gamba, G. Raitano, and E. Benfenati, “Could deep learning in neural networks improve the QSAR models?,” <https://doi.org/10.1080/1062936X.2019.1650827>, vol. 30, no. 9, pp. 617–642, Sep. 2019, doi: 10.1080/1062936X.2019.1650827.
- [20] B. Jang, M. Kim, G. Harerimana, S. U. Kang, and J. W. Kim, “Bi-LSTM Model to Increase Accuracy in Text Classification: Combining Word2vec CNN and Attention Mechanism,” *Applied Sciences 2020, Vol. 10, Page 5841*, vol. 10, no. 17, p. 5841, Aug. 2020, doi: 10.3390/APP10175841.
- [21] S. N. M. Yousoff, A. Baharin, and A. Abdullah, “A review on optimization algorithm for deep learning method in bioinformatics field,” *IECBES 2016 - IEEE-EMBS Conference on Biomedical Engineering and Sciences*, pp. 707–711, 2016, doi: 10.1109/IECBES.2016.7843542.
- [22] A. Nainwal, Y. Kumar, and B. Jha, “Arrhythmia classification based on improved monarch butterfly optimization algorithm,” *Journal of King Saud University - Computer and Information Sciences*, vol. 34, no. 8, pp. 5100–5109, Sep. 2022, doi: 10.1016/J.JKSUCI.2022.01.002.
- [23] G. B. Goh, N. Hodas, C. Siegel, and A. Vishnu, “SMILES2vec: Predicting Chemical Properties from Text Representations.” Jun. 04, 2018.
- [24] A. Danchin, “In vivo, in vitro and in silico: an open space for the development of microbe-based applications of synthetic biology,” *Microb Biotechnol*, vol. 15, no. 1, p. 42, Jan. 2022, doi: 10.1111/1751-7915.13937.
- [25] L. David, A. Thakkar, R. Mercado, and O. Engkvist, “Molecular representations in AI-driven drug discovery: a review and practical guide,” *Journal of Cheminformatics 2020 12:1*, vol. 12, no. 1, pp. 1–22, Sep. 2020, doi: 10.1186/S13321-020-00460-5.
- [26] G. B. Goh PNNL, N. Hodas PNNL, C. Siegel PNNL, and A. Vishnu PNNL, “SMILES2Vec: An Interpretable General-Purpose Deep Neural Network for Predicting Chemical Properties,” vol. 8, p. pages, Dec. 2017, doi: 10.48550/arxiv.1712.02034.
- [27] G. Vrbančič, L. Brezočnik, U. Mlakar, D. Fister, and I. Fister Jr., “NiaPy: Python microframework for building nature-inspired algorithms,” *J Open Source Softw*, vol. 3, no. 23, p. 613, Mar. 2018, doi: 10.21105/JOSS.00613.
- [28] Y. Feng, S. Deb, G. G. Wang, and A. H. Alavi, “Monarch butterfly optimization: A comprehensive review,” *Expert Syst Appl*, vol. 168, p. 114418, Apr. 2021, doi: 10.1016/J.ESWA.2020.114418.
- [29] G. B. Goh PNNL, N. Hodas PNNL, C. Siegel PNNL, and A. Vishnu PNNL, “SMILES2Vec: An Interpretable General-Purpose Deep Neural Network for Predicting Chemical Properties,” vol. 8, p. pages, Dec. 2017, doi: 10.475/123.
- [30] H. Askr, E. Elgeldawi, H. Aboul Ella, Y. A. M. M. Elshaier, M. M. Gomaa, and A. E. Hassanien, “Deep learning in drug discovery: an integrative review and future challenges,” *Artif Intell Rev*, vol. 56, no. 7, pp. 5975–6037, Jul. 2023, doi: 10.1007/S10462-022-10306-1/FIGURES/6.
- [31] B. Fan, W. Fan, C. Smith, and H. “Skip” Garner, “Adverse drug event detection and extraction from open data: A deep learning approach,” *Inf Process Manag*, vol. 57, no. 1, p. 102131, Jan. 2020, doi: 10.1016/J.IPM.2019.102131.
- [32] X. Zeng, S. Zhu, X. Liu, Y. Zhou, R. Nussinov, and F. Cheng, “deepDR: a network-based

- deep learning approach to in silico drug repositioning," *Bioinformatics*, vol. 35, no. 24, pp. 5191–5198, Dec. 2019, doi: 10.1093/BIOINFORMATICS/BTZ418.
- [33] F. Noor and H. ElBoghdadi, "Neural Nets Distributed On Microcontrollers Using Metaheuristic Parallel Optimization Algorithm," *SSRN Electronic Journal*, Oct. 2020, doi: 10.2139/SSRN.3761765.
- [34] S. Sarv Ahrabi and A. Momenzadeh, "Metaheuristics and Pontryagin's minimum principle for optimal therapeutic protocols in cancer immunotherapy: a case study and methods comparison," *J Math Biol*, vol. 81, no. 2, pp. 691–723, Aug. 2020, doi: 10.1007/S00285-020-01525-7/FIGURES/9.
- [35] G. A. Pinheiro, J. Mucelini, M. D. Soares, R. C. Prati, J. L. F. Da Silva, and M. G. Quiles, "Machine Learning Prediction of Nine Molecular Properties Based on the SMILES Representation of the QM9 Quantum-Chemistry Dataset," *Journal of Physical Chemistry A*, vol. 124, no. 47, pp. 9854–9866, Nov. 2020, doi: 10.1021/ACS.JPCA.0C05969/SUPPL_FILE/JPOC05969_SI_001.PDF.
- [36] A. L. Nazarova and A. Nakano, "VLA-SMILES: Variable-Length-Array SMILES Descriptors in Neural Network-Based QSAR Modeling," *Mach Learn Knowl Extr*, vol. 4, no. 3, pp. 715–737, Sep. 2022, doi: 10.3390/MAKE4030034/S1.
- [37] C. Li, J. Feng, S. Liu, and J. Yao, "A Novel Molecular Representation Learning for Molecular Property Prediction with a Multiple SMILES-Based Augmentation," *Comput Intell Neurosci*, vol. 2022, 2022, doi: 10.1155/2022/8464452.
- [38] Z. Zhou, S. Kearnes, L. Li, R. N. Zare, and P. Riley, "Optimization of Molecules via Deep Reinforcement Learning," *Scientific Reports 2019 9:1*, vol. 9, no. 1, pp. 1–10, Jul. 2019, doi: 10.1038/s41598-019-47148-x.
- [39] A. Mahdaddi, S. Meshoul, and M. Belguidoum, "EA-based hyperparameter optimization of hybrid deep learning models for effective drug-target interactions prediction," *Expert Syst Appl*, vol. 185, p. 115525, Dec. 2021, doi: 10.1016/J.ESWA.2021.115525.
- [40] R. Winter, F. Montanari, A. Steffen, H. Briem, F. Noé, and D. A. Clevert, "Efficient multi-objective molecular optimization in a continuous latent space," *Chem Sci*, vol. 10, no. 34, pp. 8016–8024, Aug. 2019, doi: 10.1039/C9SC01928F.
- [41] Y. Kwon and J. Lee, "MolFinder: an evolutionary algorithm for the global optimization of molecular properties and the extensive exploration of chemical space using SMILES," *J Cheminform*, vol. 13, no. 1, pp. 1–14, Dec. 2021, doi: 10.1186/S13321-021-00501-7/FIGURES/7.
- [42] Y. F. Zhang *et al.*, "SPVec: A Word2vec-Inspired Feature Representation Method for Drug-Target Interaction Prediction," *Front Chem*, vol. 7, p. 504142, Jan. 2020, doi: 10.3389/FCHEM.2019.00895/BIBTEX.
- [43] M. Campillos, M. Kuhn, A. C. Gavin, L. J. Jensen, and P. Bork, "Drug target identification using side-effect similarity," *Science*, vol. 321, no. 5886, pp. 263–266, Jul. 2008, doi: 10.1126/SCIENCE.1158140.
- [44] S. Kim, D. Jin, and H. Lee, "Predicting Drug-Target Interactions Using Drug-Drug Interactions," *PLoS One*, vol. 8, no. 11, p. e80129, Nov. 2013, doi: 10.1371/JOURNAL.PONE.0080129.
- [45] Y. Yamanishi, M. Kotera, M. Kanehisa, and S. Goto, "Drug-target interaction prediction from chemical, genomic and pharmacological data in an integrated framework," *Bioinformatics*, vol. 26, no. 12, pp. i246–i254, Jun. 2010, doi: 10.1093/BIOINFORMATICS/BTQ176.
- [46] L. N. Cueni and M. Detmar, "The Lymphatic System in Health and Disease," <https://home.liebertpub.com/lrb>, vol. 6, no. 3–4, pp. 109–122, Dec. 2008, doi: 10.1089/LRB.2008.1008.
- [47] I. Tai-Nagara *et al.*, "Blood and lymphatic systems are segregated by the FLCN tumor

- suppressor," *Nature Communications* 2020 11:1, vol. 11, no. 1, pp. 1–12, Dec. 2020, doi: 10.1038/s41467-020-20156-6.
- [48] Y. Xie, T. R. Bagby, M. S. Cohen, and M. L. Forrest, "Drug delivery to the lymphatic system: importance in future cancer diagnosis and therapies," <http://dx.doi.org/10.1517/17425240903085128>, vol. 6, no. 8, pp. 785–792, Aug. 2009, doi: 10.1517/17425240903085128.
- [49] I. Cascorbi, "Drug Interactions—Principles, Examples and Clinical Consequences," *Dtsch Arztebl Int*, vol. 109, no. 33–34, p. 546, Aug. 2012, doi: 10.3238/ARZTEBL.2012.0546.
- [50] A. M. Veselinovic, J. B. Veselinovic, J. V. Zivkovic, and G. M. Nikolic, "Application of SMILES Notation Based Optimal Descriptors in Drug Discovery and Design".
- [51] H. Junaedi, "PENGAMBARAN RANTAI KARBON DENGAN MENGGUNAKAN SIMPLIFIED MOLECULAR INPUT LINE SYSTEM (SMILES)".
- [52] J. Arús-Pous *et al.*, "SMILES-based deep generative scaffold decorator for de-novo drug design," *J Cheminform*, vol. 12, no. 1, pp. 1–18, May 2020, doi: 10.1186/S13321-020-00441-8/FIGURES/12.
- [53] D. Weininger, "SMILES, a Chemical Language and Information System: 1: Introduction to Methodology and Encoding Rules," *J Chem Inf Comput Sci*, vol. 28, no. 1, pp. 31–36, Feb. 1988, doi: 10.1021/CI00057A005/ASSET/CI00057A005.FP.PNG_V03.
- [54] N. K. Manaswi, "RNN and LSTM," *Deep Learning with Applications Using Python*, pp. 115–126, 2018, doi: 10.1007/978-1-4842-3516-4_9.
- [55] Y. Yu, X. Si, C. Hu, and J. Zhang, "A Review of Recurrent Neural Networks: LSTM Cells and Network Architectures," *Neural Comput*, vol. 31, no. 7, pp. 1235–1270, Jul. 2019, doi: 10.1162/NECO_A_01199.
- [56] A. Khan and A. Sarfaraz, "RNN-LSTM-GRU based language transformation," *Soft comput*, vol. 23, no. 24, pp. 13007–13024, Dec. 2019, doi: 10.1007/S00500-019-04281-Z/FIGURES/15.
- [57] C. B. Vennerød, A. Kjærran, and E. S. Bugge, "Long Short-term Memory RNN," May 2021, Accessed: Aug. 30, 2023. [Online]. Available: <https://arxiv.org/abs/2105.06756v1>
- [58] K. Smagulova and A. P. James, "A survey on LSTM memristive neural network architectures and applications," *The European Physical Journal Special Topics* 2019 228:10, vol. 228, no. 10, pp. 2313–2324, Oct. 2019, doi: 10.1140/EPJST/E2019-900046-X.
- [59] G. G. Wang, S. Deb, and Z. Cui, "Monarch butterfly optimization," *Neural Comput Appl*, vol. 31, no. 7, pp. 1995–2014, Jul. 2019, doi: 10.1007/S00521-015-1923-Y/TABLES/7.
- [60] M. Kuhn, I. Letunic, L. J. Jensen, and P. Bork, "The SIDER database of drugs and side effects," *Nucleic Acids Res*, vol. 44, no. D1, pp. D1075–D1079, Jan. 2016, doi: 10.1093/NAR/GKV1075.