

REFERENCES

- [1] Pradono, Wirianto. (2017). "Peluang dan Tantangan Pemanfaatan Frekuensi Ka-Band untuk Sistem Komunikasi Satelit". Buletin Pos dan Telekomunikasi. 15. 105. 10.17933/bpostel.2017.150204.
- [2] Peraturan Kementrian Komunikasi dan Informatika Republik Indonesia No 21 Tahun 2014
- [2] R. Swinford And B. Grau, "High Throughput Satellite : Delivering Future Capacity Needs"
- [3] M. Schneider, C. Hartwanger, And H. Wolf, "Antennas For Multiple Spot Beam Satellites," *Ceas Space Journal*, Vol. 2, No. 1–4, Pp. 59–66, Dec. 2011
- [4] Yacob Sapaan Panggau, Muhammad Asvial, "Analysis Of Satelit Broadband Acces Implementation In Indonesia Using Costing Methodology" *Iccerec : The 2018 International Conference On Control, Electronics, Renewable Energy, And Communications (Iccerec) : Proceedings : Dec 5-7, 2018, Bandung, Indonesia*.
- [5] L. Setiawan And , "Peran Satelit Dalam Perkembangan Ekosistem Jaringan 5G Di Indonesia."
- [6] W. Krisyanto And I. Krisnadi, "High Throughput Satellite Sebagai Salah Satu Solusi Pemerataan Broadband Internet Akses Di Indonesia," 2017.
- [7] T. M. Braun And W. R. Braun, "High-Throughput Satellites," *Satell. Commun. Payload Syst.*, Pp. 530–549, 2021
- [8] M. Zhou And S. B. Sørensen, "Multi-Spot Beam Reflectarrays For Satellite Telecommunication Applications In Ka-Band," *2016 10th Eur. Conf. Antennas Propagation, Eucap 2016*, 2016
- [9] R. K. Gupta, "Satellite Communications Systems," *Rf Microw. Handb. Rf Microw. Appl. Syst.*, Pp. 10-1-10–25, 2018
- [10] S. C. Leong, R.-T. Sun, And P. H. Yip, "Ka Band Satellite Communications Design Analysis And Optimisation," *Dsta Horizons*, Pp. 70–79, 2015, [Online]
- [11] D. Setiawan, "Alokasi Frekuensi Kebijakan Dan Perencanaan Spektrum Indonesia," No. 17, P. 213, 2010.
- [12] T. D. Hakim, "Strategi Alternatif Manajemen Spektrum Dan Penataan Alokasi Pita Frekuensi 1800 Mhz Untuk Penerapan Teknologi Lte," *J. Telekomun. Dan Komput.*, Vol. 5, No. 1, P. 45, 2017
- [13] I. D. Kristiadi, M. I. Nashiruddin, And M. Sudjai, "High Throughput Satellite Using Ka-

- Band For Government Multifunctional Services In Indonesia: Study Of Link Budget And Capacity Analysis,” *Proceeding - 2020 Int. Conf. Radar, Antenna, Microwave, Electron. Telecommun. Icramet 2020*, Pp. 85–90, 2020
- [14] L. J. Ippolito, “Spectrum Management in Satellite Communications,” 2017.
- [15] J. Tang, D. Bian, G. Li, J. Hu, and J. Cheng, “Resource Allocation for LEO Beam-Hopping Satellites in a Spectrum Sharing Scenario,” *IEEE Access*, vol. 9, pp. 56468–56478, 2021
- [15] F. Rahmadian and D. Gunawan, “High Throughput Satellite for Indonesian Broadband Access: A Feasibility Study in PT. Telekomunikasi Indonesia,” in *MECnIT 2020 - International Conference on Mechanical, Electronics, Computer, and Industrial Technology*, Jun. 2020, pp. 243–249
- [16] Intelsat General " High Throughput Ku-band For Aero Applications"
- [17] Qonita, Aulia Haque "Design And Analysis Of Multibeam Communication Satellite Links Operated At Ka-Band Frequency In Indonesia " IOP Conference Series Earth And Environmental Science, May 2019
- [18] Glaser, B.G., & Strauss, A.L. (1999). "The Discovery of Grounded Theory: Strategies for Qualitative Research (1st ed.)". Routledge.
- [19] Rao, Sudhakar K. "Parametric Design And Analysis Of Multiple-Beam Reflector Antennas For Satellite Communication". IEEE Antenna And Propagation Magazine, Vol 45, No.4. 2003
- [20] Foutio, Marios. 2021. Performance Assessment And Comparison Of Ka Vs Ku Band HTS. *Paper*. Avanti Broadband Limited. 08 April 2021
- [21] Louis J. Ippolito, Jr., “*Satellite Communications Systems Engineering: Atmospheric Effects, Satellite Link Design and System Performance*”, Second Edition”, John Wiley & Sons Ltd, 2017
- [22] Telecommunication Development sector report, “Guidelines for the review of spectrum pricing methodologies and the preparation of spectrum fee schedules”.
- [23] Peraturan Pemerintah Republik Indonesia Nomor 53 Tahun 2000 Tentang Penggunaan Spektrum Frekuensi Radio Dan Orbit Satelit.
- [24] Cheng Zhang et al, “The Satellite Coverage Analysis is Based on a Combination of STK and MATLAB”, *J. Phys.: Conf. Ser.* 2364 012011, 2022.
- [25] SIARAN PERS NO. 406/HM/KOMINFO/09/2022

- [26] A. S. I. (ASSI), “Peta Jalan Satelit Indonesia Mendukung Indonesia Broadband Plan,” 2017.
- [27] I. Radiocommunication Bureau, “Attenuation due to clouds and fog P Series Radiowave propagation,” 2012. [Online]. Available: <http://www.itu.int/ITU-R/go/patents/en>
- [28] F. Rahmadian and D. Gunawan, “High Throughput Satellite for Indonesian Broadband Access: A Feasibility Study in PT. Telekomunikasi Indonesia,” in *MECnIT 2020 - International Conference on Mechanical, Electronics, Computer, and Industrial Technology*, Jun. 2020, pp. 243–249. doi: 10.1109/MECnIT48290.2020.9166661.
- [29] E. Corbel *et al.*, “2016-2020 High-Throughput Satellite systems on the right track.”
- [30] A.C Situmorang and D.Gunawan, “Indonesia Satellite Supply Profile based on ITU Filings year 2017-2035,” in 2018 IEEE International conference on communication, network and satellite (Comnetsat), Nov. 2018, pp. 18-23
- [31] Pasaribu, Maria Uliarta. 2017. Determination Of Operational Threshold For Coding And Modulation Combination To Improve The Quality Of High Throughput Satellite In Ka-Band Frequency In Indonesia. *Thesis*. Master Of Electrical Engineering Study Program, Telkom University.Bandung.
- [32] Kristiadi, Ignatius Daru. 2020. Techno-Economic and Regulatory analysis of High Throughput Satellite (HTS) Implementation Using Ku and Ka band Frequency Spectrum for Indonesian Government Multifunctional Service. *Thesis*. Master Of Electrical Engineering Study Program, Telkom University.Bandung.
- [33] **SECOND SCHEDULE** Licence Fees and Spectrum Usage Charges, Table 1- Shared Spectrum, Tobago and Trinidad
- [34] Federal Republic of Nigeria Official Gazette. **FREQUENCY SPECTRUM (FEES AND PRICING, ETC.) REGULATIONS** No 65 Vol 91. 2004. Lagos, Nigeria

- [35] Rasyda, Muhammad Afrizal Ghifari. “Nilai Kapasitas Kanal Dalam Sistem Telekomunikasi Dalam Sistem Pentransmisian Informasi”.
- [36] Recommendation ITU-R P.838-3 “ Specific attenuation model for rain for use in prediction methods” 2005 Radiocommunication Sector of ITU.
- [37] Recommendation ITU-R P.840-5 “ Attenuation due to clouds and fog” 2012 Radiocommunication Sector of ITU.
- [38] Swinford, Richard and Betrand Grau “High Throuhput Satellite: Delivering Future Capacity Needs”. Arthur D.Little