

DAFTAR PUSTAKA

- [1] Prasetiadi and Ananto E, “PENGARUH DISTRIBUSI PEMBOBOTAN TERHADAP POLA ARRAY PADA DELAY AND SUM BEAMFORMING,” 2012. Accessed: May 31, 2023. [Online]. Available: <https://jurnal.unnur.ac.id/index.php/indept/about>
- [2] A. Farino, D. Suryadi,) Program, S. Teknik, E. Jurusan, and T. Elektro, “RANCANG BANGUN ANTENA ARRAY MIKROSTRI PATCH TRIANGULAR-CIRCULAR UNTUK APLIKASI WIRELESS LOCAL AREA NETWORK (WLAN),” Pontianak, 2019. Accessed: May 31, 2023. [Online]. Available: <https://jurnal.untan.ac.id/index.php/jteuntan/article/view/30888>
- [3] C. Mahardhika, S. Nugroho, and B. Syihabuddin, “PERANCANGAN BUTLER MATRIKS 4X4 UNTUK PENGARAHAN BERKAS ANTENA PADA STASIUN BUMI,” *Prosiding SENIATI*, vol. 3, no. 1, Feb. 2017, Accessed: May 31, 2023. [Online]. Available: <https://ejournal.itn.ac.id/index.php/seniati/article/view/1631>
- [4] Y. Rahayu, J. R. M. Simaniburuk, and Y. Wahyu, “A Compact Design of 4×4 Butler Matrix with Four Linear Array Antenna at 38 GHz,” *International Journal of Electrical, Energy and Power System Engineering*, vol. 5, no. 3, pp. 80–85, Nov. 2022, doi: <https://doi.org/10.31258/ijeepse.5.3.80-85>.
- [5] S. Louati, larbi Talbi, and Mohamed OuldElhasen, “Design of 28 GHz Switched Beamforming Antenna System Based on 4x4 Butler Matrix for 5G Applications,” *IEEE*, pp. 189–194, Dec. 2018, doi: 10.1109/IoTSMS.2018.8554614.
- [6] A. T. Magrifaghibran, D. Arseno, and R. Satria, “Design of Microstrip Array Antenna with Beamforming Capability for 5G Communication,” *FoITIC*, pp. 83–88, 2020, Accessed: Jun. 11, 2023. [Online]. Available: <https://eproceeding.itenas.ac.id/index.php/foitic/article/view/63/56>
- [7] S. Almorabeti, H. Terchoune, M. Rifi, H. Tizyi, and S. Smihily, “Smart antenna design alimented by a 4x4 butler matrix,” *Telkomnika (Telecommunication Computing Electronics and Control)*, vol. 19, no. 4, pp. 1342–1348, 2021, doi: 10.12928/TELKOMNIKA.v19i4.18788.
- [8] N. L. Yusup, E. S. Nugraha, and P. K. Goran, “Perancangan Antena Mikrostrip Rectangular Array Untuk Teknologi 5G Pada Frekuensi 28 GHz,” *Jurnal Telekomunikasi dan Komputer*, vol. 11, no. 2, p. 100, Aug. 2021, doi: 10.22441/incomtech.v11i2.10814.

- [9] T. Yuniarto, L. Kompas, and J. P. Selatan, "Masa Depan Jaringan 5G dan Perilaku Komunikasi Digital," *Warta ISKI*, vol. 02, no. 01, pp. 1–7, 2019, doi: <https://doi.org/10.25008/wartaiski.v2i01.22>.
- [10] F. Z. Yousaf, M. Bredel, S. Schaller, and F. Schneider, "NFV and SDN-Key technology enablers for 5G networks," *IEEE Journal on Selected Areas in Communications*, vol. 35, no. 11, pp. 2468–2478, Nov. 2017, doi: 10.1109/JSAC.2017.2760418.
- [11] E. G. Larsson, O. Edfors, F. Tufvesson, and T. L. Marzetta, "Massive MIMO for Next Generation Wireless Systems," *IEEE Communications Magazine*, vol. 54, no. 2, pp. 186–195, Apr. 2013, doi: 10.1109/MCOM.2014.6736761.
- [12] I. Afolabi, Tarik Taleb, Konstantinos Samdanis, Adlen Ksentini, Hannu, and Flinck, "Network Slicing and Softwarization: A Survey on Principles, Enabling Technologies, and Solutions," *IEEE Communications Surveys & Tutorials*, vol. 20, no. 3, pp. 2429–2453, Mar. 2018, doi: <https://doi.org/10.1109/COMST.2018.2815638>.
- [13] ARYANTA and DWI, "Analisis Kinerja Single User Throughput 5G NR pada Sel Indoor dengan Antena MIMO," *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, vol. 10, no. 3, p. 500, Jul. 2022, doi: 10.26760/elkomika.v10i3.500.
- [14] Islam, Md. Shriful, Tazkia Jessy, Md. Sabuj Hassan, Kartick Mondal, and Tosikur Rahman, "Suitable Beamforming Technique for 5G Wireless Communication," *2016 International Conference on Computing, Communication and Automation (ICCCA)*, pp. 1554–1559, Apr. 2016, doi: <https://doi.org/10.1109/CCAA.2016.7813970>.
- [15] S. Alam and R. F. Nugroho, "PERANCANGAN ANTENA MIKROSTRIP ARRAY 2x1 UNTUK MENINGKATKAN GAIN UNTUK APLIKASI LTE PADA FREKUENSI 2300 MHz," *Jurnal Ilmiah Elektrokrisna*, vol. 6, no. 3, pp. 167–179, Jun. 2018, Accessed: Jun. 14, 2023. [Online]. Available: <https://123dok.com/document/y90n22vy-perancangan-antena-mikrostrip-array-untuk-meningkatkan-aplikasi-frekuensi.html>
- [16] Wibowo and Rio Prakoso, "DESIGN AND FABRICATION ARRAY ANTENNA WITH BEAMWIDTH $\leq 5^\circ$ AT S-BAND FREQUENCY USING MICROSTRIP BOW-TIE," Tugas Akhir, Institut Teknologi Sepuluh Nopember, Surabaya, 2017. Accessed: Jun. 09, 2023. [Online]. Available: https://repository.its.ac.id/42911/1/2213100166-Undergraduate_Theses.pdf
- [17] M. Reza Aditya, R. Munadi, and H. Walidainy, "Desain dan Pengujian Antena Microstrip Rectangular Patch Array Dua Elemen Untuk Wimax 2,3 GHz," *Jurnal Unsyah*, vol. 2, no. 4, p. 2017, 2017.

- [18] A. Bansal and Richa Gupta, "A Review on Microstrip Patch Antenna And Feeding Techniques," *International Journal of Information Technology*, vol. 12, no. 1, pp. 149–154, 2020, doi: <https://doi.org/10.1007/s41870-018-0121-4>.
- [19] F. S. Akbar and A. Saharani, "Rancang Bangun Antena Mikrostrip MIMO 4 Elemen Untuk Komunikasi 5G Pada Frekuensi Band N40," *Emitor: Jurnal Teknik Elektro*, vol. 22, no. 2, pp. 126–133, Aug. 2022, doi: [10.23917/emitor.v22i2.19491](https://doi.org/10.23917/emitor.v22i2.19491).
- [20] Wibowo and Rio Prakoso, "DESIGN AND FABRICATION ARRAY ANTENNA WITH BEAMWIDTH $\leq 5^\circ$ AT S-BAND FREQUENCY USING MICROSTRIP BOW-TIE ELEMENT," Tugas Akhir, Institut Teknologi Surabaya, Surabaya, 2017. Accessed: May 31, 2023. [Online]. Available: https://repository.its.ac.id/42911/1/2213100166-Undergraduate_Theses.pdf
- [21] N. W. Gaspura, D. Arseno, and A. A. Pramudita, "PENGARUH MUTUAL COUPLING PADA BEAMFORMING ANTENA ARRAY," Bandung, Aug. 2019. Accessed: May 31, 2023. [Online]. Available: <https://journals.telkomuniversity.ac.id/tektrika/article/view/3239>
- [22] L. Rosu, "Phased Array Antennas." [Online]. Available: <http://www.qsl.net/va3iul>
- [23] Van and Barry D, "Beamforming: A Versatile Approach to Spatial Filtering," *IEEE*, vol. 5, no. 2, pp. 4–24, doi: <https://doi.org/10.1109/53.665>.
- [24] N. M. Jizat, Z. Yusoff, A. S. M. Marzuki, N. Zainudin, and Y. Yamada, "Insertion Loss and Phase Compensation Using a Circular Slot Via-Hole in a Compact 5G Millimeter Wave (mmWave) Butler Matrix at 28 GHz," *Sensors*, vol. 22, no. 5, pp. 1–23, Mar. 2022, doi: [10.3390/s22051850](https://doi.org/10.3390/s22051850).
- [25] N. Kamila, B. Setia Nugroho, and B. Syihabuddin, "Perancangan Butler matrix 4x4 pada Frekuensi 1,27 GHz untuk Aplikasi Synthetic Aperture Radar (SAR)," *Prosiding Seminar Nasional ReTII ke-10 2015*, pp. 1–8, Jan. 2017, Accessed: Jun. 09, 2023. [Online]. Available: <https://journal.itny.ac.id/index.php/ReTII/article/view/398>
- [26] F. S. Akbar and N. Rachmaningrum, "Design and Realization Of 2-Way Unequal-Split Power Divider Based On Branchline Coupler For S-Band Radar Applications," *EAI*, Feb. 2023, doi: [10.4108/eai.6-10-2022.2327432](https://doi.org/10.4108/eai.6-10-2022.2327432).
- [27] P. L. Chi, C. P. Chien, A. Chen, and T. Yang, "Novel Dual-Band Beam-Scanning/Switching Network Based on a Hybrid Coupler with Synchronously Tuned Phase Differences," *IEEE Access*, vol. 9, pp. 157151–157164, Nov. 2021, doi: [10.1109/ACCESS.2021.3130210](https://doi.org/10.1109/ACCESS.2021.3130210).

- [28] R. Ruliyanta, M. Fahrurozi, and H. S. Utama, "Perancangan Antena Pesawat Tanpa Awak Menggunakan ANSYS High-Frequency Structure Simulator," *Jurnal Ilmiah Giga*, vol. 25, no. 2, p. 67, Nov. 2022, doi: 10.47313/jig.v25i2.1914.
- [29] C. Yang, J. Wang, and C. Yang, "Estimation methods to extract complex permittivity from transmission coefficient in the terahertz band," *Opt Quantum Electron*, vol. 53, no. 8, Aug. 2021, doi: 10.1007/s11082-021-03087-4.
- [30] M. Eslami Nazari, W. Huang, and Z. Alavizadeh, "Return loss-bandwidth evaluation for electrically small microstrip antennas," *J Electromagn Waves Appl*, vol. 34, no. 16, pp. 2220–2235, Nov. 2020, doi: 10.1080/09205071.2020.1809534.
- [31] Erawan and Abdullah Pujakusuma, "PERBANDINGAN KINERJA PEMBENTUKAN BEAM MENGGUNAKAN METODE DOLPH-CHEBYSHEV DAN TAYLOR PADA PHASED ARRAY ANTENA UNTUK SISTEM KOMUNIKASI DAN RADAR," Tugas Akhir, Institut Teknologi Sepuluh november, Surabaya, 2016. Accessed: Jun. 09, 2023. [Online]. Available: <http://repository.its.ac.id/id/eprint/75782>
- [32] D. H. Junico, R. P. Astuti, and T. Yunita, "Analisis Performansi Kanal Mimo Menggunakan Teknik Diversitas Polarisasi Antena," *e-Proceeding of Engineering*, vol. 9, no. 2, pp. 351–361, Apr. 2022, Accessed: Jun. 11, 2023. [Online]. Available: <https://openlibrarypublications.telkomuniversity.ac.id/index.php/engineering/article/view/17576/17321>
- [33] E. S. Nugraha, W. Paramitha, and N. Amalia, "Analisis Pengaruh T-Shaped Slot terhadap Kualitas Parameter Antena Mikrostrip menggunakan Computer Simulation Technology (CST) dan Advanced Design System (ADS) untuk Aplikasi Wi-Fi," *JURNAL INFOTEL*, vol. 9, no. 3, Aug. 2017, doi: 10.20895/infotel.v9i3.237.
- [34] Tektronix INC, "Introduction to VNA Basics," 2023. Accessed: Jul. 20, 2023. [Online]. Available: https://download.tek.com/document/70W_60918_0_Tek_VNA_PR1.pdf