

## DAFTAR ISI

<b>LEMBAR PENGESAHAN .....</b>	<b>ii</b>
<b>LEMBAR PERNYATAAN ORISINALITAS .....</b>	<b>iii</b>
<b>ABSTRAK .....</b>	<b>iv</b>
<b>ABSTRACT .....</b>	<b>vi</b>
<b>KATA PENGANTAR .....</b>	<b>viii</b>
<b>DAFTAR ISI .....</b>	<b>x</b>
<b>DAFTAR GAMBAR .....</b>	<b>xiv</b>
<b>DAFTAR TABEL .....</b>	<b>xvi</b>
<b>BAB 1 PENDAHULUAN .....</b>	<b>1</b>
1.1 Latar Belakang .....	1
1.2 Rumusan Masalah .....	2
1.3 Tujuan .....	3
1.4 Batasan Masalah.....	3
1.5 Jadwal Pelaksanaan .....	4
<b>BAB 2 KAJIAN PUSTAKA .....</b>	<b>5</b>
2.1 Kajian Penelitian Terkait.....	5
2.2 Jaringan Seluler .....	9
2.3 Jaringan 5G <i>New Radio</i> .....	10
2.3.1 5G <i>Key Performance Indicator (KPI)</i> Berdasarkan IMT 2020 .....	12
2.4 Spektrum 5G di Indonesia .....	14
2.5 Arsitektur 5G <i>New Radio</i> .....	18
2.5.1 <i>Non - Stand Alone (NSA)</i> .....	16
2.5.2 <i>Stand Alone (SA)</i> .....	16
2.6 Keadaan Geografis Kota Yogyakarta .....	17
2.7 Use Case 5G <i>New Radio</i> .....	19
2.7.1 <i>Use Case 5G</i> di Indonesia .....	21
2.7.2 <i>Overview Use Case 5G</i> .....	22
2.8 Perancanaan Jaringan .....	23
2.8.1 <i>Coverage Planning</i> .....	23
2.8.1.1 <i>Link Budget</i> .....	24
2.8.1.2 <i>Thermal Noise</i> .....	26

2.8.1.3 <i>Subcarrier Quantity</i> .....	26
2.8.1.4 <i>Pathloss</i> .....	26
2.8.1.5 Model Propagasi <i>Urban Macro</i> (UMa) .....	27
2.8.1.6 <i>Cell Radius</i> .....	28
2.8.1.7 <i>gNodeB Coverage Area</i> .....	29
2.8.1.8 Jumlah Site <i>gNodeB</i> .....	29
2.8.2 <i>Capacity Planning</i> .....	30
2.8.2.1 <i>Model Bass</i> .....	30
2.8.2.2 <i>Demand Traffic</i> .....	30
2.8.2.3 <i>Data Rate 3GPP Standart</i> .....	31
2.9 Parameter <i>Key Performance Indicator</i> .....	32
2.9.1 <i>Secondary Synchronization - Reference Signal Received Power (SS-RSRP)</i> .....	32
2.9.2 <i>Secondary Synchronization - Signal to Noise and Interference Ratio (SS-SINR)</i> .....	32
2.9.3 <i>Throughput</i> .....	33
2.10 <i>Software Planning and Optimization Atoll</i> .....	33
2.11 Analisis Ekonomi .....	34
2.11.1 Struktur Biaya.....	34
2.11.1.1 <i>Capital Expenditure (CAPEX)</i> .....	34
2.11.1.2 <i>Operational Expenditure (OPEX)</i> .....	34
2.11.1.3 <i>Revenue</i> .....	34
2.11.2 Analisis Sisi Ekonomi .....	35
2.11.2.1 <i>Net Present Value (NPV)</i> .....	34
2.11.2.2 <i>Payback Period (PP)</i> .....	35
2.11.2.3 <i>Internal Rate of Return (IRR)</i> .....	35
2.11.2.4 <i>Return On Investment (ROI)</i> .....	36
<b>BAB 3 METODOLOGI PENELITIAN</b> .....	<b>38</b>
3.1 Studi Literatur .....	39
3.2 Penentuan Lokasi .....	39
3.3 Kalkulasi Data.....	42
3.3.1 Perencanaan Jaringan .....	42
3.3.1.1 <i>Coverage Planning</i> .....	42

3.3.1.2 <i>Capacity Planning</i> .....	43
3.4 Simulasi <i>Software Atoll</i> .....	43
3.5 Perhitungan Struktur Biaya .....	44
3.6 Perhitungan Sisi Ekonomi .....	46
3.7 Analisis Hasil Simulasi dan Perhitungan Struktur Biaya serta Sisi Ekonomi .	47
3.8 Penulisan Laporan Tugas Akhir Penelitian .....	47
<b>BAB 4 HASIL DAN PEMBAHASAN .....</b>	<b>48</b>
4.1 Penggolongan Wilayah Menurut Model Propagasi <i>Urban Macro</i> (UMa).....	48
4.2 Analisis Teknis .....	50
4.2.1 <i>Coverage Planning</i> .....	50
4.2.1.1 <i>Thermal Noise</i> .....	51
4.2.1.2 <i>Subcarrier Quantity</i> .....	51
4.2.1.3 <i>Pathloss</i> .....	51
4.2.1.4 Propagasi <i>Urban Macro</i> (UMa) .....	52
4.2.1.5 <i>Radius Cell</i> .....	53
4.2.1.6 <i>gNodeB Coverage Area</i> .....	53
4.2.1.7 Jumlah <i>Site gNodeB</i> .....	54
4.2.2 <i>Capacity Planning</i> .....	54
4.2.2.1 <i>Model Bass Grow</i> .....	55
4.2.2.2 <i>Demand Traffic</i> .....	56
4.2.2.3 <i>Data Rate</i> .....	58
4.2.2.4 Jumlah <i>Site gNodeB</i> .....	60
4.3 Simulasi Perencanaan Pada Jaringan.....	60
4.3.1 Simulasi Berdasarkan <i>Coverage Planning</i> .....	61
4.3.1.1 Simulasi <i>Secondary Synchronization – Reference Signal Received Power (SS-RSRP)</i> .....	61
4.3.1.2 Simulasi <i>Secondary Synchronization – Signal to Noise and Interference Ratio (SS-SINR)</i> .....	63
4.3.1.3 Simulasi <i>Throughput</i> .....	66
4.3.2 Simulasi Berdasarkan <i>Capacity Planning</i> .....	69
4.3.2.1 Simulasi <i>Secondary Synchronization - Reference Signal Received Power (SS - RSRP)</i> .....	69

4.3.2.2 Simulasi <i>Secondary Synchronization - Signal to Noise and Interference Ratio (SS-SINR)</i> .....	72
4.3.2.3 Simulasi <i>Throughput</i> .....	74
4.4 Analisis Teknis Hasil Simulasi .....	77
4.4.1 Analisis Hasil <i>Coverage Planning</i> menggunakan <i>Atoll</i> .....	77
4.4.1.1 Analisis Hasil Simulasi <i>Level Signal SS-RSRP, SS-SINR</i> dan <i>Throughput</i> .....	77
4.4.2 Analisis Hasil <i>Capacity Planning</i> menggunakan <i>Atoll</i> .....	77
4.4.2.1 Analisis Hasil Simulasi <i>Level Signal SS-RSRP, SS-SINR</i> dan <i>Throughput</i> .....	77
4.5 Perhitungan Struktur Biaya dan Sisi Ekonomi .....	78
4.5.1 Struktur Biaya .....	78
4.5.1.1 <i>Capital Expenditure (Capex)</i> .....	78
4.5.1.2 <i>Operational Expenditure (Opex)</i> .....	80
4.5.1.3 <i>Revenue</i> .....	81
4.5.2 Sisi Ekonomi .....	82
4.5.2.1 <i>Net Present Value (NPV)</i> .....	82
4.5.2.2 <i>Playback Period (PP)</i> .....	83
4.5.2.3 <i>Internal Rate of Return (IRR)</i> .....	84
4.5.2.4 <i>Return On Investment (ROI)</i> .....	84
4.6 Analisis Struktur Biaya dan Ekonomi .....	85
4.6.1 Analisis Struktur Biaya .....	85
4.6.2 Analisis Struktur Ekonomi .....	86
<b>BAB 5 KESIMPULAN DAN SARAN .....</b>	<b>87</b>
5.1 Kesimpulan .....	87
5.2 Saran .....	89
DAFTAR PUSTAKA .....	90
LAMPIRAN .....	94