

## DAFTAR PUSTAKA

- Ansys, I. (2021). *Mechanical User's Guide*. [https://ansyshelp.ansys.com/account/secured?returnurl=/Views/Secured/corp/v212/en/wb\\_sim/ds\\_Home.html](https://ansyshelp.ansys.com/account/secured?returnurl=/Views/Secured/corp/v212/en/wb_sim/ds_Home.html).
- Autodesk. (2023). *Autodesk Inventor: Mechanical design software for ambitious ideas*. [www.autodesk.com/products/inventor/](http://www.autodesk.com/products/inventor/).
- Brehl, D. E., & Dow, T. A. (2008). Review of vibration-assisted machining. Dalam *Precision Engineering* (Vol. 32, Nomor 3, hlm. 153–172). <https://doi.org/10.1016/j.precisioneng.2007.08.003>
- Chen, G., Wang, J., & Liu, X. (2014). Generalized equations for estimating stress concentration factors of various notch flexure hinges. *Journal of Mechanical Design, Transactions of the ASME*, 136(3). <https://doi.org/10.1115/1.4026265>
- Cioată, V. G., Kiss, I., Alexa, V., & Rațiu, S. A. (2020). Study of the contact forces between workpiece and fixture using dynamic analysis. *Journal of Physics: Conference Series*, 1426(1). <https://doi.org/10.1088/1742-6596/1426/1/012040>
- Davey, R. (2012). *AISI 1040 Carbon Steel (UNS G10400)*. [https://www\\_azom\\_com/article.aspx?ArticleID=6525](https://www_azom_com/article.aspx?ArticleID=6525).
- Debongnie, J.-F., Raucent, B., Merken, P., Smal, O., Debongnie, J. F., & Raucent, B. (2004). *Design and test of a circular notch hinge*. <https://www.researchgate.net/publication/277036841>
- Dhiazzaki, Andias Anugraha, R., & Kusnayat, A. (2018). *Optimasi Waktu & Biaya Pada Proses Pengujian Cutting Temperature Pada Tool Holder Ultrasonic Vibration Assisted Turning Dengan Menggunakan Metode Elemen Hingga Time & Cost Optimization Of Cutting Temperature Test On Ultrasonic Vibration Asissted Turning Tool Holder With Finite Element Method*.
- Erhunmwun, I. D., & Ikponmwosa, U. B. (2017). Review on finite element method. *Journal of Applied Sciences and Environmental Management*, 21(5), 999. <https://doi.org/10.4314/jasem.v21i5.30>
- Gao, Y., Sun, R., & Leopold, J. (2015). Analysis of cutting stability in vibration assisted machining using an analytical predictive force model. *Procedia CIRP*, 31, 515–520. <https://doi.org/10.1016/j.procir.2015.03.014>
- Gu, Y., Zhou, Y., Lin, J., Lu, M., Zhang, C., & Chen, X. (2018). Design, analysis, and testing of a flexure-based vibration-assisted polishing device. *AIP Advances*, 8(5). <https://doi.org/10.1063/1.5025498>
- Henning, S., Linß, S., & Zentner, L. (2018). DetasFLEX - A computational design tool for the analysis of various notch flexure hinges based on non-linear

- modeling. *Mechanical Sciences*, 9(2), 389–404. <https://doi.org/10.5194/ms-9-389-2018>
- Jadidian, B. (1998). *Design and fabrication of a flexible large area fabric transducer for bone healing application.*
- Jiao, F., Li, Y., Wang, D., Tong, J., & Niu, Y. (2021). *Development of a low-frequency vibration-assisted drilling device for difficult-to-cut materials.* <https://doi.org/10.1007/s00170-021-07668-1/Published>
- Julong Deynrt, D. (1988). *Introduction to Grey System Theory.*
- Khadse, N. A., & Zaweri, S. R. (2015). *Modal Analysis of Aircraft Wing using Ansys Workbench Software Package.* [www.ijert.org](http://www.ijert.org)
- Kurniawan, R., & Ko, T. J. (2013a). A study of surface texturing using piezoelectric tool holder actuator on conventional CNC turning. *International Journal of Precision Engineering and Manufacturing*, 14(2), 199–206. <https://doi.org/10.1007/s12541-013-0028-8>
- Kurniawan, R., & Ko, T. J. (2013b). A study of surface texturing using piezoelectric tool holder actuator on conventional CNC turning. *International Journal of Precision Engineering and Manufacturing*, 14(2), 199–206. <https://doi.org/10.1007/s12541-013-0028-8>
- Kurniawan, R., & Ko, T. J. (2014). A new tool holder design with two-dimensional motion for fabricating micro-dimple and groove patterns. *International Journal of Precision Engineering and Manufacturing*, 15(6), 1165–1171. <https://doi.org/10.1007/s12541-014-0452-4>
- Ling, M., Yuan, L., Lai, J., Wei, H., & Zhang, X. (2023). Compliance and precision modeling of general notch flexure hinges using a discrete-beam transfer matrix. *Precision Engineering*, 82, 233–250. <https://doi.org/10.1016/j.precisioneng.2023.03.014>
- Lobontiu, N. (2003). *COMPLIANT MECHANISMS Design of Flexure Hinges.*
- Piezotechnics GmbH. (2012). Our Standard Piezo Actuator Stacks General Specifications. <https://www.piezotechnics.com/piezos/piezo-stacks-specs/>.
- Pilkey, W. D. (2005). *Formulas for stress, strain, and structural matrices.* John Wiley & Sons.
- Puri, S. P. V. K. (2006). Foundations For Vibrating Machines. *Journal of Structural Engineering.*
- Qin, F., Huang, H., Wang, J., & Zhao, H. (2019). *Design and performance evaluation of a novel stick-slip piezoelectric linear actuator with a centrosymmetric-type flexure hinge mechanism.*

- Rachmat, H., Ibrahim, M. R., & Hasan, S. Bin. (2017). Design selection of an innovative tool holder for ultrasonic vibration assisted turning (IN-UVAT) using finite element analysis simulation. *AIP Conference Proceedings*, 1831. <https://doi.org/10.1063/1.4981170>
- Rao, S. S. (2017). *The Finite Element Method in Engineering*.
- Shanker Dixit, U., Mohan Pandey, P., & Chandra Verma, G. (2019). Ultrasonic-assisted machining processes: a review. Dalam *Int. J. Mechatronics and Manufacturing Systems* (Vol. 12).
- Shi, Y., & Zhao, C. (2012). Simple new ultrasonic piezoelectric actuator for precision linear positioning. *Journal of Electroceramics*, 28(4), 233–239. <https://doi.org/10.1007/s10832-012-9718-3>
- Sivareddy, D. V., Krishna, P. V., Gopal, A. V., & Prithvi Raz, C. L. (2018). Parameter Optimisation in Vibration Assisted Turning of Ti6Al4V Alloy using ANOVA and Grey Relational Analysis. Dalam *International Journal of Automotive and Mechanical Engineering* (Vol. 15).
- Smith, S. T. (2003). *Foundations of ultra-precision mechanism design*.
- Sui, H., Zhang, X., Zhang, D., Jiang, X., & Wu, R. (2017). Feasibility study of high-speed ultrasonic vibration cutting titanium alloy. *Journal of Materials Processing Technology*, 247, 111–120. <https://doi.org/10.1016/j.jmatprotec.2017.03.017>
- Suryawanshi, S., & Maskar, P. D. (2021). Explicit Dynamic Analysis of Mechanical Motion Rectifier Used for Energy Harvesting. *International Research Journal of Engineering and Technology*. [www.irjet.net](http://www.irjet.net)
- Viswanathan, P., & Kulkarni, P. R. (1995). FULL FACTORIAL DESIGN TO STUDY FERMENTATIVE PRODUCTION OF INULINASE USING INULIN FROM KUTH (SAUSSUREA LAPPA ) ROOT POWDER BY ASPERGILLUS NIGER VAN TEIGHEM UVII MUTANT. Dalam *Bioresource Technology* (Vol. 54).
- Wang, Z., Luo, X., Liu, H., Ding, F., Chang, W., Yang, L., Zhang, J., & Cox, A. (2021). A high-frequency non-resonant elliptical vibration-assisted cutting device for diamond turning microstructured surfaces. [https://doi.org/10.1007/s00170-021-06608-3/Published](https://doi.org/10.1007/s00170-021-06608-3)
- Wiranata, A., Arief, A., & Rochardjo, H. S. B. (2019). Studi Pengaruh Perubahan Sudut Head Tube dan Top Tube Pada Rangka Sepeda Balap terhadap Defleksi pada Fork dengan Metode Explicit Dynamics Elemen Hingga. *Journal of Mechanical Design and Testing*, 1(1), 15–23. <https://doi.org/10.22146/jmdt.v1i1.46741>
- Wu, J., Zhang, Y., Cai, S., & Cui, J. (2018). Modeling and analysis of conical-shaped notch flexure hinges based on NURBS. *Mechanism and Machine*

- Theory, 128, 560–568.  
<https://doi.org/10.1016/j.mechmachtheory.2018.07.005>
- Yan, Y. (2018a). Flexible Hinge Parameter Design and Performance Simulation of Vibration Assisted Machining Platform. *MATEC Web of Conferences*, 166. <https://doi.org/10.1051/matecconf/201816601006>
- Yan, Y. (2018b). Flexible Hinge Parameter Design and Performance Simulation of Vibration Assisted Machining Platform. *MATEC Web of Conferences*, 166. <https://doi.org/10.1051/matecconf/201816601006>
- Yang, L., & Zhang, M. (2017). *Research on the Influence of Cutting Speed on Vibration Cutting Force*.
- Yang, Z., Zhu, L., Zhang, G., Ni, C., & Lin, B. (2020). Review of ultrasonic vibration-assisted machining in advanced materials. *Journal of Machine Tools and Manufacture*.
- Yin, S., Bao, Y., Pan, Y., Dong, Z., Jin, Z., & Kang, R. (2022). Design of ultrasonic elliptical vibration cutting system for tungsten heavy alloy. *Frontiers of Mechanical Engineering*, 17(4). <https://doi.org/10.1007/s11465-022-0715-1>
- Yin, Z., Fu, Y., Xu, J., Li, H., Cao, Z., & Chen, Y. (2017). A novel single driven ultrasonic elliptical vibration cutting device. *International Journal of Advanced Manufacturing Technology*, 90(9–12), 3289–3300. <https://doi.org/10.1007/s00170-016-9641-x>
- Yong, Y. K., Lu, T. F., & Handley, D. C. (2008). Review of circular flexure hinge design equations and derivation of empirical formulations. Dalam *Precision Engineering* (Vol. 32, Nomor 2, hlm. 63–70). <https://doi.org/10.1016/j.precisioneng.2007.05.002>
- Zheng, L., Chen, W., & Huo, D. (2020). Review of vibration devices for vibration-assisted machining. *International Journal of Advanced Manufacturing Technology*, 108(5–6), 1631–1651. <https://doi.org/10.1007/s00170-020-05483-8>
- Zou, P., Xu, Y., He, Y., Chen, M., & Wu, H. (2015). Experimental investigation of ultrasonic vibration assisted turning of 304 austenitic stainless steel. *Shock and Vibration*, 2015. <https://doi.org/10.1155/2015/817598>