

## DAFTAR PUSTAKA

- [1] B. Aji Pramudita, Y. Dwi Nugroho, I. Ardiyanto, M. I. Shapiai, and N. A. Setiawan, “Removing Ocular Artefacts in EEG Signals by Using Combination of Complete EEMD (CEEMD)-Independent Component Analysis (ICA) Based Outlier Data.”
- [2] Universitas Gadjah Mada, Institute of Electrical and Electronics Engineers. Indonesia Section., and Institute of Electrical and Electronics Engineers, *Proceedings, 2019 5th International Conference on Science and Technology (ICST): 30-31 July 2019, Eastparc Hotel, Yogyakarta, Indonesia.*
- [3] R. Sravanth Kumar, K. K. Srinivas, A. Peddi, and P. A. Harsha Vardhini, “Artificial Intelligence based Human Attention Detection through Brain Computer Interface for Health Care Monitoring,” in *Proceedings of 2021 IEEE International Conference on Biomedical Engineering, Computer and Information Technology for Health, BECITHCON 2021*, Institute of Electrical and Electronics Engineers Inc., 2021, pp. 42–45. doi: 10.1109/BECITHCON54710.2021.9893646.
- [4] X. Jiang, G. Bin Bian, and Z. Tian, “Removal of artifacts from EEG signals: A review,” Mar. 01, 2019, *MDPI AG*. doi: 10.3390/s19050987.
- [5] S. Kanoga and Y. Mitsukura, *Eye Blink Artifact Rejection in Single-Channel Electroencephalographic Signals by Combining Complete Ensemble Empirical Mode Decomposition and Independent Component Analysis*. 2015. doi: 10.0/Linux-x86\_64.
- [6] C. Zhang, N. Sabor, J. Luo, Y. Pu, G. Wang, and Y. Lian, “Automatic Removal of Multiple Artifacts for Single-Channel Electroencephalography,” *J Shanghai Jiaotong Univ Sci*, vol. 27, no. 4, pp. 437–451, Aug. 2022, doi: 10.1007/s12204-021-2374-5.
- [7] Institute of Electrical and Electronics Engineers, *2018 3rd IEEE International Conference on Image, Vision and Computing (ICIVC 2018): June 27-29, 2018, Chongqing, China.*
- [8] M. Plöchl, J. P. Ossandón, and P. König, “Combining EEG and eye tracking: Identification, characterization, and correction of eye movement artifacts in electroencephalographic data,” *Front Hum Neurosci*, no. OCTOBER 2012, Oct. 2012, doi: 10.3389/fnhum.2012.00278.

- [9] S. K. Sahoo and S. K. Mohapatra, "Recognition of Ocular Artifacts in EEG Signal through a Hybrid Optimized Scheme," *Biomed Res Int*, vol. 2022, 2022, doi: 10.1155/2022/4875399.
- [10] O. G. Lins, T. W. Picton, P. Berg, and M. Scherg, "Ocular Artifacts in EEG and Event-Related Potentials I: Scalp Topography," 1993.
- [11] K. Song, S. Ha, and K.-Y. Shin, "Highly Conductive and Long-Term Stable Phosphorene-Based Nanocomposite for Radio-Frequency Antenna Application," *Nanomaterials*, vol. 14, no. 12, p. 1013, Jun. 2024, doi: 10.3390/nano14121013.
- [12] Universiti Teknologi PETRONAS, Universiti Teknologi PETRONAS. Electrical and Electronic Engineering Department, Institute of Electrical and Electronics Engineers., and S. & T. C. (2018 : K. L. World Engineering, *ICIAS 2018 : International Conference on Intelligent & Advanced System : ESTCON, World Engineering, Science & Technology Congress : 13-14 August 2018, Kuala Lumpur Convention Centre*.
- [13] V. Krishnaveni *et al.*, "Automatic Identification and Removal of Ocular Artifacts from EEG using Wavelet Transform," 2006. [Online]. Available: <https://www.researchgate.net/publication/240700056>
- [14] E. Niedermeyer and F. H. L. da Silva, "Electroencephalography: basic principles, clinical applications, and related ...," vol. 1, pp. 17–31, 2005, Accessed: Jul. 09, 2024. [Online]. Available: <https://books.google.com/books/about/Electroencephalography.html?hl=id&id=tndqYGPHQdEC>
- [15] L. Sörnmo and P. Laguna, "Bioelectrical Signal Processing in Cardiac and Neurological Applications," *Bioelectrical Signal Processing in Cardiac and Neurological Applications*, 2005, doi: 10.1016/B978-0-12-437552-9.X5000-4.
- [16] J. Cao *et al.*, "Unsupervised Eye Blink Artifact Detection from EEG with Gaussian Mixture Model," *IEEE J Biomed Health Inform*, vol. 25, no. 8, pp. 2895–2905, Aug. 2021, doi: 10.1109/JBHI.2021.3057891.
- [17] S. Sanei and J. A. Chambers, "EEG Signal Processing," *EEG Signal Processing*, May 2013, doi: 10.1002/9780470511923.
- [18] "77415-ID-perkembangan-teknologi-komunikasi-dan-in".

- [19] R. López-Ahumada, R. Jiménez-Naharro, and F. Gómez-Bravo, “A Hardware-Based Configurable Algorithm for Eye Blink Signal Detection Using a Single-Channel BCI Headset,” *Sensors*, vol. 23, no. 11, Jun. 2023, doi: 10.3390/s23115339.
- [20] D. Steyrl, G. Krausz, K. Koschutnig, G. Edlinger, and G. R. Müller-Putz, “Online Reduction of Artifacts in EEG of Simultaneous EEG-fMRI Using Reference Layer Adaptive Filtering (RLAF),” *Brain Topogr*, vol. 31, no. 1, pp. 129–149, Jan. 2018, doi: 10.1007/s10548-017-0606-7.
- [21] Y. Pei *et al.*, “DTP-Net: Learning to Reconstruct EEG signals in Time-Frequency Domain by Multi-scale Feature Reuse,” *IEEE J Biomed Health Inform*, vol. 28, no. 5, pp. 2662–2673, Nov. 2023, doi: 10.1109/JBHI.2024.3358917.