LIST OF FIGURES

Typical pipeline for semantic mapping, integrating object detection	
with SLAM-generated maps [1]	8
Logitech C920 Pro HD Webcam used in the project	9
RPLIDAR A1 used in the project	10
Robot Operating System (ROS) with various hardware platforms	
and tools, including Arduino, Raspberry Pi, robotic arms, LiDAR	
sensors, and terminal interfaces, showcasing ROS's versatility in	
enabling robotic development across different devices. [2]	11
SLAM results using Gmapping techniques, (a) Indoor mapping, (b)	
Outdoor mapping [3]	13
YOLOv3 object detection process after model training. The steps	
include resizing the image, running the convolutional network, and	
applying non-max suppression to detect objects like a person, dog,	
and horse [4]	15
The proposed method integrates object detection with SLAM by	
using data from a camera, LiDAR, and odometry to generate a real-	
time semantic map	19
System design showing the input from the camera, LiDAR, and	
odometry processed by ROS on an Arduino Mega-mini Pro, result-	
ing in a semantic map.	20
Arduino schematic for power distribution, motor control, encoder	
feedback, and remote communication using the Arduino Mega Pro	
Mini	21
Overall system architecture and data flow for semantic mapping	23
The robot platform equipped with a LiDAR, camera, Jetson Nano,	
and odometry encoder for navigation and control	24
Perspective of the Camera and LiDAR Sensor for Object Detection	
and Mapping	30
Map constructed using the Gmapping SLAM algorithm, capturing	
the geometric layout of the environment	36
	Logitech C920 Pro HD Webcam used in the project. RPLIDAR A1 used in the project. Robot Operating System (ROS) with various hardware platforms and tools, including Arduino, Raspberry Pi, robotic arms, LiDAR sensors, and terminal interfaces, showcasing ROS's versatility in enabling robotic development across different devices. [2] SLAM results using Gmapping techniques, (a) Indoor mapping, (b) Outdoor mapping [3]

4.2	Object detection results using YOLOv3: detection of various ob-	
	jects such as bicycles, doors, trash cans, and kayaks in an indoor	
	environment	37
4.3	Semantic map with object markers overlaid, representing the inte-	
	gration of geometric and semantic information	39
4.4	Visualization of the saved map and detected objects using mat-	
	plotlib. The map shows the environment structure, while color-	
	coded markers indicate the positions of detected objects, such as	
	doors, trash cans, and bicycles	45