

DAFTAR GAMBAR

| | |
|---|----|
| Gambar III.1 Konsep Hevner | 12 |
| Gambar III.2 Sistemika Penyelesaian Masalah..... | 14 |
| Gambar IV.1 Topologi Eksisting | 20 |
| Gambar IV.2 <i>Switch</i> Ruijie RG-N18007 | 21 |
| Gambar IV.3 <i>Switch</i> Ruijie S5750C-28SFP4XS-H..... | 22 |
| Gambar IV.4 <i>Switch</i> Ruijie(S2910-24GT4XS-UP-H) | 23 |
| Gambar IV.5 <i>Switch</i> Cisco WS-C2960X-24PS-L | 24 |
| Gambar IV.6 <i>Switch</i> HP 1920-24G-PoE+ (370W) <i>Switch</i> JG926A..... | 25 |
| Gambar IV.7 Skenario Pengujian | 27 |
| Gambar IV.8 Port SAP Logon | 28 |
| Gambar IV.9 Pengukuran Pada <i>Interface</i> Laptop | 29 |
| Gambar IV.10 Pengukuran Pada <i>Switch</i> | 30 |
| Gambar IV.11 Pengukuran Pada <i>Access Point</i> | 31 |
| Gambar V.1 <i>Capture Throughput</i> | 33 |
| Gambar V.2 <i>Capture Packet Loss</i> | 34 |
| Gambar V.3 Perhitungan <i>Delay</i> | 35 |