

## REFERENCES

- [1] M. Ridwan, "Jurnal Ekonomi Dan Bisnis Islam Jurnal Ecopreneur Upaya Masyarakat Dalam Publikasi Destinasi Wisata Untuk Peningkatan Ekonomi Desa Leuwikujang," *Jurnal Ekonomi dan Bisnis Islam*, vol. 1, no. Ekonomi, pp. 30–45, 2020.
- [2] D. M. Sari and A. S., "IMPLEMENTASI SISTEM PENGENALAN WISATA BAHARI BERBASIS WEBSITE KABUPATEN MAJENE," *Jurnal Teknik Informatika*, vol. 13, no. 2, pp. 123–132, Feb. 2021, doi: 10.15408/jti.v13i2.16956.
- [3] B. P. S. Indonesia, "Kunjungan wisatawan mancanegara pada Desember 2023 mencapai 1,14 juta kunjungan, naik 20,17 persen (year-on-year).," *Badan Pusat Statistik Indonesia*, Feb. 01, 2024. <https://www.bps.go.id/id/pressrelease/2024/02/01/2347>. [Online].
- [4] A. S. Ningrum, H. C. Rustamaji, and Y. Fauziah, "CONTENT BASED DAN COLLABORATIVE FILTERING PADA REKOMENDASI TUJUAN PARIWISATA DI DAERAH YOGYAKARTA," *Telematika*, vol. 16, no. 1, p. 44, Apr. 2019, doi: 10.31315/telematika.v16i1.3023.
- [5] S. Supriyanto and J. Fahana, "Possible System Architecture for Travel Recommender," *JOIN (Jurnal Online Informatika)*, vol. 5, no. 1, pp. 1–8, Jul. 2020, doi: 10.15575/join.v5i1.573.
- [6] B. M. G. A. Awienoor, and E.B. Setiawan, "Movie Recommendation System Based on Tweets Using Switching Hybrid Filtering with Recurrent Neural Network," *International Journal of Intelligent Engineering and Systems*, vol. 17, no. 2, pp. 277–293, Apr. 2024, doi: 10.22266/ijies2024.0430.24.
- [7] D. Roy and M. Dutta, "A systematic review and research perspective on recommender systems," *J Big Data*, vol. 9, no. 1, 2022, doi: 10.1186/s40537-022-00592-5.
- [8] N. Buslim, L. K. Oh, M. H. A. Hardy, and Y. Wijaya, "Comparative analysis of KNN, Naïve Bayes and SVM algorithms for movie genres classification based on synopsis.," *Jurnal Teknik Informatika*, vol. 15, no. 2, pp. 169–177, Dec. 2022, doi: 10.15408/jti.v15i2.29302.
- [9] A. Z. Mustaqim, N. A. Fadil, and D. A. Tyas, "Artificial Neural Network for classification task in tabular datasets and image Processing: A Systematic Literature review," *JOIN (Jurnal Online Informatika)*, vol. 8, no. 2, pp. 158–168, Dec. 2023, doi: 10.15575/join.v8i2.1002.
- [10] G. Xu, Y. Meng, X. Qiu, Z. Yu, and X. Wu, "Sentiment analysis of comment texts based on BILSTM," *IEEE Access*, vol. 7, pp. 51522–51532, Jan. 2019, doi: 10.1109/access.2019.2909919.
- [11] S. Sahu, R. Kumar, M. S. Pathan, J. Shafi, Y. Kumar, and M. F. Ijaz, "Movie Popularity and Target Audience Prediction Using the Content-Based Recommender System," *IEEE Access*, vol. 10, pp. 42030–42046, 2022, doi: 10.1109/ACCESS.2022.3168161.
- [12] S. Missaoui, F. Kassem, M. Viviani, A. Agostini, R. Faiz, and G. Pasi, "LOOKER: a mobile, personalized recommender system in the tourism domain based on social media user-generated content," *Personal and Ubiquitous Computing*, vol. 23, no. 2, pp. 181–197, Jan. 2019, doi: 10.1007/s00779-018-01194-w.
- [13] S. Reddy, S. Nalluri, S. Kuniseti, S. Ashok, and B. Venkatesh, "Content-Based Movie Recommendation System using genre correlation," in *Smart innovation, systems and technologies*, 2018, pp. 391–397. doi: 10.1007/978-981-13-1927-3\_42.
- [14] S. Bhaskaran and R. Marappan, "Enhanced personalized recommendation system for machine learning public datasets: generalized modeling, simulation, significant results and analysis," *International Journal of Information Technology (Singapore)*, vol. 15, no. 3, pp. 1583–1595, 2023, doi: 10.1007/s41870-023-01165-2.
- [15] M. Fu, H. Qu, Z. Yi, L. Lu, and Y. Liu, "A novel Deep Learning-Based Collaborative filtering model for recommendation system," *IEEE Transactions on Cybernetics*, vol. 49, no. 3, pp. 1084–1096, Mar. 2019, doi: 10.1109/tcyb.2018.2795041.
- [16] B. Markapudi, K. Chaduvula, D. N. V. S. L. S. Indira, and M. V. N. S. S. R. K. S. Somayajulu, "Content-based video recommendation system (CBVRS): a novel approach to predict videos using

- multilayer feed forward neural network and Monte Carlo sampling method," *Multimedia Tools and Applications*, vol. 82, no. 5, pp. 6965–6991, Aug. 2022, doi: 10.1007/s11042-022-13583-8.
- [17] J. Shen, J. Wu, M. Xu, D. Gan, B. An, and F. Liu, "A Hybrid Method to Predict Postoperative Survival of Lung Cancer Using Improved SMOTE and Adaptive SVM," *Comput Math Methods Med*, vol. 2021, 2021, doi: 10.1155/2021/2213194.
- [18] N. B. Lhachemi, E. H. Nfaoui, and J. Boumhidi, "Hashtag Recommender System Based on LSTM Neural Recurrent Network", In: *Proc. of 2019 Third International Conference on Intelligent Computing in Data Sciences (ICDS)*, 2019, pp. 1-6, doi: 10.1109/ICDS47004.2019.8942380.
- [19] G. Ramadhan and E. B. Setiawan, "Collaborative Filtering Recommender System Based on Memory Based in Twitter Using Decision Tree Learning Classification (Case Study : Movie on Netflix)," In: *Proc. of 2022 International Conference on Advanced Creative Networks and Intelligent Systems (ICACNIS)*, Bandung, pp. 1-6, 2022, doi: 10.1109/ICACNIS57039.2022.10055248.
- [20] C. Channarong, C. Paosirikul, S. Maneeroj, and A. Takasu, "HybridBERT4Rec: A Hybrid (Content-Based Filtering and Collaborative Filtering) Recommender System Based on BERT," *IEEE Access*, vol. 10, pp. 56193–56206, 2022, doi: 10.1109/ACCESS.2022.3177610.
- [21] A. Aninditya, M. A. Hasibuan, and E. Sutoyo, "Text Mining Approach Using TF-IDF and Naive Bayes for Classification of Exam Questions Based on Cognitive Level of Bloom's Taxonomy," *2019 IEEE International Conference on Internet of Things and Intelligence System (IoTaIS)*, Nov. 2019, doi: 10.1109/iotais47347.2019.8980428.
- [22] A. Yusmar, L. K. Wardhani, and H. B. Suseno, "RESTAURANT RECOMMENDER SYSTEM USING ITEM BASED COLLABORATIVE FILTERING AND ADJUSTED COSINE ALGORITHM SIMILARITY," *Jurnal Teknik Informatika*, vol. 14, no. 1, pp. 93–100, Sep. 2021, doi: 10.15408/jti.v14i1.21102.
- [23] C. W. Kencana, E. B. Setiawan, and I. Kurniawan, "Hoax Detection System on Twitter using Feed-Forward and Back-Propagation Neural Networks Classification Method," *Jurnal RESTI (Rekayasa Sistem Dan Teknologi Informasi)*, vol. 4, no. 4, pp. 655–663, Aug. 2020, doi: 10.29207/resti.v4i4.2038.
- [24] G. Srivastav and S. Kant, "Review on e-Learning Environment Development and context aware recommendation systems using Deep Learning," *2019 3rd International Conference on Recent Developments in Control, Automation & Power Engineering (RDCAPE)*, Oct. 2019, doi: 10.1109/rdcape47089.2019.8979066.
- [25] B. Choe, T. Kang, and K. Jung, "Recommendation System with Hierarchical Recurrent Neural Network for Long-Term Time Series", *IEEE Access*, Vol. 9, pp. 72033–72039, 2021, doi: 10.1109/ACCESS.2021.3079922.
- [26] Y. M. Arif, D. Wardani, H. Nurhayati, and N. M. Diah, "Non-Rating Recommender system for choosing tourist destinations using artificial neural network," *Applied Information System and Management*, vol. 6, no. 2, pp. 61–68, Sep. 2023, doi: 10.15408/aism.v6i2.26741.
- [27] J. Xiang, Z. Qiu, Q. Hao, and H. Cao, "Multi-time scale wind speed prediction based on WT-bi-LSTM," *MATEC Web of Conferences*, vol. 309, p. 05011, Jan. 2020, doi: 10.1051/mateconf/202030905011.
- [28] B. K. Yousafzai et al., "Student-Performulator: Student academic performance using hybrid deep neural network," *Sustainability*, vol. 13, no. 17, p. 9775, Aug. 2021, doi: 10.3390/su13179775.
- [29] A. D. Safira and E. B. Setiawan, "Hoax Detection in Social Media using Bidirectional Long Short-Term Memory (Bi-LSTM) and 1 Dimensional-Convolutional Neural Network (1D-CNN) Methods," *11th International Conference on Information and Communication Technology (ICoICT)*, Aug. 2023, doi: 10.1109/icoict58202.2023.10262528.
- [30] K. U. Wijaya, and E. B. Setiawan, "Hate Speech Detection Using Convolutional Neural Network and Gated Recurrent Unit with FastText Feature Expansion on Twitter," *JITEKI : Jurnal Ilmiah*

*Teknik Elektro Komputer dan Informatika*, 9.3 (2023): 619-631. 2024. doi: 10.26555/jiteki.v9i3.26532.

- [31] M. U. Salur and I. Aydin, "A novel hybrid deep learning model for sentiment classification," *IEEE Access*, vol. 8, pp. 58080–58093, Jan. 2020, doi: 10.1109/access.2020.2982538.
- [32] S. Moldovanu, C.-D. Obreja, K. C. Biswas, and L. Moraru, "Towards accurate diagnosis of skin lesions using feedforward back propagation neural networks," *Diagnostics*, vol. 11, no. 6, p. 936, May 2021, doi: 10.3390/diagnostics11060936.
- [33] M. Sangiorgio and F. Dercole, "Robustness of LSTM neural networks for multi-step forecasting of chaotic time series," *Chaos, Solitons & Fractals/Chaos, Solitons and Fractals*, vol. 139, p. 110045, Oct. 2020, doi: 10.1016/j.chaos.2020.110045.
- [34] N. Fatima, "Enhancing Performance of a Deep Neural Network: A Comparative Analysis of Optimization Algorithms", *ADCAIJ: Advances in Distributed Computing and Artificial Intelligence Journal*, Vol. 9, No. 2, pp. 79–90, 2020, doi: 10.14201/adcaij2020927990.
- [35] S. Vani and T. V. M. Rao, "An Experimental Approach towards the Performance Assessment of Various Optimizers on Convolutional Neural Network," *2019 3rd International Conference on Trends in Electronics and Informatics (ICOEI)*, Apr. 2019, doi: 10.1109/icoei.2019.8862686.
- [36] Y. Li, C. Wei, and T. Ma, "Towards explaining the regularization effect of initial large learning rate in training neural networks," *Neural Information Processing Systems*, vol. 32, pp. 11669–11680, Jul. 2019, [Online].
- [37] J. Jepkoech, D. M. Mugo, B. K. Kenduiywo, and E. C. Too, "The effect of adaptive learning rate on the accuracy of neural networks," *International Journal of Advanced Computer Science and Applications*, vol. 12, no. 8, Jan. 2021, doi: 10.14569/ijacsa.2021.0120885.
- [38] A. Luque, A. Carrasco, A. Martín, and A. De Las Heras, "The impact of class imbalance in classification performance metrics based on the binary confusion matrix," *Pattern Recognition*, vol. 91, pp. 216–231, Jul. 2019, doi: 10.1016/j.patcog.2019.02.023.