CONTENTS

APPROVAL PAGE i
SELF DECLARATION AGAINTS PLAGIARISM ii
ABSTRACT iii
ABSTRAK iv
DEDICATION v
ACKNOWLEDGEMENTS vi
CONTENTS vii
LIST OF TABLES xi
LIST OF FIGURES xv
LIST OF ABBREVIATIONS xvi
LIST OF ALGORITHMS xvii
CHAPTER 1: INTRODUCTION 1
1.1 Rationale 1
1.2 Theoretical Framework 2
1.3 Conceptual Framework 2
1.4 Statement of the Problem 3
1.5 Hypothesis 3
1.6 Assumption 4
1.7 Scope and Delimitation 4
1.8 Importance of the Study 4
CHAPTER 2: REVIEW OF LITERATURE AND STUDIES 5
2.1 Related Literature 5
2.1.1 Data Hiding 6
2.1.2 Reversible Data Hiding 6
2.1.3 Adaptive Pattern Subtitution Method 9

2.1.3.1 Pattern Subtitution Method 15
2.1.3.1.1 Scenario Application in Binary 18
2.2 Concept of Adaptive PS Method and Two-Phase Adaptive PFR 25
2.2.1 Adaptive PS Method (Pattern Substitution Method) 25
2.2.2 Two-Phase Adaptive PFR Method 26
2.2.2.1 Pattern Frequency Replacement (PFR) Method 27
2.2.2.2 Context Window 28
2.2.2.3 Adaptive Overlapping Pattern Substitution (PS) Method. 29
2.2.2.4 Three Round Embedding 31
CHAPTER 3: RESEARCH METHODOLOGY 35
3.1 Two-Phase Adaptive Pattern Frequency Reduction (PFR) 35
3.1.1.1 Payload Capacity 42
3.1.1.1.1 Embedding Capacity for Adaptive Pattern Substitution Method (PS Method) 42
3.1.1.1.2 Embedding Capacity for Two Phases Adaptive PFR Method 43
3.1.1.1.3 Calculate total number of patterns ($\boldsymbol{N}$) and number of patterns that cannot be used for embedding ($\boldsymbol{k}$) 44
3.1.1.1.4 Formulation for $\boldsymbol{N}$ (Total Number of Patterns) 44
3.1.1.1.5 Formulation for $\boldsymbol{k}$ (Number of Unusable Patterns) 45
3.1.2 Difference Matrix 46
3.1.2.1 Inverse Difference Matrix (Inverse XOR Process) 49
3.1.3 Determining PM, PF, and PFR 50
3.1.3.1 Difference Matrix 51
3.1.4 Context Window 52
3.1.5 Two-Phase Adaptive PFR Embedding 52
3.1.5.1 First Phase Adaptive Embedding PFR 53
3.1.5.2 Second Phase Adaptive Embedding PFR 54
3.2 Design of Experiment 54

3.2.1 Similarity Comparison Between Original and The Reconstruction Secret 54
3.2.1.1 Peak Signal-to-Noise Ratio (PSNR) 56
3.2.1.2 Structural Similarity Index (SSIM) 57
3.2.2 Robustness of Embedded Image 58
3.2.2.1 Salt and Pepper 59
3.2.2.2 Scratch 59
3.2.3 Trade off Analysis 59
CHAPTER 4: EXPERIMENT AND RESULT 62
4.1 Experiment Data 62
4.1.1 Peak Signal to Noise Radio (PSNR) 67
4.1.2 Sturctural Similarity Index (SSIM) 70
4.1.3 Payload (bits) 72
4.1.4 SALT and PEPPER 76
4.1.4.1 Embedded Image 81
4.1.4.2 Recovery Image 95
4.1.5 Scratch 108
4.2 Analyse the Experiment Results 112
4.2.1 Distortion 113
4.2.1.1 Peak Signal-to-Noise Ratio (PSNR) 113
4.2.1.1.1 Implementation PSNR in binary images 114
4.2.1.1.2 Peak Signal to Noise Radio (PSNR) Result Analysis 115
4.2.1.2 Structural Similarity Index Measure (SSIM) 117
4.2.1.3 SALT & PEPPER 118
4.2.1.4 SCRATCH 119
4.2.2 Capacity Embedding 120
4.2.2.1 Payload Capacity 120

4.2.2.1.1 Embedding Capacity for Adaptive Pattern Substitution Method (PS Method) 120
4.2.2.1.2 Embedding Capacity for Two Phases Adaptive PFR Method... 121
4.2.2.1.3 Calculate total number of patterns ($\boldsymbol{N}$) and number of patterns that cannot be used for embedding ($\boldsymbol{k}$) 122
4.2.2.1.4 Formulation for $\boldsymbol{N}$ (Total Number of Patterns) 122
4.2.2.1.5 Formulation for $\boldsymbol{k}$ (Number of Unusable Patterns)..... 123
4.2.2.1.6 Payload (bits) Result Analysis 124
4.2.3 Similiarity Comparison Between Original and The Reconstruction Secret 129
4.2.3.1 PSNR and SSIM..... 129
4.2.3.1.1 Comparative Analysis 129
4.2.4 Robustness Test 130
4.2.4.1 Salt and Pepper..... 130
4.2.4.1.1 SALT and PEPPER Result Analysis 131
4.2.4.2 Scratch..... 158
4.2.4.2.1 Scratch..... 159
CHAPTER 5: CONCLUSION AND RECOMMENDATION 163
5.1 Conclusion 163
5.2 Recommendation..... 164
REFERENCES..... 167
APPENDIX 169